

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

1 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                      | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE      | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------|--------------------|
| 1          | BHEL-HYDERABAD<br>GSFC-BARODA         | STEAM   | 32500                  | 44                     | 350            | 1          | 85-1                         | T793A193<br>16-01-1993  | 1993               |
| 2          | BHEL-HYDERABAD /<br>GSFC-BARODA       | STEAM   | 38800                  | 18                     | 240            | 1          | 85-1                         | T793A193<br>16-01-1993  | 1993               |
| 3          | BHEL-HYDERABAD /<br>GSFC-BARODA       | STEAM   | 33600                  | 14                     | 240            | 1          | 85-1                         | T793A193<br>16-01-1993  | 1993               |
| 4          | BHEL-HYDERABAD /<br>GSFC-BARODA       | STEAM   | 17400                  | 18                     | 288            | 1          | 85-1                         | T793A193<br>16-01-1993  | 1993               |
| 5          | BHEL-HYDERABAD /<br>RIL-PATHALGANGA   | STEAM   | 50000                  | 0.5                    | 470            | 1          | 85-1                         | T794Y-537<br>20-09-1994 | 1994               |
| 6          | BHEL-HYDERABAD /<br>RIL HAZIRA II     | STEAM   | 50000                  | 0.5                    | 470            | 1          | 85-1                         | T794Y725<br>08-12-1994  | 1995               |
| 7          | BHEL-HYDERABAD /<br>RIL HAZIRA III    | STEAM   | 50000                  | 0.5                    | 470            | 1          | 85-1                         | T795Y375<br>20-09-1994  | 1995               |
| 8          | BHEL-HYDERABAD /<br>RIL-HAZIRA        | STEAM   | 50000                  | 0.5                    | 470            | 1          | 85-1                         | T794Y-536<br>20-09-1994 | 1995               |
| 9          | BHEL-HYDERABAD /<br>ONGC - HAZIRA III | STEAM   | 15000                  | 1.0 ATA                | 245            | 1          | 85-1                         | T795Y489<br>04-07-1995  | 1995               |
| 10         | BHEL-HYDERABAD /<br>ONGC - GANDHAR    | STEAM   | 16500                  | 43 ATA                 | 245            | 1          | 85-1                         | T795Y490<br>04-07-1995  | 1993               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                  |             | REFERENCE LIST           |                        |                |            |                              | 2 OF 380                             |                    |
|----------------------------------------------------------------------|--------------------------------------------------|-------------|--------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------|--------------------|
| PRAE                                                                 |                                                  |             | NOISE CONTROL - SILENCER |                        |                |            |                              |                                      |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                 | SERVICE     | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                   | YEAR<br>OF<br>MFR. |
| 11                                                                   | IDEA/MFL, MANALI,<br>CHENNAI - AMMONIA<br>REVAMP | HP STEAM    | 2000                     | 41                     | 405            | 1          | 100-1                        | DBPS/SILENCER/<br>95020/PO/22        | 1996               |
|                                                                      |                                                  | HP STEAM    | 64776                    | 0.5                    | 192.6          | 1          | 100-1                        | 03.10.1995                           | 1996               |
| 12                                                                   | BHEL-HYDERABAD /<br>RIL-PATHALGANGA<br>PHASE II  | STEAM       | 50000                    | 0.5                    | 470            | 1          | 85-1                         | T796B777<br>23-05-1996               | 1997               |
| 13                                                                   | BHEL-HYDERABAD /<br>IOCL - MATHURA               | STEAM       | 50000                    | 0.5                    | 470            | 1          | 85-1                         | T796C255<br>04-07-1996               | 1997               |
| 14                                                                   | BHEL-HYDERABAD /<br>IFFCO - PHULPUR (EXP)        | STEAM       | 50000                    | 0.5                    | 470            | 1          | 85-1                         | T796D339<br>12-10-1996               | 1997               |
| 15                                                                   | ZUARI AGRO CHEMICALS LTD<br>GOA                  | STEAM / AIR | 25000<br>Nm3/Hr.         | 32                     | 530            | 1          | 80-1                         | 042912/AM<br>05-01-1996              | 1997               |
| 16                                                                   | NATIONAL FERTILIZERS LTD<br>PANIPAT              | STEAM       | 50000<br>Nm3/Hr.         | 0.5                    | 8              | 1          | 85-1                         | NFL/PUR/SC/6350/<br>933 / 09-10-1996 | 1997               |
| 17                                                                   | FMC SANMAR LTD. TRICHY<br>ABB-ABL LTD.           | DRUM        | 18670                    | 70.5                   | 293            | 1          | 95-1.5                       | 24707<br>29.08.1996                  | 1997               |
| 18                                                                   | FMC SANMAR LTD. TRICHY<br>ABB-ABL LTD.           | S.H. STEAM  | 22488                    | 77.3                   | 490            | 1          | 95-1.5                       | 24706<br>29.08.1996                  | 1997               |
| 19                                                                   | RCF - MUMBAI                                     | STEAM       | 30000                    | 15                     | 250            | 1          | 85-1                         | PINU-9703278481                      | 1997               |
| 20                                                                   | KRUPP INDUSTRIES /                               | STEAM       | 62500                    | 79.8                   | 295            | 1          | 85-1                         | FBCB/3270/97                         | 1997               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                    |                                                                                                | REFERENCE LIST                               |                             |                           |                     |                              | 3 OF 380                                                                                                         |                                          |
|----------------------------------------------------------------------|----------------------------------------------------|------------------------------------------------------------------------------------------------|----------------------------------------------|-----------------------------|---------------------------|---------------------|------------------------------|------------------------------------------------------------------------------------------------------------------|------------------------------------------|
| PRAE                                                                 |                                                    |                                                                                                | NOISE CONTROL - SILENCER                     |                             |                           |                     |                              |                                                                                                                  |                                          |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                   | SERVICE                                                                                        | FLOW<br>RATE<br>KG/Hr.                       | INLET<br>PR.<br>Kg/Cm2      | TEMP.<br>DEG.C            | NO.<br>OFF          | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                                                               | YEAR<br>OF<br>MFR.                       |
|                                                                      | INDO-GULF FERTS.<br>COPPERSMELTER PRO -<br>BHARUCH | (ON DRUM)<br><br>STEAM<br>(ON DRUM)<br><br>S.H. STEAM<br><br>S.H. STARTUP<br>VENT<br><br>STEAM | 63000<br><br>42500<br><br>30000<br><br>23000 | 80.3<br><br>68.5<br><br>--- | 295<br><br>500<br><br>500 | 1<br><br>1<br><br>1 | 85-1<br><br>85-1<br><br>85-1 | 07-02-1997<br><br>FBCB/3270/97<br>07-02-1997<br><br>FBCB/3270/97<br>07-02-1997<br><br>FBCB/3270/97<br>07-02-1997 | 1997<br><br>1997<br><br>1997<br><br>1997 |
| 21                                                                   | INDIAN RAYON & IND. LTD<br>VERAVAL - GUJ.          | STEAM                                                                                          | 5000                                         | 16                          | 200                       | 1                   | 85-1                         | L/41/0595<br>23-03-1997                                                                                          | 1997                                     |
| 22                                                                   | L&T NIRO LTD., BARODA<br><br>AVADH INDUSTRIES      | AIR + WATER<br><br>VAPOUR                                                                      | 1294                                         | 1.1 BAR                     | 250                       | 1                   | 85-1                         | LTNX/3830/RENU<br><br>PDN / 06-06-1997                                                                           | 1997                                     |
| 23                                                                   | FMC SANMAR LTD. TRICHY<br>ABB-ABL LTD. DURGAPUR    | STEAM                                                                                          | ---                                          | ---                         | ---                       | 5                   | 95-1                         | CV/RM/1091/97<br>17-03-1997                                                                                      | 1997                                     |
| 24                                                                   | FMC SANMAR LTD. TRICHY<br>IFFCO - PHULPUR          | STEAM                                                                                          | ---                                          | ---                         | ---                       | 3                   | 85-1                         | CV/RM/0048/98<br>23-04-1997                                                                                      | 1997                                     |
| 25                                                                   | FMC SANMAR LTD. TRICHY<br>IOCL - HALDIA            | STEAM                                                                                          | ---                                          | ---                         | ---                       | 1                   | 85-1                         | CV/RM/0388/98<br>10-07-1997                                                                                      | 1997                                     |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

4 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                       | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                       | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------|--------------------|
| 26         | FMC SANMAR LTD. TRICHY<br>ABB-ABL LTD. DURGAPUR        | STEAM   | ---                    | ---                    | ---            | 2<br>1     | 95-1                         | CV/RM/0038/98<br>10-07-1997              | 1997               |
| 27         | INDIAN ALUMINIUM - MURI                                | STEAM   | 25000                  | 1                      | 250            | 1          | 90-10                        | MJL/MVT-273<br>23-07-1997                | 1997               |
| 28         | ABB-ABL LTD., DURGAPUR<br>ACC JAMUL & KYMORE           | STEAM   | 8250                   | 26                     | 375            | 3          | 95-1.5                       | 27582<br>25-07-1997                      | 1997               |
| 29         | BHEL - HYDERABAD<br>RIL - UNIT II                      | STEAM   | 40000                  | 1.5 ATA                | 470            | 3          | 85-1                         | T797B333<br>21-07-1997                   | 1997               |
|            | BHEL - HYDERABAD<br>RELIANCE THERMAL<br>POWER (P) LTD. | STEAM   | 40000                  | 1.5 ATA                | 470            | 3          | 85-1                         | T797B333<br>21-07-1997                   | 1997               |
| 30         | BHEL - HYDERABAD<br>HPCL - VIZAG                       | STEAM   | 25000                  | 14 ATA                 | 390            | 2          | 85-1                         | T797B037<br>21-07-1997                   | 1997               |
| 31         | BHPV - VIZAG<br>FACT - UDYOGAMANDAL                    | STEAM   | 10000                  | 4                      | 152            | 1*         | 90-1                         | MM/4/7166/SE/91/<br>8331013 / 04-04-1997 | 1997               |
|            |                                                        | STEAM   | 18000                  | 110                    | 520            | 2*         | 90-1                         | MM/4/7166/SE/91/<br>8331013 / 04-04-1997 | 1997               |
|            |                                                        | STEAM   | 15000                  | 110                    | 520            | 2*         | 90-1                         | MM/4/7166/SE/91/<br>8331013 / 04-04-1997 | 1997               |
|            |                                                        | STEAM   | 24000                  | 119                    | 322            | 4*         | 90-1                         | MM/4/7166/SE/91/<br>8331013 / 04-04-1997 | 1997               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

5 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                 | SERVICE                    | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                         | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------|----------------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------|--------------------|
| 32         | INDIAN ACRYLICS LTD<br>CHANDIGARH                                | NITROGEN                   | 50M3/<br>MIN.          | 10mm<br>WATER<br>GAUGE | 38             | 2          | 90-1                         | IAL/CF-777/214/97<br>15-09-1997            | 1997               |
| 33         | L & T NIRO LTD.,<br>VADODARA                                     | AIR + WATER<br>VAPOUR      | 102+252                | 1.0 BAR                | 300            | 1          | 85-1                         | LTNX/3966/GEA-<br>ENERGY/PDN<br>17-09-1997 | 1997               |
| 34         | SPIC - TUTICORIN                                                 | STEAM                      | 33000                  | 12                     | 200            | 1          | 85-1                         | B73168<br>29-07-1997                       | 1998               |
| 35         | THERMAX / RELIANCE<br>JAMNAGAR REFINERY<br>GUJARAT               | STEAM                      | 33500                  | 51                     | 263            | 4          | 110-1                        | 810643<br>10-09-1997                       | 1998               |
|            |                                                                  | S/H STEAM                  | 120000                 | 47                     | 391            | 2          | 110-1                        | 810643<br>10-09-1997                       | 1998               |
| 36         | BLACK&VEATCH - USA<br>CHEMTEX - MUMBAI<br>RELIANCE JAMNAGAR REF. | AIR<br>BLOW OF             | 75200                  | 1.9                    | 125            | 3          | 90-1                         | 034390-09-06X-248<br>17-10-1997            | 1998               |
| 37         | ABB-ABL LTD<br>DURGAPUR/MRPL-II                                  | STEAM                      | 42000                  | 40                     | 510            | 4          | 115-5.0                      | 45054<br>01-01-1998                        | 1998               |
|            |                                                                  | STEAM<br>LOWER SET<br>DRUM | 51998                  | 40                     | 214            | 4          | 115-5.0                      | 45054<br>01-01-1998                        | 1998               |
|            |                                                                  | S/H STEAM                  | 55181                  | 40                     | 405            | 4          | 115-5.0                      | 45054<br>01-01-1998                        | 1998               |
|            |                                                                  | DRUM                       | 52566                  | 40                     | 214            | 4          | 115-5.0                      | 45054                                      | 1998               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                    |          | REFERENCE LIST           |                        |                |            |                              | 6 OF 380                                            |                    |
|----------------------------------------------------------------------|--------------------------------------------------------------------|----------|--------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------------|--------------------|
| PRAE                                                                 |                                                                    |          | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                     |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                   | SERVICE  | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                  | YEAR<br>OF<br>MFR. |
| 38                                                                   | BECHTEL-LONDON<br>RELIANCE JAMNAGAR<br>REFINERY GUJARAT            | STEAM    | 17163                    | 1.05                   | 207            | 8          | 90-1                         | 01-01-1998<br>22960-JG-MFY-002-<br>MAC / 29-08-1997 | 1998               |
|                                                                      |                                                                    | SH STEAM | 2936                     | 15                     | 371            | 4          | 90-1                         | 22960-JG-MFY-002-<br>MAC / 29-08-1997               | 1998               |
|                                                                      |                                                                    | STEAM    | 7693                     | 17-15                  | 538            | 4          | 90-1                         | 22960-JG-MFY-002-<br>MAC / 29-08-1997               | 1998               |
|                                                                      |                                                                    | SH STEAM | 12466                    | 4.75                   | 538            | 4          | 90-1                         | 22960-JG-MFY-002-<br>MAC / 29-08-1997               | 1998               |
|                                                                      |                                                                    | STEAM    | 97160                    | 47.6                   | 510            | 2          | 90-1                         | 22960-JG-MFY-002-<br>MAC / 29-08-1997               | 1998               |
|                                                                      |                                                                    | STEAM    | 34372                    | 8.1                    | 288            | 4          | 90-1                         | 22960-JG-MFY-002-<br>MAC / 29-08-1997               | 1998               |
|                                                                      |                                                                    | STEAM    | 11400                    | 47.6                   | 540            | 2          | 90-1                         | 22960-JG-MFY-002-<br>MAC / 29-08-1997               | 1998               |
|                                                                      |                                                                    | STEAM    | 28500                    | 21.1                   | 344            | 2          | 90-1                         | 22960-JG-MFY-002-<br>MAC / 29-08-1997               | 1998               |
| 39                                                                   | MITSUI BABCOCK ENERGY<br>INDIA (P) LTD<br>HPL-CO-GENERATION HALDIA | STEAM    | 61500                    | 6 BAR                  | 160            | 4          | 85-1                         | MBEIPL/197001/PRO/<br>050 / 20-03-1998              | 1998               |
|                                                                      |                                                                    | STEAM    | 45000                    | 6 BAR                  | 486            | 2          | 85-1                         |                                                     |                    |
|                                                                      |                                                                    | STEAM    | 40000                    | 16 BAR                 | 498            | 2          | 85-1                         |                                                     |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

7 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                          | SERVICE  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                            | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------|----------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------|--------------------|
| 40         | MFL - MANALI - CHENNAI<br>UREA EXPANSION                  | HP - CO2 | 32000                  | 4 BAR                  | 160            | 1          | 85-1                         | UREA/ AOW/98/<br>T-235 / 21-04-2000           | 1998               |
| 41         | ABB-ABL LTD-DURGAPUR<br>BPCL - MUMBAI                     | STEAM    | 10000                  | 6.2                    | 275            | 1          | 100-1.5                      | 25085<br>04-02-1998                           | 1998               |
|            |                                                           | STEAM    | 29542                  | 6.2                    | 189            | 2          | 100-1.5                      |                                               |                    |
|            |                                                           | STEAM    | 20896                  | 6.2                    | 275            | 1          | 100-1.5                      |                                               |                    |
| 42         | BECHTEL - LONDON<br>RELIANCE JAMNAGAR<br>REFINERY GUJARAT | STEAM    | 85000                  | 3.5                    | 565            | 1          | 94-1                         | 22960-RO-PYY-005 MA<br>28-04-1998             | 1998               |
|            |                                                           | STEAM    | 24500                  | 3.5                    | 293            | 4          | 94-1                         |                                               |                    |
|            |                                                           | STEAM    | 36000                  | 3.5                    | 343            | 2          | 94-1                         |                                               |                    |
| 43         | EIL-DELHI / NUMALIGARH<br>REFINERY - ASSAM                | STEAM    | 11419                  | 4.5                    | 240            | 1          | 85-1                         | NRL/3244-08-JX-4440/<br>306/PO-646 / 11-06-98 | 1998               |
|            |                                                           | STEAM    | 10000                  | 4.5                    | 200            | 1          | 85-1                         |                                               |                    |
|            |                                                           | STEAM    | 6600                   | 4.5                    | 240            | 1          | 85-1                         |                                               |                    |
| 44         | BHEL-HYDERABAD /<br>IOCL-MATHURA                          | STEAM    | 40000                  | 1.5 ATA                | 470            | 1          | 85-1                         | T7 98 A294<br>24-04-1998                      | 1998               |
| 45         | BHEL-HYDERABAD /<br>IOCL-GUWAHATI                         | STEAM    | 6000                   | 45                     | 505            | 1          | 90-1                         | T7 98 A293<br>25-04-1998                      | 1998               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

8 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                    | SERVICE  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                      | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------|----------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------|--------------------|
| 46         | ABB-ABL LTD-DURGAPUR<br>SANJAY GANDHI THERMAL<br>POWER STATION      | SH STEAM | 41161                  | 62                     | 430            | 2          | 115-5                        | UKD/11/0812/39769<br>25-05-1998         | 1998               |
| 47         | THERMAL SYSTEMS(HYD)<br>PVT. LTD - HYDERABAD<br>OCFL - PARADEEP     | SH STEAM | 70600                  | 54                     | 480            | 2          | 85-1                         | 5241/W586-11&27/<br>98-99 / 12-08-1998  | 1998               |
| 48         | BHEL - HYDERABAD<br>RELIANCE - JAMNAGAR                             | STEAM    | 40000                  | 1.5 ATA                | 470            | 1          | 85-1                         | T7 98 8851<br>25-08-1998                | 1998               |
| 49         | BHPV - VIZAG /<br>OCFL - PARADEEP                                   | STEAM    | 5000                   | 8 BAR                  | 165            | 4          | 85-1                         | MM/4/7196/SE-91<br>9331247 / 13-06-1998 | 1998               |
| 50         | THE UGAR SUGAR WORKS<br>KARNATAKA                                   | STEAM    | 20000                  | 62                     | 490            | 2          | 85-1                         | ENGG/MECH/COGEN/<br>20937 / 03-09-1998  | 1998               |
| 51         | UHDE INDIA LIMITED<br>MUMBAI / GNFC (WEAK<br>NITRIC ACID REVAMP)    | STEAM    | 26140                  | 4.6 BAR<br>(A)         | 200            | 1          | 85-1                         | UIL/GNFC/0053/P/<br>M508 / 14-10-1998   | 1999               |
| 52         | UHDE INDIA LIMITED<br>MUMBAI / GNFC (WEAK<br>NITRIC ACID REVAMP)    | STEAM    | 27700                  | 90 BAR                 | 525            | 1          | 85-1                         | UIL/GNFC/0053/P/<br>M508 / 14-10-1998   | 1999               |
| 53         | P.R.ENGINEERING WORKS<br>TRICHY/ ISPAT INDUSTRIES<br>LTD., - MUMBAI | OXYGEN   | 3000<br>Nm3/Hr.        | 16 kg/hr.              | 310            | 1          | 85-1                         | 98/PRE/PO-005<br>14-11-1998             | 1999               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                 |         | REFERENCE LIST           |                        |                |            |                              | 9 OF 380                                 |                    |
|----------------------------------------------------------------------|---------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------|--------------------|
| PRAE                                                                 |                                 |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                                          |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                       | YEAR<br>OF<br>MFR. |
| 54                                                                   | PUNJ LLOYD LTD (PLL)<br>DELHI   | STEAM   | 3700                     | 40 BAR                 | 280            | 2          | 85-1                         | LOI NO.PROC/EIND/<br>06/116 / 13.11.1998 | 1999               |
|                                                                      |                                 | STEAM   | 832                      | 7 BAR                  | 200            | 2          | 85-1                         | LOI NO.PROC/EIND/<br>06/116 / 13.11.1998 | 1999               |
|                                                                      |                                 | STEAM   | 256                      | 7 BAR                  | 200            | 2          | 85-1                         | LOI NO.PROC/EIND/<br>06/116 / 13.11.1998 | 1999               |
|                                                                      |                                 | STEAM   | 752                      | 7 BAR                  | 200            | 1          | 85-1                         | LOI NO.PROC/EIND/<br>06/116 / 13.11.1998 | 1999               |
|                                                                      |                                 | STEAM   | 752                      | 7 BAR                  | 200            | 1          | 85-1                         | LOI NO.PROC/EIND/<br>06/116 / 13.11.1998 | 1999               |
|                                                                      |                                 | STEAM   | 1872                     | 40 BAR                 | 280            | 1          | 85-1                         | LOI NO.PROC/EIND/<br>06/116 / 13.11.1998 | 1999               |
|                                                                      |                                 | STEAM   | 7256                     | 40 BAR                 | 550            | 2          | 85-1                         | LOI NO.PROC/EIND/<br>06/116 / 13.11.1998 | 1999               |
| 55                                                                   | PUNJ LLOYD LTD (PLL)<br>DELHI   | STEAM   | 752                      | 7 BAR                  | 200            | 1          | 85-1                         | LOI NO.PROC/EIND/06/<br>116 / 13.11.1998 | 1999               |
| 56                                                                   | DLF INDUSTRIES LTD<br>FARIDABAD | STEAM   | 83750                    | 2 BAR                  | 330            | 1          | 85-1                         | DIL/10048/206<br>26-11-1998              | 1999               |
|                                                                      |                                 | STEAM   | 47500                    | 2 BAR                  | 204            | 1          | 85-1                         | DIL/10048/206<br>26-11-1998              | 1999               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

10 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                  | SERVICE    | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                        | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------|------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------|--------------------|
| 57         | OSWAL CHEMICALS AND<br>FERTILIZERS LTD - DELHI<br>OCFL - PARADEEP | MP STEAM   | 21300                  | 1.5                    | 204            | 1          | 85-1                         | OCFL BC:2517 LR60/<br>1998/224 / 08-12-98 | 1999               |
|            |                                                                   | LP STEAM   | 209300                 | 1.5                    | 149.6          | 1          | 85-1                         | OCFL BC:2517 LR60/<br>1998/224 / 08-12-98 | 1999               |
|            |                                                                   | LP STEAM   | 114900                 | 1.5                    | 165            | 1          | 85-1                         | OCFL BC:2517 LR60/<br>1998/224 / 08-12-98 | 1999               |
| 58         | BHEL - HYDERABAD                                                  | STEAM      | 25000                  | 1.0 ATA                | 390            | 1          | 85-1                         | T7 98 D051<br>11-12-1998                  | 1999               |
| 59         | RCFL - CHEMBUR, MUMBAI                                            | STEAM      | 39000                  | 16                     | 310            | 1          | 85-3                         | PIMC 9811359671<br>29-12-1998             | 1999               |
| 60         | IAEC INDUSTRIES(MADRAS)<br>LTD, CHENNAI                           | STEAM      | 10200                  | 50.3                   | 264            | 1          | 85-5                         | IIML/RP/MEL/99/<br>192 / '08-02-1999      | 1999               |
| 61         | ABB-ABL<br>GULBARGA                                               | STEAM      | 10                     | 6.2                    | 275            | 4          | 100-1                        | E50/0872/P/9/6596<br>05.04.99             | 1999               |
| 62         | STORK ENGINEERS & CONT.<br>B.V / IOCL                             | STEAM      | 1850                   | 10                     | 300            | 7          | 85-1                         | 63030/27/<br>09.04.99                     | 1999               |
| 63         | DUN CANS INDUSTRIES                                               | STEAM      | 12500                  | 25                     | 400            | 1          | 90-1                         | EJE/4812/RSK/<br>17.03.99                 | 1999               |
| 64         | DLF-FARIDAPAD<br>MRPL                                             | S.H. STEAM | 4000                   | 9.6                    | 525            | 3          | 85-1                         | DIL/10048/254/<br>06.04.99                | 1999               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

11 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                   | SERVICE      | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                         | YEAR<br>OF<br>MFR. |
|------------|------------------------------------|--------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------|--------------------|
| 65         | OSWAL CHEMICAL &<br>FERTILIZER LTD | SAFETY VALVE | 192569                 | 3.5                    | 519            | 1          | 85-1                         | OCFL:BC2517-3J-R08<br>/1/1999/401/21.05.99 | 1999               |
| 66         | OSWAL CHEMICAL &<br>FERTILIZER LTD | SAFETY VALVE | 192695                 | 3.5                    | 519            | 1          | 85-1                         | OCFL:BC2517-3J-R08<br>/1/1999/401/21.05.99 | 1999               |
| 67         | OSWAL CHEMICAL &<br>FERTILIZER LTD | SAFETY VALVE | 108520                 | 3.5                    | 519            | 1          | 85-1                         | OCFL:BC2517-3J-R08<br>/1/1999/401/21.05.99 | 1999               |
| 68         | BHEL-HYDERABAD /<br>HPCL-MUMBAI    | STEAM        | 15000                  | 20ATA                  | 269            | 1          | 85-1                         | T799 A683<br>07.05.99                      | 1999               |
| 69         | DLF-FARIDAPAD<br>KISCO             | SAFETY VALVE | 12162                  | 2                      | 264            | 2          | 100-1                        | DIL/10047/109<br>27.05.99                  | 1999               |
| 70         | DLF-FARIDAPAD<br>KISCO             | SAFETY VALVE | 12519                  | 2                      | 266            | 2          | 100-1                        | DIL/10047/109<br>27.05.99                  | 1999               |
| 71         | DLF-FARIDAPAD<br>KISCO             | STARTUP VENT | 12500                  | 2                      | 450            | 2          | 100-1                        | DIL/10047/109<br>27.05.99                  | 1999               |
| 72         | DLF-FARIDAPAD<br>KISCO             | SUPER HEATER | 8717                   | 2                      | 450            | 2          | 100-1                        | DIL/10047/109<br>27.05.99                  | 1999               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                 |          | REFERENCE LIST           |                        |                |            |                              | 12 OF 380                       |                    |
|----------------------------------------------------------------------|---------------------------------|----------|--------------------------|------------------------|----------------|------------|------------------------------|---------------------------------|--------------------|
|                                                                      |                                 |          |                          |                        |                |            |                              |                                 |                    |
|                                                                      |                                 |          | NOISE CONTROL - SILENCER |                        |                |            |                              |                                 |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                | SERVICE  | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE              | YEAR<br>OF<br>MFR. |
| 73                                                                   | BHEL-HYDERABAD /<br>IOCL-HALDIA | STEAM    | 25000                    | 1ATA                   | 390            | 1          | 85-1                         | T799B285<br>01.7.99             | 1999               |
| 74                                                                   | THERMAX LTD-PUNE                | STEAM    | 11200                    | 65.5                   | 497            | 1          | 80-1                         | ESD-R5912002<br>26.07.99        | 1999               |
| 75                                                                   | EIL-NEW DELHI<br>GAIL-AURAIYA   | STEAM    | 31600                    | 6.5                    | 220            | 1          | 85-1                         | 3549/4132/120/293<br>29.07.99   | 1999               |
| 76                                                                   | EIL-NEW DELHI<br>GAIL-AURAIYA   | STEAM    | 10320                    | 21                     | 260            | 1          | 85-1                         | 3549/4132/120/293<br>29.07.99   | 1999               |
| 77                                                                   | RPL-JAMNAGAR                    | STEAM    | 34280                    | 16                     | 343            | 1          | 90-1                         | 22960-JGP-00487-JAC<br>28.08.99 | 1999               |
| 78                                                                   | SKODA-MUMBAI                    | GAS VENT | 5<br>Nm3/Hr              | 63ATA                  | 460            | 1          | 85-1                         | SJ/ENGG/TG2/751<br>17.11.99     | 1999               |
| 79                                                                   | BHEL-HYDERABAD /<br>IOCL-HALDIA | STEAM    | 25000                    | 1ATA                   | 390            | 1          | 85-1                         | T799D536/<br>22.12.99           | 1999               |
| 80                                                                   | IOCL-HALDIA                     | AIR VENT | 22000                    | 3.5                    | 350            | 1          | 85-1                         | 4483/152/<br>28.02.2000         | 2000               |
| 81                                                                   | IOCL-HALDIA                     | AIR VENT | 98154                    | 5.3                    | 280            | 1          | 85-1                         | 4483/152/<br>28.02.2000         | 2000               |
| 82                                                                   | IOCL-HALDIA                     | STEAM    | 12400                    | 3.5                    | 300            | 1          | 85-1                         | 4483/152/<br>28.02.2000         | 2000               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

13 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                              | SERVICE    | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                     | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------|------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------|--------------------|
| 83         | IOCL-HALDIA                                   | STEAM      | 5500                   | 3.5                    | 245            | 3          | 85-1                         | 4483/152/<br>28.02.2000                | 2000               |
| 84         | IOCL-HALDIA                                   | STEAM      | 5500                   | 3.5                    | 350            | 1          | 85-1                         | 4483/152/<br>28.02.2000                | 2000               |
| 85         | GNFC-GUJARAT                                  | STEAM      | 10000                  | 7.5                    | 152            | 1          | 85-1                         | MM/BKK/95/373<br>16.02.2000            | 2000               |
| 86         | BHEL-HYDERABAD /<br>IOCL-BARAUNI-II           | STEAM      | 25000                  | 1ATA                   | 390            | 1          | 85-1                         | T700/A620/<br>01.06.2000               | 2000               |
| 87         | BHEL-HYDERABAD /<br>IOCL-PANIPET              | STEAM      | 25000                  | 1ATA                   | 390            | 1          | 85-1                         | T700/A621<br>09.06.2000                | 2000               |
| 88         | EIL / IOCL - HALDIA                           | AIR VENT   | 186<br>(Nm3/hr)        | 1                      | 100            | 1          | 85-1                         | 4483/222<br>09.06.2000                 | 2000               |
| 89         | LARSEN & TOUBRO LTD.,                         | S.H. STEAM | 7000                   | 5.0                    | 500            | 1          | 85-1                         | BAGT/UMI/2102019/<br>NRM/DSC/ 24.06.00 | 2000               |
| 90         | WALCHANDNGAR IND. LTD.,<br>ARUNACHALAM BOILER | STEAM      | 25000                  | 70.64                  | 490            | 1          | 85-3                         | D-0-2-5-84-136/92401<br>25.07.2001     | 2000               |
|            |                                               | STEAM      | 21000                  | 5                      | 490            | 1          | 85-1                         | D-0-2-5-84-136/92401<br>25.07.2001     | 2000               |
| 91         | CHEMICAL INDUSTRIES<br>CONSULTING BUREAU      | STEAM      | 8745                   | 12                     | 100            | 1          | 85-1                         | CICB/P195/00-01<br>27.11.2000          | 2001               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

14 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                 | SERVICE     | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                         | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------|-------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------|--------------------|
| 92         | BHEL-HYDERABAD /<br>BPCL - MUMBAI                | STEAM       | 2 TPH                  | 1.0 ATA                | 345            | 1          | 85-1                         | T7 00 / D088<br>05.12.2000                 | 2001               |
|            |                                                  | STEAM       | 25 TPH                 | 1.0 ATA                | 390            | 1          | 85-1                         |                                            |                    |
| 93         | ALSTOM POWER BOILERS<br>LTD / IOCL - BARAUNI     | STEAM       | 22000                  | 2.25                   | 378            | 1          | 85-1                         | 48063<br>30.12.2000                        | 2001               |
| 94         | RELIANCE INDUSTRIES LTD/<br>FCP - HAZIRA         | NITROGEN    | 136                    | 7.74                   | 340            | 1          | 85-1                         | PP02 / RV / 270<br>09.02.2001              | 2001               |
|            |                                                  | NITROGEN    | 954                    | 10                     | 240            | 1          | 85-1                         |                                            |                    |
|            |                                                  | NITROGEN    | 510                    | 8.1                    | 270            | 1          | 85-1                         |                                            |                    |
| 95         | ALSTOM POWER BOILERS<br>GSEG - HAZIRA            | EXHAUST GAS | 190                    | 1                      | 160            | 2          | 117-1                        | 53040<br>10.02.2001                        | 2001               |
| 96         | ORISSA SPONGE IRON LTD                           | STEAM       | 25000                  | 1                      | 500            | 1          | 85-1                         | CPP / 190<br>24.02.2001                    | 2001               |
| 97         | SHREE BHAWANI PAPER<br>MILLS LIMITED, RAE BARELI | STEAM       | 9165                   | 52                     | 450            | 1          | 85-1                         | MILLS:159-P: 12<br>31.03.2001              | 2001               |
|            |                                                  | SH STEAM    | 7200                   | 52                     | 450            | 1          |                              |                                            |                    |
| 98         | CHEMICAL INDUSTRIES<br>CONSULTING BUREAU         | AIR VENT    | 11000<br>(Nm3/hr)      | 7                      | 150            | 1          | 85-1                         | CICB/P197-04/PO-127<br>/00-01 / 28.03.2001 | 2001               |
| 99         | ALSTOM POWER BOILERS<br>LTD / GSEG - Hazira      | STEAM       | 28000                  | 1.2                    | 191            | 2          | 95-1                         | 53082<br>20.04.2001                        | 2001               |
|            |                                                  |             | 77000                  | 4.1                    | 330            | 2          |                              |                                            |                    |
|            |                                                  |             | 13000                  | 15                     | 250            | 2          |                              |                                            |                    |
|            |                                                  |             | 40000                  | 45                     | 425            | 2          |                              |                                            |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

15 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                | SERVICE                 | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C    | NO.<br>OFF  | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                    | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------|-------------------------|------------------------|------------------------|-------------------|-------------|------------------------------|---------------------------------------|--------------------|
| 100        | CPCL - CHENNAI / EIL                            | STEAM<br>STEAM<br>STEAM | 9620<br>9620<br>3000   | 7 FV<br>8<br>7         | 240<br>240<br>420 | 1<br>1<br>1 | 85-1                         | 1027-PO-2025/4648<br>27.06.2001       | 2001               |
| 101        | ALSTOM POWER INDIA LTD/<br>GSEG - Hazira        | STEAM                   | 25 TPH                 | 2 Bar                  | 294               | 1           | 85-1                         | 1AY/HAG/PPS/63D/<br>1060 / 15.06.2001 | 2001               |
| 102        | INDIAN PETROCHEMICALS<br>CORP. LTD, DAHEJ / EIL | STEAM                   | 3393                   | 7.5                    | 240               | 1           | 85-1                         | 3847/021/0002<br>10.07.2001           | 2001               |
| 103        | BHEL - HYDERABAD /<br>IOCL - DIGBOI             | STEAM                   | 25 TPH                 | 1.5 ATA                | 390               | 1           | 85-1                         | T7 01 B077<br>16.06.2001              | 2001               |
| 104        | INDIA GLYCOLS LIMITED                           | STEAM<br>STEAM          | 5700<br>2900           | 21<br>13               | 275<br>245        | 1<br>1      | 80-1                         | OMG0392<br>31.07.2001                 | 2001               |
| 105        | THERMAX BABOCK &<br>WILCOX LTD / TUMA           | EXHAUST GAS             | 61850                  | 0.0255<br>Bar          | 560               | 1           | 85-1                         | 613407<br>16.08.2001                  | 2001               |
| 106        | NATIONAL AEROSPACE<br>LAB, BANGALORE            | AIR                     | 5000<br>Cuft/Min.      | 160                    | 50                | 1           | 85-1                         | ABT/NT/162/2001<br>10.09.2001         | 2001               |
| 107        | RELIANCE INDUSTRIES LTD<br>HAZIRA               | STEAM                   | 40 TPH                 | 1.1 Bar                | 470               | 1           | 85-1                         | HZ4/3031436<br>01.10.2001             | 2001               |
| 108        | M/S RAMANEWSPRINT<br>PAPERS LTD - SURAT         | STEAM                   | 12 TPH                 | 7.5(g)                 | 200               | 1           | 85                           | B / 776<br>24.10.01                   | 2001               |
| 109        | M/S ALSTOM POWER BOILERS                        | STEAM                   | 4 TPH                  | 3 (g)                  | 420               | 2           | 85                           | 49195                                 | 2001               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

16 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                  | SERVICE         | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                           | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------------------------------|-----------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------|--------------------|
| 110        | LTD / G.M.D.P.L - AKRIMOTOR<br>M/S EIL/BPCL-MUM<br>M/SREFINERS<br>MODERNISATION<br>PROJECT ( RMP) | STEAM           | 16630                  | 9.5 (g)                | 200            | 1          | 85                           | DT : 31.10.01<br>4500150914<br>DT : 15.11.01 | 2001               |
| 111        | M/S MITSUI BABCOCK<br>ENERGY INDIA LTD ,<br>CAPCO # 6TPA PROJECT                                  | STEAM           | 16630                  | 9.5 (g)                | 396            | 1          | 85                           | 4500150914<br>DT : 15.11.01                  | 2001               |
| 112        | M/S EIL LTD , CPCL -<br>REFINERY - III                                                            | STEAM           | 27 TPH                 | 97 bar                 | 304            | 1          | 85                           |                                              | 2001               |
| 113        | M/S THE WEST COAST<br>PAPERS MILLS LTD                                                            | MP STEAM        | 12780                  | 16(g)                  | 280            | 1          | 85                           | 1027/PO/2150/4814<br>24.01.02                | 2002               |
| 114        | M/S BHEL , HYD<br>M/S CPCL - CHENNAI                                                              | STEAM           | 20000                  | 40.5(g)                | 400            | 1          | 85                           | BLR/MSP/1670<br>02.04.02                     | 2002               |
| 115        | M/S RIL , RELIANCE<br>PETROLEUM LTD                                                               | MP STEAM        | 43 TPH                 | 26 ATA                 | 390            | 1          | 85                           | T702A455<br>DT : 11.05.02                    | 2002               |
| 116        | M/S RIL , RELIANCE<br>PETROLEUM LTD                                                               | MOISTURE<br>AIR | 186                    | 10 bar                 | 186            | 4          | 85                           | JM2/3060610<br>08.06.02                      | 2002               |
| 117        | M/s BOC INDIA LTD /<br>IGCL(BIRLA COPPER)                                                         | AIR             | 6900<br>Nm3/hr         | 5.09<br>bar            | 25             | 1          | 85                           | 110319<br>DT : 29.05.02                      | 2002               |
| 118        | M/s BOC INDIA LTD /<br>NATIONAL AEROSPACE<br>LABORATORIES                                         | AIR             | 37730                  | 11.2(g)                | 50             | 1          | 85                           | 110703<br>DT : 11.07.02                      | 2002               |
| 119        | ISGEC JOHN THOMPSON                                                                               | STEAM           | 15437.3                | 3(g)                   | 445            | 1          | 85                           | H-1A(ZAMBIA) / 7935                          | 2002               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

17 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                  | SERVICE         | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                              | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------|-----------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------------------------|--------------------|
| 119        | ZAMBIA<br><br>M/s ISGEC JOHN<br>THOMPSON / JAYPEE<br>CEMENT       | STEAM           | 15000                  | 3(g)                   | 520            | 2          | 85                           | DT: 20.07.02<br><br>0584/VCH/001A<br>/2595/8640<br>DT : 22.7.02 | 2002               |
| 120        | M/s ISGEC JOHN<br>THOMPSON / MYSORE                               | STEAM           | 14351.5                | 3(g)                   | 485            | 2          | 110                          |                                                                 | 2002               |
|            |                                                                   | STEAM           | 24843                  | 3(g)                   | 485            | 2          | 110                          |                                                                 | 2002               |
| 121        | M/s RELIANCE INDUSTRIES LTD                                       | -               | -                      | -                      | -              | 1          | -                            | HZ4/3065982<br>DT : 19.07.02                                    | 2002               |
| 122        | M/s CHEMICAL INDUS.<br>CONSULTING BUREAU-<br>MATHER & PLATT -BPCL | STEAM           | 12875                  | 7(g)                   | 290            | 1          | 85                           | CICB/P205/02<br>/626-01/REVA<br>24.06.02                        | 2002               |
| 123        | M/s RELIANCE INDUS.<br>LTD ,                                      | STEAM           | 40 TPH                 | 1.1 bar                | 470            | 1          | 85                           | HZ4/3070366<br>DT : 20.08.02                                    | 2002               |
| 124        | M/s TECHNIP KT INDIA<br>IOCL - MATURA                             | STEAM           | 54493                  | 25(g)                  | 495            | 1          | 85                           | 0667:0015:03:7279<br>DT : 04..09.02                             | 2002               |
| 125        | M/s AIR LIQUIDE BSSL-<br>KHAPOLL                                  | RESIDUAL<br>GAS | 1787<br>Nm3/hr         | 1.1 bar                | 5              | 1          | <85                          | ALEI/1043/4023<br>/373001/329<br>DT: 26.09.02                   | 2002               |
| 126        | M/s THERMOTECH                                                    | STEAM           | 383TPH                 | 135(g)                 | 540            | 1          | 100                          | THTH/SILENCER                                                   | 2002               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

18 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                             | SERVICE   | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                   | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------|-----------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------|--------------------|
| 127        | GUJARAT ELECTRICITY<br>BOARD - UKAL<br><br>M/s SULZER PUMPS  | STEAM     | 5793.24                | 4 (g)                  | 390            | 1          | <80                          | -UKAI/2002/590<br>05.10.02<br><br>194694<br>08.11.02 | 2002               |
| 128        | M/s AIR LIQUIDE<br>M/s STERLITE - TUTICORIN                  | WN2       | 58460                  | 1.1 bar                | 27.4           | 1          | 85                           | ALEI/1041/3130<br>373001/417/03.12.05<br>03.12.05    | 2002               |
|            |                                                              | AIR       | 12150                  | 1.1bar                 | 29.43          | 1          | 85                           |                                                      |                    |
|            |                                                              | GOX       | 15247<br>Nm3/hr        | 1.1bar                 | 27.42          | 1          | 85                           |                                                      |                    |
| 129        | M/s. BOC INDIA LTD<br>TISCO PROJECT                          | AIR       | 125484<br>Nm3/hr       | 8.1bar                 | 34             | 1          | 85                           | 112748<br>27.12.02                                   | 2002               |
| 130        | M/s.THERMAX LTD BABCOCK &<br>WILCOX LTD / KALPATARU          | STEAM     | 7700                   | 6                      | 495            | 1          | 105                          |                                                      | 2002               |
| 131        | M/s.ISGEC JOHN THOMPSON JOHN THOMPSON,<br>BALARAMPUR PROJECT | STEAM     | 60000                  | Atm<br>pr.             | 515            | 1          | 110                          | VCH-001A(BCM)<br>01.02.03                            | 2003               |
| 132        | M/s. EIL / BPCL<br>BPCL - RMP                                | M.P.STEAM | 6105                   | 21                     | 390            | 1          | 85                           | 4500527247/600<br>17.02.03                           | 2003               |
|            |                                                              | M.P.STEAM | 5460                   | 21                     | 390            | 1          | 85                           | 4500527247/600<br>17.02.03                           | 2003               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

19 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                      | SERVICE   | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                        | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------|-----------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------|--------------------|
| 133        | M/s. ISGEC JOHN THOMPSON<br>B.SEENIAIAH PROJECT                       | STEAM     | 9900                   | 3(g)                   | 500            | 1          | 80                           | LOI : H - 14 (IG)<br>23259/25.07.03       | 2003               |
|            |                                                                       | STEAM     | 19000                  | 3(g)                   | 500            | 1          | 110                          | D-3-2-5-84-119/<br>76005/25.02.03         | 2003               |
| 134        | M/s.WALCHANDNAGAR<br>INDUSTRIES LTD/ SAICBCR - PP                     | S.H.STEAM | 4,700                  | 70                     | 490            | 1          | 85                           | D-3-2-5-84-119/<br>76005/25.02.03         | 2003               |
|            |                                                                       | STEAM     | 5100                   | 64(g)                  | 490            | 1          | 85                           | D-3-2-5-84-119/<br>76005/25.02.03         | 2003               |
| 135        | M/s.KSB INDIA LTD.,<br>R.M.P                                          | STEAM     | 4135.08                | 4                      | 390            | 2          | 85                           | SS/ 5.4.03/<br>08.04.03                   | 2003               |
| 136        | M/s. THERMAX SPONGE<br>IRON PLANT WHRB                                | STEAM     | 3000                   | 70                     | 490            | 6          | 85                           |                                           | 2003               |
| 137        | M/s. R.K.POWER GEN PVT. LTD                                           | STEAM     | 30000                  | 108                    | 530            | 1          | 85                           | RKPPL/SIL/PRA<br>PO/117/20.04.03          | 2003               |
| 138        | M/s. CHEMICAL INDUSTRIES<br>CONSULTING BUREAU<br>BUREAU (BPCL - KEPL) | STEAM     | 23010                  | 7                      | 234            | 1          | 85                           | CICB/P209-11/<br>PO-001/03-04<br>4/4/2003 | 2003               |
| 139        | M/s.MATHER & PLATT PUMPS LTD                                          | STEAM     | 15012                  | 7                      | 290            | 1          | 85                           | 2003/139309<br>18.04.03                   | 2003               |
| 140        | M/s. BOC INDIA LTD<br>N.A.L                                           | AIR       | 1000<br>Nm3/hr         | 4                      | 45             | 1          | 75                           | 11412/20.04.03                            | 2003               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

20 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                       | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                        | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------|--------------------|
| 141        | M/s. HINDUSTAS PAPER<br>CORPORATION LTD.,<br>M/s. HPCL | STEAM   | 30000                  | 60                     | 400            | 4          | 85                           | A/01/20200071/<br>LR/20300160<br>29/04/03 | 2003               |
| 142        | M/s. ISJEC JOHN THOMPSON<br>M/s. JYOTHI BIO ENERGY LTD | STEAM   | 8748                   | 3                      | 485            | 1          | 110                          | 0591/VCH/001A/<br>4385/3066/<br>24.04.03  | 2003               |
|            |                                                        | STEAM   | 17000                  | 3                      | 485            | 1          | 110                          |                                           |                    |
| 143        | M/s.BOC INDIA LTD.,<br>IOCL / VADODARA                 | STEAM   | 240                    | 1.5                    | Ambient        | 1          | 83                           | 114552 /<br>05.05.03                      | 2003               |
|            |                                                        | STEAM   | 8064                   | 1.1                    | Ambient        | 1          | 83                           | 114552 /<br>05.05.03                      | 2003               |
|            |                                                        | STEAM   | 1000                   | 1.5                    | Ambient        | 1          | 83                           | 114552 /<br>05.05.03                      | 2003               |
| 144        | M/s. ISGEC JOHN THOMPSON<br>VISHWANATH SUGARS LTD      | STEAM   | 17719                  | 72                     | 485            | 1          | 110                          | LOI - H -1A<br>(VSL) - 4575<br>21.05.03   | 2003               |
|            |                                                        | STEAM   | 35000                  | 72                     | 485            | 1          | 110                          |                                           |                    |
| 145        | M/s. ISGEC JOHN THOMPSON<br>SCM SUGARS LTD             | STEAM   | 32500                  | 87.5                   | 515            | 2          | 110                          | LOI-VCH-1A<br>(SCM)4376<br>21.02.03       | 2003               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

21 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                       | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                 | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------|--------------------|
| 146        | M/s SULZER PUMPS INDIA LTD                             | STEAM   | 33000                  | 87.5                   | 515            | 2          | 110                          |                                    |                    |
| 147        | M/s.ISGEC JOHN THOMPSON JOHN THOMPSON<br>M/s.OMSHAKTHI | STEAM   | 6143                   | 4                      | 292            | 1          | 80                           | 195705<br>05.06.03                 | 2003               |
|            |                                                        | STEAM   | 900                    | 2                      | 500            | 1          | 110                          | 102 - VCH - 1A<br>(OM SHAKTHI)8836 | 2003               |
|            |                                                        | STEAM   | 9000                   | 2                      | 500            | 1          | 110                          |                                    |                    |
| 148        | THERMAX SPONGE<br>IRON FLANT WHRB                      | STEAM   | 14000                  | 95                     | 520            | 2          | 85                           | R6 914026/<br>23.05.03             | 2003               |
|            |                                                        | STEAM   | 16500                  | 92                     | 520            | 2          | 85                           | R6 914026/<br>23.05.03             | 2003               |
|            |                                                        | STEAM   | 42000                  | 102                    | 312            | 2          | 85                           | R6 914026/<br>23.05.03             | 2003               |
| 149        | M/s.UDHE INDIA LTD<br>RCF - MUMBAI                     | AIR     | 75950                  | 3.9                    | 260            | 1          | 85                           | 0086:PR:MSR:JR:<br>1449/30.09.03   | 2003               |
|            |                                                        | STEAM   | 21790                  | 13                     | 420            | 1          | 85                           | 0086:PR:MSR:JR:<br>1449/30.09.03   | 2003               |
|            |                                                        | GAS     | 63960                  | 1.04                   | 380            | 1          | 85                           | 0086:PR:MSR:JR:<br>1449/30.09.03   | 2003               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

22 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                 | SERVICE            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                          | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------------------------|--------------------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------|--------------------|
| 150        | WALCHANDNAGAR<br>CHIKODI (BLR)                                                   | STEAM              | 34375                  | 70.2                   | 495            | 1          | 85                           | D-4-2-5-84-144/661365<br>DT : 06.10.03      | 2003               |
|            |                                                                                  | STEAM              | 37500                  | 5                      | 495            | 1          | 85                           |                                             |                    |
| 151        | M/s.WALCHANDNAGAR<br>INDUSTRIES LTD<br>CLARION POWER CORP. LTD                   | STEAM              | 17100                  | 66                     | 490            | 1          | 85                           | D-3-2-5-84-135/76605<br>DT : 14.10.03       | 2003               |
| 152        | M/s GOYAL MG GASES<br>(P) LTD/G.M.G LTD - RAIGARH                                | OXYGEN             | 10000<br>Nm3/hr        | 3.2                    | 50             | 1          | 105                          | 769/DOLVI<br>21.10.02                       | 2003               |
| 153        | M/s. RAMA NEWS PRINT<br>& PADERS LTD.,<br>M/s. RNPL - SURAT                      | STEAM              | 40T/hr                 | 12.5                   | 240+20         | 1          | 85                           | B/RV/30690<br>30.10.03                      | 2003               |
| 154        | M/s.ISGEC JOHN THOMPSON JOHN<br>THOMSON<br>M/s.SATMAMAHARSHI<br>POWER CORP.LTD., | STEAM              | 10890                  | 2                      | 490            |            | 110                          | 300120 / J30588<br>12.11.03                 | 2003               |
|            |                                                                                  | STEAM              | 9900                   | 3                      | 490            | 1          | 110                          | LOI NO : VCH -<br>1A / 10.11.02             |                    |
| 155        | M/S. THERMAX LTD.,                                                               | SATURATIM<br>STEAM | 33000                  | 75                     | 290            | 4          | 154                          | LOI NO:B&HMTLS<br>VSK/708/03-04<br>18.11.03 | 2003               |
|            |                                                                                  | SATURATIM          | 33500                  | 76                     | 290            | 4          | 154                          | LOI NO:B&HMTLS<br>VSK/708/03-04<br>18.11.03 | 2003               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

23 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                       | SERVICE         | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                          | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------|-----------------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------|--------------------|
|            |                                                                        | SH STEAM        | 17400                  | 71                     | 495            | 4          | 153                          | LOI NO:B&HMTLS<br>VSK/708/03-04<br>18.11.03 | 2003               |
|            |                                                                        | SH STEAM        | 18500                  | -                      | 495            | 4          | 150.8                        | LOI NO:B&HMTLS<br>VSK/708/03-04<br>18.11.03 | 2003               |
|            |                                                                        | SH STEAM        | 123100                 | 71                     | 495            | 2          | 162                          | LOI NO:B&HMTLS<br>VSK/708/03-04<br>18.11.03 | 2003               |
| 156        | M/s. ENGINEERS INDIA<br>LIMITED / CPU<br>M/s.REFINERY - II (EXPANSION) | M.P.SH<br>STEAM | 15613                  | 2.5(g)                 | 280            | 1          | 82                           | FOA No:1027/<br>PO/2636/4814<br>19.11.03    | 2003               |
| 157        | M/sWALCHANDNAGAR<br>INDUSTRIES LTD<br>BALAJI BOILER                    | STEAM           | 9100                   | 71                     | 440            | 1          | 85                           | D-4-2-5-84-128/<br>37805                    | 2003               |
|            |                                                                        | STEAM           | 9900                   | 5/g                    | 490            | 1          | 85                           | D-4-2-5-84-128/<br>37805                    | 2003               |
| 158        | M/s.THERMAX LTD.,<br>IND AGRO LTD                                      | S.H. STEAM      | 25000                  | 3/g                    | 455            | 1          | 90                           | ORAL                                        | 2003               |
| 159        | M/s ISGEC JOHN THOMPSON<br>RAVIKIRAN POWERPROJECTS                     | STEAM           | 10890                  | 2/g                    | 490            | 1          | 110                          | 300166/JB0599<br>12.01.04                   | 2004               |
|            |                                                                        | STEAM           | 9900                   | 3/g                    | 490            | 1          | 110                          | 300166/JB0599<br>12.01.04                   | 2004               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

24 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                   | SERVICE             | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                               | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------|---------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------|--------------------|
| 160        | M/s ISGEC JOHN THOMPSON<br>TRIVENI ENGG IND LTD                    | STEAM               | 18700                  | 2/g                    | 515            | 1          | 110                          | 300171/JB0595<br>14.10.04                        | 2004               |
|            |                                                                    | STEAM               | 31950                  | 1033                   | 515            | 1          | 110                          | 300171/JB0595<br>14.10.04                        | 2004               |
|            |                                                                    | STEAM               | 60000                  | 2(g)                   | 515            | 1          | 120                          | 300171/JB0595<br>14.10.05                        | 2004               |
| 161        | M/s.THERMAX LTD BABCOCK & WILCOX LTD LTD.,<br>M/s. NESTLE - RUSSIA | S.H.STEAM           | 13,250                 | 24,24.5<br>& 25/g      | 220            | 2          | 85                           | 616978<br>13.01.04                               | 2004               |
| 162        | M/s. WALCHANDNAGAR<br>M/s.RAGHU RANA<br>RENEWABLE ENERGY           | STEAM               | 22000                  | TI                     | 505            | 1          | 85                           | D-4-2-5-64-107/<br>73907<br>10.12.03             | 2004               |
|            |                                                                    | STEAM               | 23750                  | 0 TO 71                | 505            | 1          | 85                           | D-4-2-5-64-107/<br>73907<br>10.12.03             | 2004               |
| 163        | M/s AIR LIQUIDE ENGG<br>INDIA LTD / BFPL                           | GASEOUS<br>NITROGEN | 600                    | 1.1                    | 16.9           | 1          | 85                           | ALEI/9001/1292/<br>BS2/373001/691<br>DT:28.01.04 | 2004               |
|            |                                                                    | WASTE<br>NITROGEN   | 13221<br>145           | 1.1                    | 17.1           | 1          | 85                           | "                                                | 2004               |
| 164        | M/s WALCHANDNAGAR<br>KONARK                                        | STEAM               | 9;625                  | 71                     | 490            | 1          | 85                           | D-4-2-5-84-116/<br>925210<br>DT: 18.02.04        | 2004               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

25 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                    | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                        | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------|--------------------|
| 165        | M/s.THYSEN KRUPP<br>INDUSTRIES INDIA LTD.,<br>(HEG) | STEAM   | 10500                  | 71                     | 490            |            | 85                           | D-4-2-5-84-116/<br>925210<br>DT: 18.02.04 | 2004               |
|            |                                                     | STEAM   | 61.87/hr               | 79                     | 295            | 1          | 85                           | 1012229/B/SJL<br>27.02.04                 | 2004               |
|            |                                                     | STEAM   | 62.6/hr                | 80                     | 295            | 1          | 85                           | 1012229/B/SJL<br>27.02.04                 | 2004               |
|            |                                                     | STEAM   | 33.22<br>hr            | 70.6                   | 490            | 1          | 85                           | 1012229/B/SJL<br>27.02.04                 | 2004               |
|            |                                                     | STEAM   | 100/hr                 | 70.6                   | 490            | 1          | 85                           | 1012229/B/SJL<br>27.02.04                 | 2004               |
|            |                                                     | STEAM   | 32.21/hr               | 69.6                   | 490            | 1          | 85                           | 1012229/B/SJL<br>27.02.04                 | 2004               |
| 166        | M/s.THYSEN KRUPP<br>INDUSTRIES INDIA LTD<br>(INDAL) | STEAM   | 75TPH                  | 107                    | 310            | 3          | 85                           | 1012228/B/SJL<br>27.02.04                 | 2004               |
|            |                                                     | STEAM   | 75 TPH                 | 108                    | 310            | 3          | 85                           | 102228/B/SJL<br>27.02.04                  | 2004               |
|            |                                                     | STEAM   | 41.5                   | 75.4                   | 520            | 3          | 85                           | 102228/B/SJL<br>27.02.04                  | 2004               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

26 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                     | SERVICE   | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------------|-----------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------|--------------------|
| 167        | M/s.THYSEN KRUPP<br>INDUSTRIES INDIA LTD                             | STEAM     | 100                    | 75.4                   | 520            | 3          | 85                           | 102228/B/SJL<br>27.02.04          | 2004               |
|            |                                                                      | STEAM     | 40.6                   | 94.4                   | 520            | 3          | 85                           | 102228/B/SJL<br>27.02.04          | 2004               |
|            |                                                                      | S.H.STEAM | 42596                  | 91.5                   | 520            | 1          | 85                           | 1012224/B/RMK<br>27.05.04         | 2004               |
|            |                                                                      | S.H.STEAM | 18625                  | 90.5                   | 520            | 1          | 85                           | 1012224/B/RMK<br>27.05.04         | 2004               |
|            |                                                                      | S.H.STEAM | 48000                  | 2(max<br>inlet pr)     | 520            | 1          | 85                           | 1012224/B/RMK<br>27.05.04         | 2004               |
| 168        | ITC LIMITED                                                          | STEAM     | 10T/hr                 | 2.5bar                 | 405            | 1          | 85                           | LOI DT : 01.03.04                 | 2004               |
| 169        | M/s.ISGEC JOHN THOMPSON JOHN THOMPSON<br>M/s. NIZAA DECON SUGARS LTD | STEAM     | 18700                  | 2/g                    | 515            | 1          | 110                          | VCA - 1A(NIZAM)<br>34050/01.03.04 | 2004               |
|            |                                                                      | STEAM     | 31,950                 | 1.033/g                | 515            | 1          | 110                          | VCA - 1A(NIZAM)<br>34050/01.03.04 | 2004               |
|            |                                                                      | STEAM     | 45000                  | 2/g                    | 515            | 1          | 110                          | VCA - 1A(NIZAM)<br>34050/01.03.04 | 2004               |
| 170        | M/s.THERMAX LTD BABCOCK & WILCOX LTD TUMA TBM                        |           |                        |                        |                |            |                              |                                   |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

27 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                         | SERVICE              | FLOW<br>RATE<br>KG/Hr.                                    | INLET<br>PR.<br>Kg./Cm2     | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                  | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------------------------|----------------------|-----------------------------------------------------------|-----------------------------|----------------|------------|------------------------------|-----------------------------------------------------|--------------------|
| 171        | DEEPAK FERTILIZERS LTD.,<br><br>M/s.THERMAX LTD BABOCK & WILCOX LTD<br>TISCO, JAMSHEDPUE | GAS<br><br>S.H.STEAM | 78.307<br>TPH<br><br>23,000<br>(max)<br>27200<br>(normal) | 500mm<br>of WC<br><br>6 bar | 550<br><br>300 | 1<br><br>1 | 85<br><br>85                 | 617297<br>03.03.04<br><br>617299<br>03.03.04        | 2004<br><br>2004   |
| 172        | M/s.BHARAT HEAVY PLATE & VESSELS<br>LTD / IOCL                                           | AIR<br><br>NITROGEN  | 2500<br><br>4600                                          | 10.5/g<br><br>10.5/g        | 65<br><br>65   | 1<br><br>1 | 85<br><br>85                 |                                                     | 2004<br><br>2004   |
| 173        | GAIL(INDIA) LTD.,<br>UPPC EXPANSION<br>PROJECT                                           | STEAM                | 22,227                                                    | 12/g                        | 500            | 1          | 85                           | GAIL/CP-6245-<br>00-JU-PO-4031/<br>017/029/23.03.04 | 2004               |
| 174        | M/S.BHEL - HYDERABAD<br>IOCL - PANIPAT                                                   | STEAM                | 18 TPH                                                    | 1 ATA                       | 200            | 1          | 85                           | I 704AO88<br>08.04.04                               | 2004               |
| 175        | M/s. GOYAL MG GASES PVT. LTD                                                             | OXYGEN               | 10000<br>Nm3/hr                                           | 20/g                        | 50             | 1          | 105                          | 1022/DOLVI                                          | 2004               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

28 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                        | SERVICE                    | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C     | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE             | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------|----------------------------|-------------------------|-------------------------|--------------------|------------|------------------------------|--------------------------------|--------------------|
| 176        | M/s.THERMAX LTD BABCOCK & WILCOX LTD<br>SOHAR REFINERY COMPANY LTD.,    | STEAM                      | 48000                   | 1 to 5<br>bar(g)        | saturation<br>temp | 2          | 120                          | 20.04.04<br>617512<br>13.04.04 | 2004               |
|            |                                                                         | SH STEAM                   | 12000                   | 1to 5                   | 395                | 2          | 120                          | 617512<br>13.04.04             | 2004               |
|            |                                                                         | SH.SATURATE<br>D<br>STEAM. | 20000                   | 1 to 5<br>bar(g)        | 395                | 2          | 85                           | 617512<br>13.04.04             | 2004               |
| 177        | M/s.THERMAX LTD BABCOCK & WILCOX LTD<br>BURRUP FERTILIZERS              | SH STEAM                   | 17500                   | 1 to 4<br>bar(g)        | 385                | 1          | <85                          | 617513<br>13.04.04             | 2004               |
|            |                                                                         | SH STEAM                   | 45000/<br>49500         | 1 to 4<br>bar(g)        | 385                | 1          | 85                           | 617513<br>13.04.04             | 2004               |
| 178        | M/s.THERMAX LTD BABCOCK & WILCOX LTD<br>TUMA A/C WELSPUN                | GAS                        | 85975.16                | 500mm<br>of wc          | 550                | 2          | 85                           | 617589<br>24.04.04             | 2004               |
| 179        | M/s.THERMAX LTD BABCOCK & WILCOX LTD<br>CATERPILLAR A/C<br>APOLLO TYRES | GAS                        | 71393                   | 500mm<br>of wc          | 550                | 2          | 85                           | 617590<br>24.04.04             | 2004               |
| 180        | M/s.THERMAX LTD BABCOCK & WILCOX LTD<br>CATERPILLAR A/C<br>APOLLO TYRES | GAS                        | 71,393                  | 500<br>mm of<br>WC      | 550                | 1          | 85                           | 617590<br>24.04.04             | 2004               |
| 181        | M/s.THERMAX LTD BABCOCK & WILCOX LTD<br>M/s. CATERPILLAR                | GAS                        | 71393                   | 500mm<br>of wc          | 550                | 1          | 85                           | 617591<br>24.04.04             | 2004               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

29 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                     | SERVICE   | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2  | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                       | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------------|-----------|------------------------|-------------------------|----------------|------------|------------------------------|----------------------------------------------------------|--------------------|
| 182        | M/s.ISGEC JOHN THOMPSON<br>M/s.SRHREESHYAMPOLP<br>& BOARD MILL LTD., | STEAM     | 30000                  | 3/g                     | 450            | 1          | 110                          | VCH - 1A<br>(SHREESYAM)/653<br>26.04.04                  | 2004               |
| 183        | M/s.INDIAL OIL TANKING LTD<br>M/s.IOCL - MATHURA                     | L.P.STEAM | 15240                  | 3.1(n)/g<br>4.0(m)<br>g | 151            | 1          | 80                           | IOTL-7203-01<br>MREPC2-10-<br>0400-4100-P135<br>28.04.04 | 2004               |
| 184        | M/s.TORBOMACH<br>INDIA (P) LTD,MUMBAI                                | GAS       | 78.307<br>TPH          | 500mm<br>of WC          | 550            | 1          | 85                           | LOI DT :<br>04.05.04                                     | 2004               |
| 185        | M/s.THERMAX LTD<br>M/s.JINDAL STEELP<br>AIR POWER LTD.,              | SH STEAM  | 5800                   | 3.5/<br>g               | 495            | 1          | 85                           |                                                          | 2004               |
|            |                                                                      | SH STEAM  | 5800                   | 3.5/<br>g               | 495            | 1          | 85                           |                                                          | 2004               |
| 186        | M/s. CHEMICON (P)<br>LTD.,M/s P218 MQP<br>IOCL - RANIPET             | STEAM     | 42000                  | 21/g                    | 350            | 3          | 83                           | KECB/060327/8/<br>914/PO-053/04-06<br>DT : 13.05.04      | 2004               |
| 187        | M/s.ISGEC JOHN THOMPSON<br>M/s BAJAJ HINDUSTAN                       | STEAM     | 20000                  | 2/g                     | 435            | 1          | 110                          | 300275/JB0607<br>DT : 25.05.04                           | 2004               |
|            |                                                                      | STEAM     | 40,000                 | 3/g                     | 435            | 1          | 110                          | 300275/JB0607<br>DT : 25.05.04                           | 2004               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                           |           | REFERENCE LIST           |                        |                |            |                              | 30 OF 380                                    |                    |
|----------------------------------------------------------------------|-----------------------------------------------------------|-----------|--------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------|--------------------|
| PRAE                                                                 |                                                           |           | NOISE CONTROL - SILENCER |                        |                |            |                              |                                              |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                          | SERVICE   | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                           | YEAR<br>OF<br>MFR. |
| 188                                                                  | M/s WALCHANDNAGAR<br>INDUSTRIES LTD<br>M/s KM SUGAR (BLR) | STEAM     | 12000                    | 2/g                    | 435            | 1          | 110                          | 300275/JB0607<br>DT : 25.05.04               | 2004               |
|                                                                      |                                                           | STEAM     | 20,000                   | 3/g                    | 435            | 1          | 110                          | 300275/JB0607<br>DT : 25.05.04               |                    |
|                                                                      |                                                           | STEAM     | 13750                    | 71.5 /g                | 515            | 1          | 85                           | D-4-2-5-84-106/15111<br>DT : 01.06.04        | 2004               |
| 189                                                                  | M/s.WALCHANDNAGAR INDUSTRIES LTD<br>M/s.GAYATRI           | STEAM     | 12375                    | 1.5/g                  | 480            | 1          | 85                           | D-4-2-5-84-125/69102<br>01.06.04             | 2004               |
|                                                                      |                                                           | STEAM     | 13500                    | 4.7/g                  | 480            | 1          | 85                           | D-4-2-5-84-125/69102<br>01.06.04             | 2004               |
| 190                                                                  | M/s.WALCHANDNAGAR INDUSTRIES LTD<br>M/s.CSEB (BLR)        | STEAM     | 9625                     | 48.8/g<br>STEAM<br>PR  | 450            | 1          | 85                           | D-4-2-5-84-123/07105<br>01.06.05             | 2004               |
|                                                                      |                                                           | STEAM     | 10500                    | 48.8/g                 | 450            | 1          | 85                           | D-4-2-5-84-123/07105<br>01.06.05             | 2004               |
| 191                                                                  | BHARAT HEAVY PLATE<br>& VESSELS LTD.,<br>M/s.KRL - KOCHI  | S.H.STEAM | 82400                    | 4.5/g                  | 296            | 2          | 85                           | MM/4/724942001<br>MPE 91/5331199<br>07.07.04 | 2004               |
|                                                                      |                                                           | S.H.STEAM | 30900                    | 4.5/g                  | 408            | 1          | 85                           | MM/4/724942001<br>MPE 91/5331199             | 2004               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

31 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                       | SERVICE   | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------|-----------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------------|--------------------|
| 192        | M/s.WALCHAND<br>NAGAR INDUSTRIES<br>M/s. FFFL (BLR)    | STEAM     | 12375                  | 71/g                   | 490            | 1          | 85                           | 07.07.04<br><br>D-4-2-5-84-111/<br>66001/10.07.04 | 2004               |
|            |                                                        | STEAM     | 13500                  | 71/g                   | 490            | 1          | 85                           | D-4-2-5-84-111/<br>66001/10.07.04                 | 2004               |
| 193        | M/s.THERMAX LTD.,<br>M/S.INDAGRO LTD.,                 | S.H.STEAM | 25000                  | 3/g                    | 485            | 1          | 90                           | R6500334<br>23.07.04                              | 2004               |
| 194        | M/s.DOSHI ION<br>EXCHANGE &<br>CHEMICAL INDUS LTD      | STEAM     | 39000                  | 6/g                    | 170            | 1          | 85                           | LOI : DIECIL/<br>PURCH / 135<br>13.08.04          | 2004               |
| 195        | M/s.GOYAL MG GASES PVT LTD.,<br>M/s. JAYASWAL NECO LTD | OXYGEN    | 2100<br>Nm3/hr         | 1.5/g                  | 30             | 1          | 105                          | 2233<br>29.09.04                                  | 2004               |
|            |                                                        | NITROGEN  | 2500<br>NM3/hr         | 1.5/g                  | 30             | 1          | 105                          | 2233<br>29.09.04                                  | 2004               |
| 196        | M/s.THERMAX LTD.,<br>M/s.BAJRANG POWER<br>ISPAT LTD.,  | SH STEAM  | 25000                  | 4/g                    | 490            | 2          | 90                           | LOI - EMAIL<br>23.08.04                           | 2004               |
| 197        | M/s.THERMAX LTD.,<br>M/s OSWAL PUNJAB                  | SH STEAM  | 7000                   | 6/g                    | 490            | 1          | 110                          | LOI - EMAIL<br>23.08.04                           | 2004               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

32 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                     | SERVICE            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE           | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------------|--------------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------|--------------------|
| 198        | M/s.THERMAX LTD.,<br>NSML , PUNJAB                                   | SH STEAM           | 7500                   | 11/g                   | 490            | 1          | 90                           | LOI - EMAIL<br>23.08.04      | 2004               |
|            |                                                                      | SH STEAM           | 8400                   | 6.0/g                  | 490            | 1          | 110                          | LOI.NO:E.MAIL<br>23.08.04    | 2004               |
|            |                                                                      | SH STEAM           | 9000                   | 11/g                   | 490            | 1          | 110                          | LOI.NO:E.MAIL<br>23.08.04    | 2004               |
| 199        | M/s.THERMAX BABCOCK & WILCOX LTD<br>TISCO, JAMSHEDPUR                | SH STEAM           | 55000                  | 6(bar)<br>(g)          | 455            | 1          | 85                           | 618527<br>20.06.04           | 2004               |
| 200        | M/s.THERMAX LTD BABCOCK & WILCOX LTD<br>NESTLE PHILLIPPINES<br>LTD., | SATURATED<br>STEAM | 21113                  | 5 bar<br>(g)           | 210            | 2          | 85                           | 618505<br>14.08.04           | 2004               |
| 201        | M/s.THERMAX LTD.,<br>MALWA POWER LTD.,                               | SH STEAM           | 8875                   | 6/g                    | 490            | 1          | 110                          | LOI : SIL/PRA/<br>01.09.04   | 2004               |
|            |                                                                      | S.H.STEAM          | 9450                   | 11 (g)                 | 490            | 1          | 110                          | LOI : SIL/PRA/<br>01.09.04   | 2004               |
| 202        | M/s.THERMAX LTD<br>M/s.BHUSAN LTD.,                                  | SH STEAM           | 14000                  | 95/g                   | 520            | 2          | 85                           | LOI : SIL/PRA/04<br>01.09.04 | 2004               |
|            |                                                                      | SHSTEAM            | 16500                  | 92/g                   | 520            | 2          | 85                           | LOI : SIL/PRA/04<br>01.09.04 | 2004               |
|            |                                                                      | SH STEAM           | 14000                  | 95/g                   | 520+5          | 2          | 85                           | LOI : SIL/PRA/04<br>01.09.04 | 2004               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

33 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                    | SERVICE  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                    | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------|----------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------|--------------------|
| 203        | M/s.THERMAX LTD<br>M/s.ALCO FORRO<br>ALLOYS LTD RAIPUR              | SH STEAM | 16500                  | 92/g                   | 520+5          | 2          | 85                           | LOI : SIL/PRA/04<br>01.09.04          | 2004               |
|            |                                                                     | SH STEAM | 42000                  | 101/g<br>102/g         | 520 +5         | 2          | 85                           | LOI : SIL/PRA/04<br>01.09.04          | 2004               |
|            |                                                                     | SH STEAM | 10500                  | 71.2/g                 | 495            | 1          | 110                          | SIL/PRA/04-01<br>01.09.04             | 2004               |
|            |                                                                     | SHSTEAM  | 11500                  | 66/g                   | 495            | 1          | 110                          | SIL/PRA/04-01<br>01.09.04             | 2004               |
| 204        | M/s.ISGEC JOHN THOMPSON JOHN THOMPSON<br>M/s.INDIA GLYCOLS<br>LTD., | STEAM    | 24000                  | 2(g)                   | 400 + 5        | 1          | 110                          | LOI:VCH-1A(IGL)<br>1.09.04            | 2004               |
|            |                                                                     | STEAM    | 40000                  | 2/g                    | 400 + 5        | 1          | 110                          | LOI:VCH-1A(IGL)<br>1.09.04            | 2004               |
| 205        | M/s.RELIANCE INDUSTRIES LTD                                         | HP STEAM | 2 X 20<br>TPH          | 6.73(g)                | 399            | 1          | 85                           | JM5/3209446<br>30.08.04               | 2004               |
| 206        | M/s.RELIANCE INDUSTRIES LTD                                         | HP STEAM | 24500                  | 3.5/g                  | 260            | 1          | 94                           | 22960/IJP44-<br>00013-JAC<br>09.09.04 | 2004               |
|            |                                                                     | LP STEAM | 20423                  | 8.1(g)                 | 260            | 3          | 94                           | 22960/IJP44-<br>00013-JAC<br>09.09.04 | 2004               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

34 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                   | SERVICE   | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE              | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------|-----------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------|--------------------|
| 207        | M/s.THERMAX LTD.,<br>M/s.BASKER SPONGE,            | SH STEAM  | 8800                   | 6 (g)                  | 495            | 1          | 110                          | R6500730<br>09.09.04            | 2004               |
|            |                                                    | SH STEAM  | 7260                   | 11(g)                  | 495            | 1          | 110                          | R6500730<br>09.09.04            | 2004               |
| 208        | M/s.THERMAX LTD.,<br>M/s.BINDALSPONGE              | SH STEAM  | 25000                  | 4(g)                   | 485 $\pm$ 5    | 1          | 90                           | LOI : SIL/PRA/04-02<br>09.09.04 | 2004               |
|            |                                                    | SH STEAM  | 8800                   | 6(g)                   | 495            | 1          | 110                          | LOI : SIL/PRA/04-02<br>09.09.04 | 2004               |
|            |                                                    | SH STEAM  | 7260                   | 11(g)                  | 495            | 1          | 110                          | LOI : SIL/PRA/04-02<br>09.09.04 | 2004               |
| 209        | M/s.THERMAX LTD.,<br>M/s. LANCO                    | STEAM     | 13110                  | 71 (g)                 | 485 $\pm$ 5    | 2          | 90                           | LOI : SIL/PRA/04-02<br>09.09.04 | 2004               |
| 210        | M/s THERMAX LTD<br>M/s ELECTROSTEEL<br>CASTING LTD | STEAM     | 13110                  | 71 (g)                 | 485 $\pm$ 5    | 2          | 90                           | R 6500726<br>DT : 09.09.04      | 2004               |
| 211        | M/s THERMAX LTD<br>M/s RANA SPONGE                 | S.H.STEAM | 8800                   | 6 (g)                  | 495            | 1          | 110                          | R 6500732<br>DT : 09.09.04      | 2004               |
| 212        | M/s.THERMAX LTD.,<br>M/s RANA SPONGE               | SH STEAM  | 7260                   | 11 (g)                 | 495            | 1          | 110                          | R 6500732<br>DT : 09.09.04      | 2004               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

35 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                   | SERVICE            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                  | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------|--------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------|--------------------|
| 213        | M/s.THERMAX LTD.,<br>M/s.ZEECO - IOCL                              | SATURATED<br>STEAM | 5000                   | 47.3(g)                | 261            | 2          | 85                           | LOI No : SIL/PRA/<br>04-03/20.09.04 | 2004               |
|            |                                                                    | SATURATED<br>STEAM | 5000                   | 47.3(g)                | 371            | 2          | 85                           | LOI No : SIL/PRA/<br>04-03/20.09.04 | 2004               |
| 214        | M/s SCM SUGARS LTD                                                 | STEAM              | 20000                  | 88 (g)                 | 520            | 1          | 85                           | SCMSC/PO/146/<br>04-05/21.09.04     | 2004               |
| 215        | M/s.THERMAX LTD BABCOCK & WILCOX LTD<br>M/s INDO RAMA<br>PETRLOEUM | SATURATED<br>STEAM | 96306                  | 0.5 bar<br>(g)         | 312            | 2          | 85                           | SIL/PRA/04-04<br>24.09.04           | 2004               |
|            |                                                                    | SATURATED<br>STEAM | 85000                  | 0.5 bar<br>(g)         | 312            | 2          | 85                           | SIL/PRA/04-04<br>24.09.04           | 2004               |
| 213        | M/s ISGEC JOHN THOMPSON                                            | STEAM              | 30000                  | 3 (g)                  | 435            | 1          | 110                          | LOI: VCH-1A(CPCL)<br>14960/08.10.04 | 2004               |
| 214        | M/s ISGEC JOHN THOMPSON<br>M/s PARTEX SUGAR<br>MILLS LTD           | STEAM              | 30963                  | 3 (g)                  | 450            | 1          | 110                          | LOI: VCH-1A<br>(PARTEX) 14960       | 2004               |
|            |                                                                    | STAEM              | 35000                  | 3 (g)                  | 450            | 1          | 110                          | LOI: VCH-1A<br>(PARTEX) 14960       | 2004               |
| 215        | M/s IOCL                                                           | VAPOUR             | 30                     | 11.3 (g)               | 145            | 1          | 85                           | RHRM 4 P2A71<br>16.10.04            | 2004               |
| 216        | M/s KOCHI REFINERIES LTD                                           | STEAM              | 20100                  | 21 (g)                 | 375            | 2          | 85                           | MO14500008907<br>21.10.04           | 2004               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

36 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                        | SERVICE    | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                            | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------|------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------|--------------------|
| 217        | M/s AIRLIQUIDE ENGG. INDIA PVT. LTD<br>M/s GLAD STONE   | WN 2 + AIR | 6881<br>Nm3/hr         | 1.05<br>bar            | 32             | 1          | 85                           | ALEI/9004/1103/BS4<br>373001/399<br>28.10.04  | 2004               |
| 218        | M/s AIRLIQUIDE ENGG. INDIA PVT. LTD<br>M/s JSPL         | GOX        | 11100<br>Nm3/hr        | 1.1 bar                | 28.3           | 2          | 85                           | ALEI/1049/2149/BS43<br>373002/408<br>29.10.04 | 2004               |
|            |                                                         | WN2+AIR    | 20911<br>Nm3/hr        | 1.05 bar               | 28.3           | 2          | 85                           | ALEI/1049/2149/BS43<br>373002/408<br>29.10.04 | 2004               |
|            |                                                         | GAN        | 4000<br>Nm3/hr         | 1.1 bar                | 28.3           | 2          | 85                           | ALEI/1049/2149/BS43<br>373002/408<br>29.10.04 | 2004               |
| 219        | M/s ALSTOM PROJECTS INDIA LTD<br>M/s GVK INDUSTRIES LTD | STEAM      | 32                     | 1.2 (g)                | 487            | 1          | 85                           | 280000130<br>29.10.04                         | 2004               |
| 220        | M/s THERMAX LTD<br>M/s SREENAKODA ISPAT                 | S.H.STEAM  | 7500                   | 71 (g)                 | 485±5          | 1          | 90                           | LOI No:PRA/SIL/04<br>-05/20.10.04             | 2004               |
| 220        | M/s THERMAX LTD<br>M/s SREENAKODA ISPAT                 | S.H.STEAM  | 9000                   | 71 (g)                 | 485±5          | 1          | 90                           | LOI No:PRA/SIL/04<br>-05/20.10.04             | 2004               |
| 221        | M/s THERMAX LTD<br>M/s AGARWAL DUPLEX                   | S.H.STEAM  | 6900                   | 7 (g)                  | 490            | 1          | 110                          | R 6501059<br>DT: 19.10.04                     | 2004               |
| 222        | M/s TOYO ENGG<br>M/s BPCL                               | MP STEAM   | 900                    | 3.5 (g)                | 390            | 1          | 85                           | 4501080760<br>10.11.04                        | 2004               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

37 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                | SERVICE            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE     | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------|--------------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------|--------------------|
| 223        | M/s.THERMAX LTD BABCOCK & WILCOX LTD<br>M/s TOYO THAI           | MP STEAM           | 3372                   | 3.5 (g)                | 390            | 1          | 85                           | 4501080760<br>10.11.04 | 2004               |
|            |                                                                 | MP STEAM           | 10750                  | 3.5 (g)                | 390            | 1          | 85                           | 4501080760<br>10.11.04 | 2004               |
|            |                                                                 | MP STEAM           | 5203                   | 3.5 (g)                | 390            | 1          | 85                           | 4501080760<br>10.11.04 | 2004               |
|            |                                                                 | MP STEAM           | 7108                   | 3.5 (g)                | 390            | 1          | 85                           | 4501080760<br>10.11.04 | 2004               |
|            |                                                                 | SATURATED<br>STEAM | 93571                  | 55 (g)                 | 280            | 1          | 85                           | 618838<br>17.10.04     | 2004               |
|            |                                                                 | S.H.STEAM          | 19638                  | 48.5(g)                | 410            | 1          | 85                           | 618838<br>17.10.04     | 2004               |
|            |                                                                 | S.H.STEAM          | 20400                  | 45(g)                  | 410            | 1          | 85                           | 618838<br>17.10.04     | 2004               |
| 224        | M/s RAMANEWSPRINT<br>AND PAPERS LTD<br>M/s RNPL - SURAT         | STEAM              | 99 TPH                 | 35 (g)                 | 410+10         | 1          | 70                           | B/RV/50647<br>18.11.04 | 2004               |
|            |                                                                 | STEAM              | 70 TPH                 | 38.4(g)                | 440+10         | 1          | 70                           | B/RV/50647<br>18.11.04 | 2004               |
| 225        | M/s STAR PAPER MILLS LTD<br>RECOVERY BOILER<br>RETROFIT-35TDS/D | SATURATED<br>STEAM | 18050                  | 53.18(g)               | 261            | 1          | 85                           | 660234-04T<br>13.11.04 | 2004               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

38 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                         | SERVICE                   | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                        | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------|---------------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------|--------------------|
| 226        | M/s CICB - CHEMICON PVT. LTD<br>M/s HPCL | SATURATED<br>STEAM        | 18050                  | 54.18(g)               | 261            | 1          | 85                           | 660234-04T<br>13.11.04                    | 2004               |
|            |                                          | SUPERHEATED<br>STEAM      | 12030                  | 47.13(g)               | 420±5          | 1          | 85                           | 660234-04T<br>13.11.04                    | 2004               |
|            |                                          | S.H.STEAM                 | 15000                  | 42 (g)                 | 420            | 1          | 85                           | 660234-04T<br>13.11.04                    | 2004               |
|            |                                          | AIR                       | 7033                   | 10.5 (g)               | 100            | 1          | 85                           | CICB/P223-05/PO<br>-047/04-05<br>14.11.04 | 2004               |
| 227        | M/s CICB - CHEMICON PVT. LTD<br>IJT-CPCL | STEAM                     | 4845                   | 10.5                   | 320            | 1          | 83                           | CCPLB/060413-<br>30/PO-380/04-05          | 2005               |
| 228        | M/s CICB - CHEMICON PVT. LTD<br>RIL      | Compressed /<br>Air       | 5844                   | 14.65                  | 143            | 2          | 83                           | CCPLB/060415-<br>416-05/PO-398<br>04-05   | 2005               |
| 229        | M/s CICB - CHEMICON PVT. LTD<br>RIL      | Compressed/<br>Air        | 28,624                 | 7.95                   | 122.5          | 1          | 83                           | CCPLB/060414-<br>07/Po-402/402/<br>04-05  | 2005               |
| 230        | M/s.RAMA NEWSPRINT & PAPERS LTD          | H.P.Super<br>Heated Steam | 30.5TPH                | 5                      | 475            | 1          | 85                           | RG 40110/20.12.04                         | 2005               |
|            |                                          | H.P.Super                 | 38 TPH                 | 82                     | 475            | 1          | 85                           | RG40110/20.12.04                          | 2005               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

39 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                             | SERVICE           | FLOW<br>RATE<br>KG/Hr.              | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                     | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------|-------------------|-------------------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------|--------------------|
| 231        | M/s.AIR LIQUIDE ENGG. INDIA PVT. LTD         | Heated Steam      |                                     |                        |                |            |                              |                                                        |                    |
|            |                                              | Air               | 12350<br>Nm <sup>3</sup> /Hr        | 1.1 Bar                | 28.3           | 1          | 80                           | ALEI/1050/2135<br>BST/ 373101,2,3<br>& 7/ 501/30.12.04 | 2005               |
|            |                                              | GASEOUS<br>OXYGEN | 14895<br>Nm <sup>3</sup> /Hr        | 1.1 Bar                | 27.4           | 1          | 85                           | ALEI/1050/2135<br>BST/ 373101,2,3<br>& 7/ 501/30.12.04 | 2005               |
|            |                                              | WASTE<br>NITROGEN | 58300<br>Nm <sup>3</sup> /Hr        | 1.1 Bar                | 27.4           | 1          | 85                           | ALEI/1050/2135<br>BST/ 373101,2,3<br>& 7/ 501/30.12.04 | 2005               |
|            |                                              | GASEOUS<br>OXYGEN | 1500<br>Nm <sup>3</sup> /Hr         | 1.15 Bar               | 27.4           | 1          | 80                           | ALEI/1050/2135<br>BST/ 373101,2,3                      | 2005               |
| 232        | M/s.RELIANCE INDUSTRIES LTD<br>BUTO - HAZIRA | L.P.STEAM         | 2500                                | 3.5                    | 150            | 1          | 85                           | H440/MXI/3238837<br>05.01.05                           | 2005               |
| 233        | M/s.Shree Shyam<br>Plup & Board Mills Ltd    | Steam             | 15574                               | 3                      | 450            | 1          | 110                          | SSPBML/TD/<br>ORD/2004-05/<br>1674/4/04.01.05          | 2005               |
| 234        | M/s. Isgec John<br>Thomposon Ltd / CPCL      | Steam             | 2000                                | 3                      | 170            | 1          | 110                          | 500228/20.01.05                                        | 2005               |
| 235        | M/s. Thermax Babcock<br>& Wilcox Ltd/ Tisco  | S.H.Steam         | 20400<br>(Normal)<br>27200<br>(Max) | 6 bar (g)              | 458°C          | 4          | 85 - 1                       | 619649<br>619650<br>619651<br>619652<br>Dt : 10.01.05  | 2005               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

40 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                   | SERVICE    | FLOW<br>RATE<br>KG/Hr.                  | INLET<br>PR.<br>Kg/Cm2      | TEMP.<br>DEG.C               | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                              | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------|------------|-----------------------------------------|-----------------------------|------------------------------|------------|------------------------------|-------------------------------------------------|--------------------|
| 236        | M/s. Larsen & Toubro Ltd<br>M/s. KLTPS                             | Main Steam | 150T/Hr                                 | 9 Bar(g)                    | 520°C                        | 2          | 85 -1                        | RNM Power /<br>45000 - 28521/SPP<br>11.01.05    | 2005               |
|            |                                                                    | Main Steam | 22T/Hr                                  | 20 Bar(g)                   | 510°C                        | 2          | 85 - 1                       | -do-                                            |                    |
| 237        | M/s.Fisher Sanmar Ltd                                              | Steam      | 71000<br>Kg/ Hr                         | 59.8<br>bar(g)              | 515°C                        | 4          | 95 - 1                       | 6310016971<br>Dt : 19.01.05                     | 2005               |
| 238        | M/s. FFE Minerals India /<br>Pvt Limted / Vedanta<br>Aluminium Ltd | Gas        | Gas<br>velocity<br>at inlet<br>26.5 M/s | 1.5<br>Kg/cm <sup>2</sup>   | 40°C                         | 2          | 85 - 1                       | VAL - GSC / 6402<br>Dt : 20.01.05               | 2005               |
| 239        | M/s. Isgec John Thomson<br>Ltd / D.S.C.L Sugars                    | Steam      | 18000<br>Kg/Hr                          | 3 kg<br>cm <sup>2</sup> (g) | 515±5°C                      | 1          | 110 - 1                      | 500503 / JB0610<br>Dt : 16.06.05                | 2005               |
|            |                                                                    | Steam      | 20000<br>Kg/Hr                          | 3 Kg<br>cm <sup>2</sup> (g) | 515±5°C<br>(Max)<br>425(nor) | 1          | 110 - 1                      | 500503/JB0610<br>Dt : 16.06.05                  | 2005               |
| 240        | M/s, Isgec John Thompson<br>Ltd / Triveni II                       | Steam      | 31,950                                  | 1.033                       | 515                          | 1          | 110                          | 500241/JB0610<br>05.02.05                       | 2005               |
|            |                                                                    | Steam      | 45000                                   | 2                           | 515                          | 1          | 110                          | 500241 / JB0610<br>05.02.05                     | 2005               |
| 241        | M/s. Isgec John Thompson<br>Ltd., Akbarpur                         | Steam      | 20000                                   | 2                           | 435                          | 2          | 110                          | 500398 / 399<br>JB 0623 / 0624<br>Dt : 19.04.05 | 2005               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

41 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                   | SERVICE           | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                              | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------|-------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------|--------------------|
| 242        | M/s. Isgec John Thompson<br>Ltd., Triveni III      | Steam             | 40000                  | 3                      | 435            | 2          | 110                          | 500398 / 399<br>JB 0623 / 0624<br>Dt : 19.04.05 | 2005               |
|            |                                                    | Steam             | 20000                  | 2                      | 435            | 1          | 110                          | 500400 / JB0625<br>Dt : 19.04.05                | 2005               |
|            |                                                    | Steam             | 40000                  | 3                      | 435            | 1          | 110                          | 500400 / JB0625<br>Dt : 19.04.05                | 2005               |
| 243        | M/s. CICB Chemicon Ltd<br>Reliance Industries Ltd  | Compressed<br>Air | 7782                   | 14.7                   | 112            | 1          | 83                           | CCPLB/060417-<br>19-04/P0-492/<br>04-05         | 2005               |
| 244        | M/s Isgec John Thompson<br>Ltd., Sriram EPC I & II | Steam             | 10890                  | 2                      | 490            | 2          | 110                          | 500289 / 290<br>JB0613/614<br>Dt: 02.03.05      | 2005               |
|            |                                                    | Steam             | 9,990                  | 3                      | 490            | 2          | 110                          | 500289 / 290<br>JB0613 / 614<br>Dt: 02.03.05    | 2005               |
| 245        | M/s Isgec John Thompson<br>Ltd., A/c TPC Ltd       | Steam             | 33250                  | 3                      | 485            | 1          | 110                          | 500305 / JB0611<br>Dt : 03.03.05                | 2005               |
|            |                                                    | Steam             | 40000                  | 3                      | 485            | 1          | 110                          | 500305 / JB0611<br>Dt : 03.03.05                | 2005               |
| 246        | M/s. Thermax Babcock &<br>Wilcox Ltd./CATERPILLAR  | Gas               | 71393                  | 500 mm<br>of WC        | 550            | 1          | 85                           | 619888/<br>Dt : 15.02.05                        | 2005               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

42 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                             | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C       | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE             | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------------|----------------------|------------------------|------------------------|----------------------|------------|------------------------------|--------------------------------|--------------------|
| 247        | M/s .Techo Electric &<br>Engg Company Ltd.,<br>M/s Electro Steel Casting Ltd | Steam                | 10000                  | 7                      | 400                  | 1          | 85                           | 13547 / 04-05<br>Dt : 07.03.05 | 2005               |
| 248        | M/s.Techo Electric& Engg<br>Company Ltd/ M/s Lanco                           | Steam                | 10000                  | 7                      | 400                  | 1          | 85                           | 13552/ 04 -05<br>Dt : 07.03.05 | 2005               |
| 249        | M/s.ISGEC JOHN THOMPSON<br>/ Trident                                         | Steam                | 17206                  | 2                      | 485                  | 1          | 110                          | 500362/JB0616<br>Dt :22.03.05  | 2005               |
|            |                                                                              | Steam                | 16,667                 | 3                      | 485(max)<br>450(Nor) | 1          | 110                          | 500362/JB0616<br>Dt : 22.03.05 | 2005               |
| 250        | M/s. Isgec John Thompson<br>Ltd., Grasim                                     | Steam                | 22500                  | 1                      | 495                  | 1          | 110                          | 500371/JB0612<br>Dt : 11.04.05 | 2005               |
|            |                                                                              | Steam                | 30000                  | 2                      | 293                  | 2          | 110                          | 500371/JB0612<br>Dt : 11.04.05 | 2005               |
|            |                                                                              | Steam                | 22500                  | 1                      | 495                  | 1          | 110                          | 500371/JB0612<br>Dt : 11.04.05 | 2005               |
| 251        | M/s.GB Engg /<br>M/s. Konark met coke ltd.,                                  | Saturated<br>Steam   | 32.164&<br>31.817TPH   | 2                      | 289                  | 2          | 85                           | KONA/0665<br>Dt : 17.03.05     | 2005               |
|            |                                                                              | superheated<br>Steam | 23.83<br>TPH           | 2                      | 482                  | 1          | 85                           | KONA/0665<br>Dt : 17.03.05     | 2005               |
|            |                                                                              | superheated          | 16.25                  | 63                     | 482                  | 1          | 85                           | KONA/0665                      | 2005               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

43 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                            | SERVICE            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                             | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------|--------------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------|--------------------|
| 252        | M/s.THERMAX LTD.,/<br>JSPL                                  | Steam<br>S.H.Steam | 9,675                  | 8                      | 490            | 8          | 115                          | Dt : 17.03.05<br>R6802707/706<br>Dt : 24.06.05 | 2005               |
|            |                                                             | S.H.Steam          | 11610                  | 8                      | 490            | 8          | 115                          | R6802707/706<br>Dt : 24.06.05                  | 2005               |
|            |                                                             | S.H.Steam          | 6000                   | 8                      | 480            | 3          | 11                           | R6802707/706<br>Dt : 24.06.05                  | 2005               |
|            |                                                             | S.H.Steam          | 6000                   | 8                      | 480            | 2          | 115                          | R6802707/706<br>Dt : 24.06.05                  | 2005               |
| 253        | M/s.THERMAX LTD.,/<br>JSPL                                  | S.H.Steam          | 100000                 | 8                      | 485            | 2          | 115                          | R6802707/706<br>Dt : 24.06.05                  | 2005               |
|            |                                                             | S.H.Steam          | 10000                  | 8                      | 484            | 2          | 115                          | R6802707/706<br>Dt : 24.06.05                  | 2005               |
| 254        | M/s. CICB - Chemicon Pvt. Ltd                               | Compressed<br>Air  | 6206                   | 9.2                    | 200            | 1          | 83                           | 003/2005/06<br>Dt: 04.04.05                    | 2005               |
| 255        | M/s. Engineers India Ltd<br>/ IOCL - Panipat                | H.P.Steam          | 5800                   | 46                     | 420            | 1          | 85                           | 6227/ 605<br>Dt : 31.05.05                     | 2005               |
| 256        | M/s. Walchand Nagar<br>Industrial Ltd.,/<br>M/s. Ind Bharat | Steam              | 27500                  | 113                    | 525            | 1          | 85                           | D-5-2-5-84-107/<br>61305/ 16.04.05             | 2005               |
|            |                                                             | Steam              | 30000                  | 106                    | 525            | 1          | 85                           | D-S-2-5-84-107/                                | 2005               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

44 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                     | SERVICE           | FLOW<br>RATE<br>KG/Hr.     | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                    | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------------------|-------------------|----------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------------|--------------------|
| 257        | M/s. Wachand Nagar industries Ltd.,<br>M/s.Lakshmi Gaya                              | Steam             | 2832                       | 59.64                  | 500            | 3          | 85                           | 61305/ 16.04.05<br>D-S-2-5-84-112/<br>04601/ 16.04.05 | 2005               |
| 258        | M/s. Alstom Projects India Ltd                                                       | Steam             | 80T/Hr                     | 1.293                  | 481            | 1          | 85                           |                                                       | 2005               |
| 259        | M/s.Veesons Energy System Pvt Ltd.,<br>M/s. Maa Chinna-mastica Steel & Power (P) Ltd | S.H.Steam         | 8600                       | 3                      | 495            | 1          | 110                          | VS5000SI/30.04.05                                     | 2005               |
|            |                                                                                      | S.H.Steam         | 5000                       | 3                      | 495            | 1          | 110                          | VS5000SI/30.04.05                                     | 2005               |
| 260        | M/s.Walchandnagar Industries Limited/<br>Deepak Fertilizers                          | Steam             | 8950                       | 44.6                   | 355            | 1          | 75                           | D-5-2-5-84-104/<br>03501 Dt : 16.04.05                | 2005               |
|            |                                                                                      | Steam             | 10725                      | 44.6                   | 355            | 1          | 75                           | D-5-2-5-84-104/<br>03501 / 16.04.05                   | 2005               |
| 261        | M/s.Ramanews print and Papers Ltd                                                    | Steam             | 40TPH                      | 4                      | 400            | 1          | 80                           | RG 60020/13.05.05                                     | 2005               |
| 262        | M/s.BOC India Ltd                                                                    | Atmosphere<br>air | 730<br>Nm <sup>3</sup> /Hr | 6.4                    | 15             | 1          | 85                           | 126037/10.05.05                                       | 2005               |
|            |                                                                                      | Dry Oxygen        | 1400<br>Kg/Hr              | 1.15                   | 34.4           | 1          | 85                           | 126037/10.05.05                                       | 2005               |
|            |                                                                                      | Dry Nitrogen      | 6816                       | 1.1                    | 34.4           | 1          | 85                           | 126037 / 10.05.05                                     | 2005               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

45 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                         | SERVICE            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE            | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------|--------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------|--------------------|
| 263        | M/s Thyssenkrupp<br>Industries Ltd / Hindalco<br>Project | STEAM              | Kg/Hr<br>75 TPH        | 107                    | 310            | 3          | 85                           | 102170/B/PMK<br>DT : 11.05.05 | 2005               |
|            |                                                          | STEAM              | 75 TPH                 | 108                    | 310            | 3          | 85                           | 102170/B/PMK<br>DT : 11.05.05 | 2005               |
|            |                                                          | STEAM              | 41.5 TPH               | 95.4                   | 520            | 3          | 85                           | 102170/B/PMK<br>DT : 11.05.05 | 2005               |
|            | M/s Thyssenkrupp<br>Industries Ltd / Hindalco<br>Project | STEAM              | 100 TPH                | 95.4                   | 520            | 3          | 85                           | 102170/B/PMK<br>DT : 11.05.05 | 2005               |
|            |                                                          | STEAM              | 40.6 TPH               | 94.4                   | 520            | 3          | 85                           | 102170/B/PMK<br>DT : 11.05.05 | 2005               |
|            |                                                          | STEAM              | 40.6 TPH               | 94.4                   | 520            | 3          | 85                           | 102170/B/PMK<br>DT : 11.05.05 | 2005               |
| 264        | M/s Thyssenkrupp Industries Ltd<br>/ JP Rewa Project     | SATURATED<br>STEAM | 70 TPH                 | 107                    | 316            | 1          | 85                           | 102171/B/PMK<br>DT : 11.05.05 | 2005               |
|            |                                                          | SATURATED<br>STEAM | 70 TPH                 | 108                    | 316            | 1          | 85                           | 102171/B/PMK<br>DT : 11.05.05 | 2005               |
|            |                                                          | S.H. STEAM         | 40 TPH                 | 94.5                   | 515            | 1          | 85                           | 102171/B/PMK<br>DT : 11.05.05 | 2005               |
|            |                                                          | SATURATED<br>STEAM | 51 TPH                 | 93.5                   | 478            | 1          | 85                           | 102171/B/PMK<br>DT : 11.05.05 | 2005               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

46 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                               | SERVICE            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------|--------------------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------------|--------------------|
| 265        | M/s Fisher Sanmar Ltd,                         | S.H. STEAM         | 25 TPH                 | 93.5                   | 515            | 1          | 85                           | 102171/B/PMK<br>DT : 11.05.05                     | 2005               |
|            |                                                | SATURATED<br>STEAM | 15 TPH                 | 3                      | 400            | 1          | 85                           | 102171/B/PMK<br>DT : 11.05.05                     | 2005               |
|            |                                                | STEAM              | 71,000                 | 59.8                   | 515            | 4          | 85-1                         | 6310019014<br>10.05.05                            | 2005               |
| 266        | M/s Nagarjuna Fertilizers<br>and Chemicals Ltd | STEAM              | 65,000                 | 1.5                    | 147            | 1          | -                            | 1000010265<br>DT : 01.06.05                       | 2005               |
| 267        | M/s Isgec John Thompson<br>/ JSPL              | STEAM              | 48128                  | 3                      | 496            | 1          | 85-1                         | 500516 / JB 0618<br>DT : 17.06.05                 | 2005               |
|            |                                                | STEAM              | 36690                  | 3                      | 496            | 1          | 85-1                         | 500516 / JB 0618<br>DT : 17.06.05                 | 2005               |
|            |                                                | STEAM              | 85000                  | 3                      | 496            | 1          | 85-1                         | 500516 / JB 0618<br>DT : 17.06.05                 | 2005               |
| 268        | M/s CICB CHEMICON (P) LTD                      | COMPRESSED<br>AIR  | 6206                   | 9.2                    | 200            | 1          | 83-1                         | CCPLB/050457-10<br>/PO-111/05-06<br>DT : 27.05.05 | 2005               |
| 269        | M/s Thermodyne Technologies (P) Ltd            | STEAM              | 6395                   | 52                     | 495            | 1          | 110-1                        | MB/06/2056/441                                    | 2005               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

47 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                   | SERVICE            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                               | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------|--------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------|--------------------|
| 270        | M/sSelco International Ltd                         | STEAM              | 4000                   | 52                     | 495            | 1          | 110-1                        | DT : 04.06.05<br>MB/06/2056/441<br>DT : 04.06.05 | 2005               |
| 271        | M/s Thermodyne Technologies (P) Ltd                | S.H. STEAM         | 15 TPH                 | 50                     | 495            | 1          | 85-1                         | PO/SELCO/PRA/<br>006/2005<br>02.06.2005          | 2005               |
| 272        | M/s Bharat Petroleum Corporation Ltd               | STEAM              | 15000                  | 15.5                   | 230            | 1          | 110-1                        | MB/06/2756/460<br>DT : 09.06.05                  | 2005               |
| 273        | M/s Elgi Equipments Ltd                            | IMPURE<br>NITROGEN | 4050<br>Nm3/Hr         | 0.033                  | 30             | 1          | 85-1                         | 4501268694<br>DT : 11.06.05                      | 2005               |
| 274        | M/s Isgec John Thompson<br>/ Neo metalliks Project | AIR                | 3500<br>CFM            | 10                     | 45             | 1          | 87-1                         | 293887<br>DT : 06.07.05                          | 2005               |
| 275        | M/s Isgec John Thompson<br>/ Neo metalliks Project | STEAM              | 6900                   | 3                      | 455            | 1          | 110-1                        | 500538 / JB0621<br>DT : 19.07.05                 | 2005               |
| 275        | M/s Isgec John Thompson<br>/ Neo metalliks Project | STEAM              | 10500                  | 3                      | 455            | 1          | 110-1                        | 500538 / JB0621<br>DT : 19.07.05                 | 2005               |
| 275        | M/s Vecons Energy Sys<br>(P) Ltd                   | S.H.STEAM          | 8600                   | 3                      | 495            | 1          | 110-1                        | VS500182<br>DT : 02.06.05                        | 2005               |
| 275        | M/S Maa Chinnamastica<br>steel and power Ltd       | S.H.STEAM          | 5000                   | 3                      | 495            | 1          | 110-1                        | VS500182<br>DT : 02.06.05                        | 2005               |
| 276        | M/s Vecons Energy Sys                              | S.H.STEAM          | 8600                   | 3                      | 495            | 1          | 110-1                        | VS500183                                         | 2005               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

48 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                                 | SERVICE                               | FLOW<br>RATE<br>KG/Hr.                                       | INLET<br>PR.<br>Kg/Cm2     | TEMP.<br>DEG.C               | NO.<br>OFF          | NOISE<br>LEVEL<br>dB(A)-Mtr.    | P.O. NO. &<br>DATE                                                                                                                                                     | YEAR<br>OF<br>MFR.           |
|------------|------------------------------------------------------------------------------------------------------------------|---------------------------------------|--------------------------------------------------------------|----------------------------|------------------------------|---------------------|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|
| 277        | (P) Ltd<br>M/S Maa Chinnamastica<br>steel and power Ltd<br><br>M/s Isgec John Thompson<br>/ Unique Power Project | S.H.STEAM<br><br>STEAM<br><br>STEAM   | 5000<br><br>30963<br><br>30000                               | 3<br><br>3<br><br>3        | 495<br><br>385<br><br>385    | 1<br><br>1<br><br>1 | 110-1<br><br>110-1<br><br>110-1 | DT : 02.06.05<br><br>VS500183<br>DT : 02.06.05<br><br>500531 / JB0617<br>DT : 11.07.05<br><br>500531 / JB0617                                                          | 2005<br><br>2005<br><br>2005 |
| 278        | M/s Reliance Industries                                                                                          | HOT AIR                               | 47872                                                        | 1.013                      | 190                          | 2                   | 85-1                            | HZ4/3282402<br>DT : 28.06.05                                                                                                                                           | 2005                         |
| 279        | M/s Airliquide Engg India Ltd<br>Ltd / SISCOL                                                                    | GOX<br><br>WN2 + AIR<br><br>GAN       | 11100<br>Nm3/Hr<br><br>20911<br>Nm3/Hr<br><br>4000<br>Nm3/Hr | 1.1<br><br>1.05<br><br>1.1 | 28.3<br><br>28.3<br><br>28.3 | 1<br><br>1<br><br>1 | 85-1<br><br>85-1<br><br>85-1    | ALEI/1054/2117/<br>BS14/373102/158<br>DT: 28.06.05<br><br>ALEI/1054/2117/<br>BS14/373102/158<br>DT: 28.06.05<br><br>ALEI/1054/2117/<br>BS14/373102/158<br>DT: 28.06.05 | 2005<br><br>2005<br><br>2005 |
| 280        | M/s Crest Steel & Power<br>Pvt Ltd                                                                               | SUPERHEATED<br>STEAM<br><br>S.H.STEAM | 10000<br><br>12000                                           | 70<br><br>70               | 485<br><br>485               | 1<br><br>1          | 90-1<br><br>90-1                | CSPP/L/PUR/CAP<br><br>/WHRB(40-D)/PP<br>04-05/146/766<br>DT:02.07.05                                                                                                   | 2005                         |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

49 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                              | SERVICE            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                               | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------|--------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------|--------------------|
| 281        | M/s Fisher Sanmar Ltd                         | STEAM              | 71000                  | 59.8                   | 515            | 2          | 85-1                         | 6310020214<br>DT:07.07.05                        | 2005               |
| 282        | M/s CICB - CHEMICON<br>(P) LTD / HPCL Project | COMPRESSED<br>AIR  | 7026                   | 8.375                  | 83             | 1          | 85-1                         | CCPLB/060508-13<br>PO-278/05-06<br>DT : 08.08.05 | 2005               |
| 283        | M/s BHEL , Hyderabad<br>IOCL - Panipet        | STEAM              | 18 TPH                 | 1 ATA                  | 200            | 1          | 85-1                         |                                                  | 2005               |
| 284        | M/s Isgec John Thompson<br>EID Parry I & II   | STEAM              | 31950                  | 1.013                  | 515            | 2          | 110-1                        | 500602/JB0619<br>500603/JB0620<br>DT : 20.09.05  | 2005               |
|            |                                               | STEAM              | 36000                  | 2                      | 515            | 2          | 110-1                        | 500602/JB0619<br>500603/JB0620<br>DT : 20.09.05  |                    |
| 285        | M/s Elgi Equipments Ltd                       | AIR                | 8000<br>CFM            | 10                     | 45             | 1          | 80-1                         | 684217<br>DT : 08.09.05                          | 2005               |
| 286        | M/s Thermax Limited<br>Tata Sponge Iron Ltd   | SATURATED<br>STEAM | 16875                  | 3                      | 269            | 1          | 110-1                        | R6803527&R6803527<br>01.09.05                    | 2005               |
|            |                                               | SATURATED<br>STEAM | 16875                  | 3                      | 269            | 1          | 110-1                        | R6803527&R6803527<br>01.09.05                    | 2005               |
|            |                                               | S.H.STEAM          | 11250                  | 3                      | 490            | 1          | 110-1                        | R6803527&R6803527                                | 2005               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

50 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT | SERVICE            | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                        | YEAR<br>OF<br>MFR. |
|------------|------------------|--------------------|-------------------------|-------------------------|----------------|------------|------------------------------|-------------------------------------------|--------------------|
| 287        | M/s HEG Limited  | S.H.STEAM          | 13500                   | 3                       | 485            | 1          | 110-1                        | 01.09.05<br>R6803527&R6803527<br>01.09.05 | 2005               |
|            |                  | SATURATED<br>STEAM | 8000                    | 3                       | 221            | 1          | 110-1                        | R6803527&R6803527<br>01.09.05             | 2005               |
|            |                  | SATURATED<br>STEAM | 12375                   | 3                       | 269            | 1          | 110-1                        | R6803527&R6803527<br>01.09.05             | 2005               |
|            |                  | SATURATED<br>STEAM | 12375                   | 3                       | 269            | 1          | 110-1                        | R6803527&R6803527<br>01.09.05             | 2005               |
|            |                  | S.H.STEAM          | 8250                    | 3                       | 490            | 1          | 110-1                        | R6803527&R6803527<br>01.09.05             | 2005               |
|            |                  | S.H.STEAM          | 9900                    | 3                       | 485            | 1          | 110-1                        | R6803527&R6803527<br>01.09.05             | 2005               |
|            |                  | SATURATED<br>STEAM | 8000                    | 3                       | 221            | 1          | 110-1                        | R6803527&R6803527<br>01.09.05             | 2005               |
|            |                  | STEAM              | 4 TPH                   | 66                      | 485            | 1          | 85-1                         | 1549/0506/101676<br>DT : 10.09.05         | 2005               |
|            |                  | STEAM              | 2.675<br>TPH            | 66                      | 485            | 1          | 85-1                         | 1549/0506/101676<br>DT : 10.09.05         | 2005               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

51 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                           | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------|--------------------|
| 288        | M/s Reliance Industries                         | STEAM                 | 81400                  | 10.9                   | 515            | 1          | 115-1                        | H441/MX7/3301266<br>DT : 17.09.05            | 2005               |
|            |                                                 | STEAM                 | 186246                 | 0.3<br>bar             | 163.6          | 1          | 115-1                        | H441/MX7/3301266<br>DT : 17.09.05            | 2005               |
|            |                                                 | STEAM                 | 196500                 | 0.3<br>bar             | 118            | 1          | 115-1                        | H441/MX7/3301266<br>DT : 17.09.05            | 2005               |
| 289        | M/s Isgec John Thompson<br>Kakira I & II        | STEAM                 | 15000                  | 3                      | 510            | 2          | 110-1                        | 500642/JB0630<br>500643/JB0631<br>05.10.05   | 2005               |
|            |                                                 | STEAM                 | 17000                  | 3                      | 510            | 2          | 110-1                        | "                                            | 2005               |
| 290        | M/s Isgec John Thompson<br>Rana Papers Ltd      | STEAM                 | 25000                  | 2                      | 485            | 1          | 110-1                        | 500682/JB0615<br>22.10.05                    | 2005               |
| 291        | M/s Isgec John Thompson<br>Malwa Industreis Ltd | STEAM                 | 13371                  | 2                      | 495            | 1          | 110 - 1                      | 500661/ JB0626<br>13.10.05                   | 2005               |
|            |                                                 | STEAM                 | 21000                  | 2                      | 495            | 1          | 110 - 1                      | 500661/ JB0626<br>13.10.05                   | 2005               |
| 292        | M/s. CICB Chemicon Pvt. Ltd                     | Steam & Air           | 276 &<br>240           | 3.5                    | 300            | 3          | 85 - 1                       | CCPLB/060443-64/<br>PO-404/05-06<br>23.09.05 | 2005               |
| 293        | M/s. Cethar Vessels P Ltd                       | Gasturbine<br>Exhaust | 80000                  | 10000<br>mm of         | 580            | 3          | 85 - 1                       | MBF043/0007/0/S                              | 2005               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

52 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                              | SERVICE   | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                                                 | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------|-----------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------------------------------------------------|--------------------|
| 294        | M/s. Air Liquid Engineer<br>India (P) Ltd.,<br>ALNI - ROORKEE | WN2 + Air | 18660                  | WC<br>2 Bar            | 65             | 1          | 85 - 1                       | MBF044/0006/0/S<br>MBF045/0006/0/S<br>22.11.05<br><br>ALEI/1056/1107<br>BS8/523322/363<br>28.09.05 | 2005               |
|            |                                                               | GAN       | 1550                   | 2 Bar                  | 65             | 1          | 85 - 1                       | ALEI/1056/1107<br>BS8/523322/363<br>28.09.05                                                       | 2005               |
| 295        | M/s. Greensol Power<br>System (P) Ltd.,<br>Rajashree Cements  | Steam     | 10000                  | 2                      | 400            | 1          | 85 - 1                       | GPSL / PR & EWPL<br>1026/PO-033/D506<br>03.10.05                                                   | 2005               |
| 296        | M/s. Thermax Ltd.,<br>BMM Ispat                               | S.H.Steam | 2500                   | 4                      | 405            | 2          | 90 - 1                       | R6803579<br>12.09.05                                                                               | 2005               |
|            |                                                               | S.H.Steam | 3000                   | 4                      | 405            | 2          | 90 - 1                       | R6803579<br>12.09.05                                                                               | 2005               |
| 297        | M/s. Thermax Ltd.,<br>API ISPAT                               | S.H.Steam | 10000                  | 4                      | 490            | 1          | 90 - 1                       | R6803732<br>03.10.05                                                                               | 2005               |
|            |                                                               | S.H.Steam | 12000                  | 4                      | 490            | 1          | 90 - 1                       | R6803732<br>03.10.05                                                                               | 2005               |
|            |                                                               | Sat Steam | 15000                  | 4                      | 291            | 1          | 90 - 1                       | R6803732<br>03.10.05                                                                               | 2005               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

53 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                  | SERVICE           | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------|-------------------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------------|--------------------|
| 298        | M/s.THERMAX LTD.,<br>ABHIJEET     | S.H.Steam         | 10000                  | 4                      | 490            | 1          | 90 - 1                       | R6803733<br>03.10.05                              | 2005               |
|            |                                   | S.H.Steam         | 15000                  | 4                      | 490            | 1          | 90 - 1                       | R6803733<br>03.10.05                              | 2005               |
| 299        | BOC INDIA LTD.,                   | PROCESS<br>AIR    | 1100<br>Nm3/hr         | 3                      | 20C            | 1          | 85                           | 128816<br>30.09.05                                | 2005               |
|            |                                   | DRY<br>NITROGEN   | 1830<br>Nm3/hr         | 4                      | 10-15          | 1          | 85                           | 128816<br>30.09.05                                | 2005               |
|            |                                   | WASTER<br>AIR     | 6050<br>Nm3/hr         | 1.093                  | 10-15          | 1          | 85                           | 128816<br>30.09.05                                | 2005               |
|            |                                   | AIR<br>COMPRESSOR | 5000<br>Nm3/hr         | 4                      | 134            | 2          | 85                           | 128816<br>30.09.05                                | 2005               |
| 300        | ISJEC JOHN THOMPSON               | STEAM             | 11550                  | 3                      | 515 ± 5        | 2          | 110                          | 500685/JB0619<br>DT : 25.01.05/06                 | 2005               |
| 301        | WALCHANDNAGAR<br>INDUSTRIES LTD., | STEAM             | 12000                  | 45                     | 435            | 1          | 80                           | D-6-5-2-84-133/<br>29243/23.10.05                 | 2005               |
| 302        | AIR LIQUID ENGG. INDIA PVT. LTD   | NITROGEN          | 3900                   | 1.05                   | 62             | 1          | 85                           | ALEI/9008/1105<br>B53/373001/410<br>DT : 21.10.05 | 2005               |
|            |                                   | WN <sub>2</sub>   | 5730                   | 1.05                   | 65             | 1          | 85                           | ALEI/9008/1105<br>B53/373001/410<br>DT : 21.10.05 | 2005               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

54 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                         | SERVICE      | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C   | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                   | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------|--------------|------------------------|------------------------|------------------|------------|------------------------------|--------------------------------------|--------------------|
| 303        | BOC INDIA                                | NITROGEN     | 20300                  | 4.9                    | 21               | 1          | 85DBA                        | 129457<br>DT : 07.11.05              | 2006               |
|            |                                          | AIR          | 130088                 | 5.52                   | 108              | 1          | 85DBA                        |                                      | 2006               |
|            |                                          | NITROGEN     | 20300                  | 4.9                    | 21               | 1          | 85DBA                        |                                      | 2006               |
|            |                                          | AIR          | 24000                  | 5.62                   | 22 - 100         | 1          | 85DBA                        |                                      | 2006               |
|            |                                          | AIR          | 1172                   | 1.6                    | -173<br>TO<br>27 | 1          | 85DBA                        |                                      | 2006               |
| 304        |                                          | AIR          | 13424                  | 3                      | -173 TO<br>27    | 1          | 85DBA                        | 129457<br>07.11.05                   | 2006               |
| 305        | NAGARJUNA FERTILIZERS &<br>CHEMICALS LTD | STEAM        | 30000                  | 3                      | 510              | 3          | 80DBO                        | 1000011066<br>29.10.05               |                    |
| 306        | AIR LIQUID                               | WN2 +<br>AIR | 32084 +<br>463         | 1.07                   | 17.4             | 1          | 85D6N                        | ALEI/1058<br>1104/BSI/<br>523322/420 | 2006               |
| 307        | KIRLOSKAR EBARA<br>PUMPS LIMITED         | STEAM        | 16875                  | 5.5                    | 212              | 1          | 85DBA                        | 20516<br>DT : 28.10.05               | 2006               |
| 308        | ISJEC JOHN THOMPSON                      | STEAM        | 17525                  | 1.0132                 | 510 + 5          | 1          | 110 DBA<br>-@ 10 MTR.        | 500741/JB 0622<br>25.11.05           | 2006               |
|            |                                          | STEAM        | 27500                  | 2                      | 515+5            | 1          | 110 DBA                      | 500741/JB 0622                       | 2006               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

55 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                             | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                           | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------|--------------------|
| 309        | NAGARJUNA FERTILIZERS<br>& CHEMICALS (P) LTD | STEAM                 | 30000                  | 3                      | 400            | 1          | 80 DBA<br>1 MTR              | 1000011150<br>DT : 14.11.05                  | 2006               |
| 310        | SINGHAL ENTERPRISES<br>PVT LTD               | STEAM                 | 10000                  | 2.5                    | 400            | 2          | 85                           | SEPL-RGH/05-06/185<br>25.11.05               | 2006               |
| 311        | CICB - CHEMICON PVT LTD                      | STEAM +<br>AIR        | 267<br>240             | 3.5                    | 148            | 1          | 85                           | CCPLB/060502-18/<br>PO-512/05-06<br>23.11.05 | 2006               |
|            |                                              | STEAM +<br>AIR        | 22<br>28               | 1.04                   | 300            | 1          | 85                           | CCPLB/060502-18/<br>PO-512/05-06             | 2006               |
| 312        | HPCL / EIL - CHENNAI                         | SATURATED<br>LP STEAM | 3040                   | 4.08                   | 190            | 1          | 88                           | 5000412/6501/R2060<br>DT : 28.11.05          | 2006               |
| 313        | ISGEC JOHN THOMPSON<br>MANKAPUR              | STEAM                 | 15878                  | ATM                    | 515 $\pm$ 5    | 2          | 100                          | 500822/ 500823<br>03.01.06                   | 2006               |
|            |                                              | STEAM                 | 31917                  | 2                      | 515 $\pm$ 5    | 2          | 100                          | 500822/ 500823<br>03.01.06                   | 2006               |
|            |                                              | STEAM                 | 36000                  | 2                      | 515 $\pm$ 5    | 2          | 100                          | 500822/ 500823<br>03.01.06                   | 2006               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

56 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                      | SERVICE     | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------|-------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------|--------------------|
| 314        | ISGEC JOHN THOMPSON<br>BAJAJ          | STEAM       | 22500                  | 2                      | 430            | 4          | 110                          | 500835/ 500836<br>500837/03.01.06 | 2006               |
|            |                                       | STEAM       | 45000                  | 3                      | 430            | 4          | 110                          | 500835/ 500836<br>500837/03.01.06 | 2006               |
| 315        | M/s THERMAX LTD/<br>KRBL              | SUPERHEATED | 7000 /                 | 6/11                   | 150 TO         | 2          | 110                          | R6-804230<br>09.12.05             | 2006               |
|            |                                       | STEAM       | 8500                   |                        | 500            |            |                              |                                   |                    |
| 316        | M/s FORBES MARSHALL<br>ARCA (P) LTD   | SUPERHEATED | 8000                   | 8                      | 350            | 1          | 85                           |                                   | 2006               |
|            |                                       | STEAM       |                        |                        |                |            |                              |                                   |                    |
| 317        | M/s THERMAX LTD/<br>CORPORATIVE ISPAT | SUPERHEATED | 14000 TO               | 5                      | 495            | 2          | 95                           | R6-804234<br>DT : 09.12.05        | 2006               |
|            |                                       | STEAM       | 17000                  |                        |                |            |                              |                                   |                    |
| 318        | M/s ISGEC JOHN<br>THOMPSON/HINDALCO   | STEAM       | 51675                  | 2                      | 283            | 3          | 85                           | 500827/500828/<br>500829/04.01.06 | 2006               |
|            |                                       | STEAM       | 68550                  | 2                      | 283            | 3          | 85                           | 500827/500828/<br>500829/04.01.06 | 2006               |
|            |                                       | STEAM       | 46429                  | 2                      | 465            | 3          | 85                           | 500827/500828/<br>500829/04.01.06 | 2006               |
|            |                                       | STEAM       | 19332                  | 2                      | 465            | 3          | 85                           | 500827/500828/<br>500829/04.01.06 | 2006               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

57 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                       | SERVICE  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                       | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------|----------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------|--------------------|
| 319        | M/s HEG LIMITED                        | STEAM    | 70000                  | 3                      | 465            | 3          | 85                           | 500827/500828/<br>500829/04.01.06        | 2006               |
| 320        | ISGEC JOHN THOMPSON<br>BAJAJ & TRIVENI | STEAM    | 27000                  | 7                      | 350            | 1          | 85                           | 1681/0506/102819<br>DT : 24.12.05        | 2006               |
|            |                                        | STEAM    | 22500                  | 2                      | 430            | 2          | 110                          | 500840/ 500839<br>500838/10.01.06        | 2006               |
|            |                                        | STEAM    | 45000                  | 3                      | 430            | 2          | 110                          | 500840/ 500839<br>500838/10.01.06        | 2006               |
|            |                                        | STEAM    | 22500                  | 2                      | 440            | 1          | 110                          | 500840/ 500839<br>500838/10.01.06        | 2006               |
|            |                                        | STEAM    | 45000                  | 3                      | 430            | 1          | 110                          | 500840/ 500839<br>500838/10.01.06        | 2006               |
| 321        | M/s IOCL - BIHAR                       | MP STEAM | 5000                   | 12                     | 350            | 1          | 88                           | RBRMM5M245/<br>17339795<br>DT : 28.12.05 | 2006               |
| 322        | M/s THERMODYNE<br>TECHNOLOGIES (P) LTD | STEAM    | 8836                   | 71                     | 495            | 1          | 110                          | MB/01/0556/501<br>DT : 06.01.06          | 2006               |
|            |                                        | STEAM    | 9300                   | 60                     | 495            | 1          | 110                          | MB/01/0556/501<br>DT : 06.01.06          | 2006               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

58 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                       | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                      | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------|--------------------|
| 323        | M/s THERMODYNE<br>TECHNOLOGIES (P) LTD | STEAM   | 8966                   | 72                     | 500            | 1          | 110                          | MB/01/0756/461/2<br>DT : 06.01.06       | 2006               |
|            |                                        | STEAM   | 4000                   | 72                     | 500            | 1          | 110                          | MB/01/0756/461/2<br>DT : 06.01.06       | 2006               |
| 324        | M/s THERMODYNE<br>TECHNOLOGIES (P) LTD | STEAM   | 1300 TO<br>2600        | 68                     | 490            | 4          | 110                          | MB/01/0656/456/1-4<br>DT : 06.01.06     | 2006               |
|            |                                        | STEAM   | 1300 TO<br>2600        | 68                     | 490            | 4          | 110                          | MB/01/0656/456/1-4<br>DT : 06.01.06     | 2006               |
| 325        | M/s THERMAX LIMITED                    | STEAM   | 3300                   | 28                     | 185 To<br>500  | 2          | 85                           | 01P122012<br>31.01.06                   | 2006               |
| 326        | M/s. Reliance<br>Industries Ltd.,      | STEAM   | 19900                  | 22                     | 288            | 1          | 85                           | 25194-RHD-<br>MFYT02-MAC<br>Dt:16.12.06 | 2006               |
| 327        | M/s. Reliance<br>Industries Ltd.,      | STEAM   | 19470                  | 22                     | 300            | 1          | 85                           | 25194-RHD-<br>MFYT02-MAC<br>Dt:16.12.07 | 2006               |
| 328        | M/s. Reliance<br>Industries Ltd.,      | STEAM   | 17020                  | 22                     | 280            | 1          | 85                           | 25194-RHD-<br>MFYT02-MAC<br>Dt:16.12.06 | 2006               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

59 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT               | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                  | YEAR<br>OF<br>MFR. |
|------------|--------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------|--------------------|
| 329        | M/s. Reliance Industries Ltd., | STEAM   | 17020                  | 22                     | 360            | 1          | 85                           | 25194-RHD-MFYT02-MAC<br>Dt:16.12.06 | 2006               |
| 330        | M/s.Chemtex                    | STEAM   | 25000                  | 5.88                   | 210.2          | 3          | 85                           | CB318/L092<br>Dt:28.12.06           | 2006               |
| 331        | M/s.Chemtex                    | STEAM   | 12000                  | ,10.7                  | 220.7          | 3          | 85                           | CB318/L092<br>Dt:28.12.06           | 2006               |
| 332        | M/s.Chemtex                    | STEAM   | 5000                   | 1                      | 247.4          | 6          | 85                           | CB318/L092<br>Dt:28.12.06           | 2006               |
| 333        | M/s.THERMAX LTD.,              | STEAM   | 188000                 | 28                     | 420            | 8          | 85                           | 516548/16.01.07                     | 2006               |
| 334        | M/s.THERMAX LTD.,              | STEAM   | 137446                 | 0.5                    | 280            | 10         | 110                          | 516548/16.01.06                     | 2006               |
| 335        | M/s.THERMAX LTD.,              | STEAM   | 139593                 | 0.5                    | 280            | 10         | 110                          | 516553/16.01.07                     | 2006               |
| 336        | M/s.THERMAX LTD.,              | STEAM   | 71950                  | 0.5                    | 397            | 6          | 110                          | 516544/16.01.07                     | 2006               |
| 337        | M/s. IsgecJohn Thompson        | STEAM   | 22500                  | 2                      | 445            | 1          | 110                          | 520212<br>28.12.06                  | 2006               |
| 338        | M/s. IsgecJohn Thompson        | STEAM   | 45000                  | 3                      | 445            | 1          | 110                          | 520212/28.12.06                     | 2006               |
| 339        | M/s. Veelsons Engg pvt Ltd     | STEAM   | 9700                   | 3                      | 495            | 1          | 85                           | VPSD<br>VWTA02/6028F                | 2006               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

60 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                  | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                      | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------------------|--------------------|
| 340        | M/s.THERMAX LTD.,                                 | STEAM   | 160684.1               | 0.5                    | Saturated      | 3          | 115                          | Dt:11.12.06<br><br>516300,516301,<br>516449/23.02.07    | 2006               |
| 341        | M/S. Greensol<br>power&<br>Stems                  | STEAM   | 10000                  | 2                      | 400            | 1          | 85                           | GPSPL<br>/PRAEWL/1059<br>SIL/PO-014<br>0607/Dt:02.01.07 | 2006               |
| 342        | M/s.THERMAX LTD.,                                 | STEAM   | 25500                  | 2.5                    | 405            | 1          | 85                           | 516513                                                  | 2006               |
| 343        | M/s.THERMAX LTD.,                                 | STEAM   | 78264                  | 500                    | 580            | 1          | 85                           | 516519                                                  | 2006               |
| 344        | M/s. Alstom                                       | STEAM   | 39132                  | 113                    | 547            | 1          | 105                          | 260000296                                               | 2006               |
| 345        | M/s. Alstom                                       | STEAM   | 4212                   | 3.5                    | 265            | 1          | 105                          | 260000296                                               | 2006               |
| 346        | M/s. Alstom                                       | STEAM   | 2484                   | 1                      | 205            | 1          | 105                          | 260000296                                               | 2006               |
| 347        | M/S Arkay Energy Rameswaram Ltd                   | STEAM   | 5                      | 25                     | 250            | 5          | 85                           | 148/AERL/AYD<br>Dt:16.01.07                             | 2006               |
| 348        | M/s. Mangalore<br>chemicals &<br>fertilizers Ltd. | STEAM   | -0.5                   | 45                     | 425            | 1          | 80                           | M02/4000014085<br>Dt:18.01.07                           | 2006               |
| 349        | M/s. Triveni<br>Engineering                       | STEAM   | 56.5                   | 10                     | 350            | 1          | 85                           | 2000004267<br>18.01.07                                  | 2006               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

61 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                             | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                      | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------|--------------------|
| 350        | & Industries Ltd<br>M/s. Greensol<br>Power System<br>PVT Ltd | STEAM   | 10000                  | 3                      | 400            | 1          | 85                           | GPSPL/PRAWL<br>1049/SIL<br>PO-020/0607  | 2006               |
| 351        | M/s. Greensol<br>Power System<br>PVT Ltd                     | STEAM   | 10000                  | 2                      | 400            | 1          | 85                           | GPSPL/PRAWL<br>1049/SIL<br>PO-020/0607  | 2006               |
| 352        | M/s. Thermodyne<br>Technologies<br>PVT Ltd                   | STEAM   | 13500                  | 65                     | 500            | 1          | 110                          | MB/01/2367/605<br>Dt:17.01.07           | 2006               |
| 353        | M/s. Thermodyne<br>Technologies<br>PVT Ltd                   | STEAM   | 33000                  | 87                     | 515            | 1          | 110                          | MB/01/2267/602<br>Dt:17.01.07           | 2006               |
| 354        | M/s.THERMAX LTD.,                                            | STEAM   | 82790                  | 5                      | 420            | 3          | 85                           | 516644:516645<br>516646/05.02.07        | 2006               |
| 355        | M/s.THERMAX LTD.,                                            | STEAM   | 188000                 | 28                     | 420            | 12         | 85                           | 516644:516645<br>516646/05.02.07        | 2006               |
| 356        | M/s. Watchand<br>Nagar<br>Industries Ltd.,                   | STEAM   | 13500                  | 71                     | 490            | 1          | 85                           | D-6-2-5-84-119<br>/03101<br>Dt:15.09.06 | 2006               |
| 357        | M/s. Shin<br>ThermoDyniomic                                  | STEAM   | 5000                   | 60                     | 420            | 1          | 80                           | Email dt<br>21.02.07                    | 2006               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

62 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                            | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                     | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------|--------------------|
| 358        | Engg PVT Ltd<br>M/s. Isgec John<br>Thompson | STEAM   | 21000                  | 2                      | 495            | 1          | 110                          | 501544/JBo657<br>Dt:01.03.07                           | 2007               |
| 359        | M/s. Alstom project<br>India Ltd.,          | STEAM   | 31.95                  | 40                     | 546            | 1          | 115                          | Email 06.03.07                                         | 2007               |
| 360        | M/s. Greensol<br>Power System<br>PVT Ltd    | STEAM   | 10000                  | 2                      | 400            | 1          | 85                           | GPSPL/PRAEWL<br>1049<br>SIL/PO-020/0607<br>Dt:03.10.06 | 2007               |
| 361        | M/s. CICB -<br>chemicaon pvt Ltd.,          | STEAM   | 5906                   | 11.5                   | 200            | 2          | 83                           | CCPLB/P265-06-<br>22-11/PO-723/06-07<br>Dt:09.03.07    | 2007               |
| 362        | M/s.THERMAX LTD.,                           | STEAM   | 8800                   | 6                      | 490            | 1          | 110                          | 516917/22.02.07                                        | 2007               |
| 363        | M/s.THERMAX LTD.,                           | STEAM   | 11000                  | 11                     | 490            | 1          | 110                          | 516917/22.02.07                                        | 2007               |
| 364        | M/s. Bhushan<br>power steel Ltd.,           | STEAM   | 8000                   | 3.5                    | 400            | 2          | 85                           | MCM:OR:AK:<br>1970<br>Dt:21.03.07                      | 2007               |
| 365        | M/s. Toyo enggn<br>corporation              | STEAM   | 25000                  | 44                     | 505            | 1          | 85                           | PRC/BA-0781/L/<br>AXFG201                              | 2007               |
| 366        | M/s. Toyo enggn                             | STEAM   | 114680                 | 38.691                 | 120            | 1          | 85                           | PRC/BA-0781/L/                                         | 2007               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

63 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                 | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                     | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------|--------------------|
| 367        | corporation<br>M/s. Hitech carbon<br>(A unit of<br>aditya birla) | STEAM   | 70000                  | 47.5                   | 425            | 1          | 90                           | AXFG201<br>Dt:29.03.07<br>CO/0703/00395<br>Dt:29.03.07 | 2007               |
| 368        | M/s. Reliance Petroleum Ltd                                      | STEAM   | 108087                 | 21.5                   | 330            | 2          | 85                           | 25194-RHZ-<br>MFYLO1-MAC                               | 2007               |
| 369        | M/s. Reliance Petroleum Ltd                                      | STEAM   | 226580                 | 47.6                   | 430            | 2          | 85                           | 25194-RHZ-<br>MFYLO1-MAC                               | 2007               |
| 370        | M/S. Bharat heavy<br>electricals Ltd.,                           | STEAM   | 12                     | 61.5                   | 440            | 1          | 85                           | T70GA441<br>Dt: 30.03.07                               | 2007               |
| 371        | M/S. Bharat heavy<br>electricals Ltd.,                           | STEAM   | 4                      | 21                     | 245            | 1          | 85                           | T70GA441<br>Dt: 30.03.07                               | 2007               |
| 372        | M/s. Isgec John<br>Thompson Ltd.,                                | STEAM   | 44650                  | Atmosphere             | 540            | 1          | 110                          | 120162/JBO694<br>Dt: 06.04.07                          | 2007               |
| 373        | M/s. Isgec John<br>Thompson Ltd.,                                | STEAM   | 50000                  | 2                      | 540            | 1          | 110                          | 120162/JBO694<br>Dt: 06.04.07                          | 2007               |
| 374        | M/s. Isgec John Thompson                                         | STEAM   | 44180                  | Atmosphere             | 540            | 1          | 110                          | 120162/JBO694<br>Dt: 06.04.07                          | 2007               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

64 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                           | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                   | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------|--------------------|
| 375        | M/s. Isgec John Thompson                   | STEAM   | 45000                  | 2                      | 540            | 1          | 110                          | 120162/JBO694<br>Dt: 06.04.07        | 2007               |
| 376        | M/s. Isgec John Thompson                   | STEAM   | 17895                  | Atmosphere             | 540            | 1          | 110                          | 120162/JBO694<br>Dt : 06.04.07       | 2007               |
| 377        | M/s. Isgec John<br>Thompson Ltd.,          | STEAM   | 78300                  | 2                      | 515            | 1          | 110                          | 120169/JBO682<br>Dt:17.04.07         | 2007               |
| 378        | M/s. Isgec John<br>Thompson Ltd.,          | STEAM   | 31500                  | 2                      | 515            | 1          | 110                          | 120169/JBO682<br>Dt: 17.04.07        | 2007               |
| 379        | M/s. Isgec John<br>Thompson Ltd.,          | STEAM   | 88000                  | 3                      | 515            | 1          | 110                          | 120169/JBO682<br>Dt: 17.04.07        | 2007               |
| 380        | M/s. Thermodyne<br>Technologies<br>PVT Ltd | STEAM   | 9000                   | 52                     | 435            | 2          | 110                          | MB/04/4378/615<br>Dt :25.04.07       | 2007               |
| 381        | M/s. Isgec John<br>Thompson Ltd.,          | STEAM   | 20530                  | Atmosphere             | 540            | 1          | 100                          | 120179/JBO683<br>Dt:25.04.07         | 2007               |
| 382        | M/s. Isgec John<br>Thompson Ltd.,          | STEAM   | 68790                  | Atmosphere             | 540            | 1          | 100                          | 120179/JBO683<br>Dt:25.04.07         | 2007               |
| 383        | M/s. Isgec John<br>Thompson Ltd.,          | STEAM   | 68000                  | Atmosphere             | 540            | 1          | 100                          | 120179/JBO683<br>Dt:25.04.07         | 2007               |
| 384        | M/s. Reliance<br>Petroleum Ltd.,           | STEAM   | 230000                 | 8.1                    | 260            | 1          | 85                           | 25194-BBZ-<br>MYOF01-MAC<br>27.04.07 | 2007               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

65 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                     | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                         | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------|--------------------|
| 385        | M/s. Reliance<br>Petroleum Ltd.,     | STEAM   | 230000                 | 8.1                    | 260            | 1          | 85                           | 25194-BBZ-<br>MYOF01-MAC<br>27.04.07       | 2007               |
| 386        | M/s.THERMAX LTD.,                    | STEAM   | 12250                  | 28                     | 295            | 1          | 85                           | 01P/608055<br>Dt:10.05.07                  | 2007               |
| 387        | M/s.THERMAX LTD.,                    | STEAM   | 19100                  | 28                     | 295            | 1          | 85                           | 01P/608055<br>Dt:10.05.07                  | 2007               |
| 388        | M/s. Kirloskar Ebara Bumbs Ltd.,     | STEAM   | 7534                   | 8.1                    | 265            | 1          | 85                           | Email : 14.05.07                           | 2007               |
| 389        | M/S.Fives cail-KPC Ltd               | STEAM   | 18150                  | 2                      | 545            | 1          | 85                           | D/1064/07PG/<br>P347/Dt16.05.07            | 2007               |
| 390        | M/S.Fives cail-KPC Ltd               | STEAM   | 33000                  | 2                      | 545            | 1          | 85                           | D/1064/07PG/<br>P347/Dt16.05.07            | 2007               |
| 391        | M/S.Fives cail-KPC Ltd               | STEAM   | 30250                  | 2                      | 545            | 1          | 85                           | D/1064/07PG/<br>P347/Dt16.05.07            | 2007               |
| 392        | M/s.Airliquide Engineering India Ltd | STEAM   | 3900                   | 1.07                   | 22.3           | 1          | 85                           | ALE1/9019/BS2<br>/55217/188<br>Dt;16.05.07 | 2007               |
| 393        | M/s.Airliquide Engineering India Ltd | STEAM   | 10718                  | 1.07                   | 22             | 1          | 85                           | ALE1/9019/BS2<br>/55217/188<br>Dt;16.05.07 | 2007               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

66 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                  | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                           | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------|--------------------|
| 394        | M/S.Bharat heavy<br>vessels Ltd., | STEAM   | 21250                  | 1.5                    | 390            | 2          | 110                          | MM/4/7273/M<br>& E-91/8331061<br>Dt;12.05.07 | 2007               |
| 395        | M/S.Bharat heavy<br>vessels Ltd., | STEAM   | 21250                  | 1.5                    | 390            | 2          | 110                          | MM/4/7273/M<br>& E-91/8331061<br>Dt;12.05.07 | 2007               |
| 396        | M/s. Isgec John<br>Thompson Ltd., | STEAM   | 19000                  | 1                      | 445            | 1          | 85                           | 170027/XP0813<br>Dt;21.05.07                 | 2007               |
| 397        | M/s. Isgec John<br>Thompson Ltd., | STEAM   | 20000                  | 1                      | 445            | 1          | 85                           | 170027/XP0813<br>Dt;21.05.07                 | 2007               |
| 398        | M/S.ITCLtd                        | STEAM   | 13231                  | 2.5                    | 400            | 1          | 85                           | 1/701292(For BCM)<br>Dt;19.5.07              | 2007               |
| 399        | M/s. Reliance<br>Petroleum Ltd.,  | STEAM   | 25000                  | 10.5                   | 165            | 1          | 85                           | 25/94-PPZ-<br>PYMM02                         | 2007               |
| 400        | M/s. Reliance<br>Petroleum Ltd.,  | STEAM   | 69                     | 10.5                   | 230            | 1          | 85                           | 25/94-PPZ-<br>PYMM02                         | 2007               |
| 401        | M/s. Reliance<br>Petroleum Ltd.,  | STEAM   | 42.6                   | 10.5                   | 350            | 1          | 85                           | 25/94-PPZ-<br>PYMM02                         | 2007               |
| 402        | M/S.Simens Ltd                    | STEAM   | 21000                  | 36                     | 400            | 1          | 85                           | 4501197910-<br>DT:25.05.07                   | 2007               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

67 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                   | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                | YEAR<br>OF<br>MFR. |
|------------|------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------|--------------------|
| 403        | M/S.Simens Ltd                     | STEAM   | 27000                  | 36                     | 400            | 1          | 85                           | 4501197910-<br>DT:25.05.07        | 2007               |
| 404        | M/ s. Isgec John<br>Thompson Ltd., | STEAM   | 17185                  | 0.5                    | 495            | 1          | 85                           | 120211/JBO690<br>DT:07.06.07      | 2007               |
| 405        | M/ s. Isgec John<br>Thompson Ltd., | STEAM   | 16500                  | 2                      | 495            | 1          | 85                           | 120211/JBO690<br>DT:07.06.07      | 2007               |
| 406        | M/S.BHEL trichy                    | STEAM   | 26300                  | 25                     | 50             | 1          | 85                           | FH-510-7100027<br>517/Dt:11.06.07 | 2007               |
| 407        | M/s.THERMAX LTD.,                  | STEAM   | 21303                  | 0.5                    | saturated      | 1          | 85                           | 517233Dt:11.06.07                 | 2007               |
| 408        | M/s.THERMAX LTD.,                  | STEAM   | 21737                  | 0.5                    | saturated      | 1          | 85                           | 517233Dt:11.06.07                 | 2007               |
| 409        | M/s.Thysenkrupp<br>Industries      | STEAM   | 10500                  | 75                     | 290.08         | 1          | 85                           | ORAL                              | 2007               |
| 500        | M/s.Thysenkrupp<br>Industries      | STEAM   | 30000                  | 67                     | 515            | 1          | 85                           | ORAL                              | 2007               |
| 501        | M/s.THERMAX LTD.,                  | STEAM   | 13750                  | 6                      | 490            | 1          | 110                          | 517260 Dt:19.06.07                | 2007               |
| 502        | M/s.THERMAX LTD.,                  | STEAM   | 16500                  | 11                     | 490            | 1          | 110                          | 517260 Dt:19.06.07                | 2007               |
| 503        | M/s.THERMAX LTD.,                  | STEAM   | 7000                   | 11                     | 490            | 1          | 110                          | 517260 Dt:19.06.07                | 2007               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

68 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                   | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                | YEAR<br>OF<br>MFR. |
|------------|------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------------|--------------------|
| 504        | M/s.THERMAX LTD.,                  | STEAM   | 13750                  | 6                      | 490            | 1          | 110                          | 517262 Dt:19.06.07                                | 2007               |
| 505        | M/s.THERMAX LTD.,                  | STEAM   | 16500                  | 11                     | 490            | 1          | 110                          | 517262 Dt:19.06.07                                | 2007               |
| 506        | M/s.THERMAX LTD.,                  | STEAM   | 7000                   | 11                     | 490            | 1          | 110                          | 517261 Dt:19.06.07                                | 2007               |
| 507        | M/s. BHEL Hydrabad                 | STEAM   | 12000                  | 2                      | 515            | 5          | 80                           | T707A066<br>Dt:12.06.07                           | 2007               |
| 508        | M/s.Airliquide Engg India Pvt. Ltd | STEAM   | 3100                   | 1.05                   | 22.3           | 1          | 85                           | ALE1/9018/1123/<br>BSI&2/55217/321<br>Dt:22.06.07 | 2007               |
| 509        | M/s.Airliquide Engg India Pvt. Ltd | STEAM   | 10601                  | 1.05                   | 21.5           | 1          | 85                           | ALE1/9018/1123/<br>BSI&2/55217/321<br>Dt:22.06.07 | 2007               |
| 600        | M/s.Veeson energy<br>system        | STEAM   | 14500                  | 3                      | 485            | 1          | 110                          | USB00312<br>Dt:27.06.07                           | 2007               |
| 601        | M/s.Veeson energy<br>system        | STEAM   | 12000                  | 3                      | 485            | 1          | 110                          | USB00312<br>Dt:27.06.07                           | 2007               |
| 602        | M/s. Larsen & Toubro Ltd           | STEAM   | 45                     | 8                      | 468.8          | 5          | 85                           | CCPP/45000-<br>49587<br>/IOCL/MM<br>Dt:3.7.07     | 2007               |
| 603        | M/s.Thysenkrupp<br>Industries      | STEAM   | 36000                  | 1.5                    | 545            | 2          | 85                           | 105235/B/SMK/<br>Dt:03.07.07                      | 2007               |
| 604        | M/s.Thysenkrupp                    | STEAM   | 21600                  | 1.5                    | 545            | 2          | 85                           | 105235/B/SMK/                                     | 2007               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

69 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                            | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                          | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------|--------------------|
| 605        | Industries<br>M/s.Thysenkrupp<br>Industries | STEAM   | 36000                  | 1.5                    | 545            | 2          | 85                           | Dt:03.07.07<br>105235/B/SMK/<br>Dt:03.07.07 | 2007               |
| 606        | M/s.Thysenkrupp<br>Industries               | STEAM   | 36000                  | 1.5                    | 545            | 2          | 85                           | 105236/B/SMK/<br>Dt:03.07.07                | 2007               |
| 607        | M/s.Thysenkrupp<br>Industries               | STEAM   | 21600                  | 1.5                    | 545            | 2          | 85                           | 105236/B/SMK/<br>Dt:03.07.07                | 2007               |
| 608        | M/s.Thysenkrupp<br>Industries               | STEAM   | 36000                  | 1.5                    | 545            | 2          | 85                           | 105236/B/SMK/<br>Dt:03.07.07                | 2007               |
| 609        | M/s.Veeson energy<br>system                 | STEAM   | 16200                  | 66                     | 500            | 2          | 85                           | VS700361/VWTA05<br>Dt:11.07.07              | 2007               |
| 610        | M/S.BHEL Trichy                             | STEAM   | 12505                  | 1.003                  | 42             | 1          | 85                           | FB-200-7100028492<br>/CCDP/Dt:12.7.07       | 2007               |
| 611        | M/s.Thysenkrupp<br>Industries               | STEAM   | 53                     | 1.5                    | 325            | 1          | 110                          | 105222/B/MGD<br>/Dt:02.07.07                | 2007               |
| 612        | M/s.Thysenkrupp<br>Industries               | STEAM   | 53.5                   | 1.5                    | 325            | 1          | 110                          | 105222/B/MGD<br>/Dt:02.07.07                | 2007               |
| 613        | M/s.Thysenkrupp<br>Industries               | STEAM   | 28                     | 1.5                    | 515            | 1          | 110                          | 105222/B/MGD<br>/Dt:02.07.07                | 2007               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

70 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT               | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE             | YEAR<br>OF<br>MFR. |
|------------|--------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------|--------------------|
| 614        | M/s.Thysenkrupp Industries     | STEAM   | 40                     | 1.5                    | 515            | 1          | 110                          | 105222/B/MGD<br>/Dt:02.07.07   | 2007               |
| 615        | M/s.Thysenkrupp Industries     | STEAM   | 23.8                   | 1.5                    | 515            | 1          | 110                          | 105222/B/MGD<br>/Dt:02.07.07   | 2007               |
| 616        | M/s.THERMAX LTD                | STEAM   | 9398                   | 0.5                    | 223            | 1          | 85                           | 517332<br>Dt:16.07.07          | 2007               |
| 617        | M/s.THERMAX LTD                | STEAM   | 9789                   | 0.5                    | 223            | 1          | 85                           | 517332<br>Dt:16.07.07          | 2007               |
| 618        | M/s.THERMAX LTD                | STEAM   | 2802                   | 0.5                    | 285            | 1          | 85                           | 517332<br>Dt:16.07.07          | 2007               |
| 619        | M/s.AirliquideEngg India(P)Ltd | STEAM   | 19550                  | 1.06                   | 36.8           | 1          | 85                           | ALE1/1066/1101<br>BS4/55322/44 | 2007               |
| 670        | M/s.AirliquideEngg India(P)Ltd | STEAM   | 3900                   | 1.11                   | 36.8           | 1          | 85                           | ALE1/1066/1101<br>BS4/55322/44 | 2007               |
| 671        | M/s.AirliquideEngg India(P)Ltd | STEAM   | 1200                   | 1.06                   | 36.9           | 1          | 85                           | ALE1/1066/1101<br>BS4/55322/44 | 2007               |
| 672        | M/s.THERMAX LTD                | STEAM   | 7378                   | 0.5                    | 350            | 1          | 85                           | 517389<br>Dt:26.07.07          | 2007               |
| 673        | M/s.THERMAX LTD                | STEAM   | 12250                  | 0.5                    | 350            | 1          | 85                           | 517389<br>Dt:26.07.07          | 2007               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

71 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                              | SERVICE | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                               | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------|---------|-------------------------|-------------------------|----------------|------------|------------------------------|--------------------------------------------------|--------------------|
| 674        | M/s. Isgec John<br>Thompson Ltd.,             | STEAM   | 10000                   | 0.5                     | 485            | 1          | 75                           | 120268/JBo697<br>DT:30.07.07                     | 2007               |
| 675        | M/s. Isgec John<br>Thompson Ltd.,             | STEAM   | 16800                   | 2                       | 485            | 1          | 75                           | 120268/JBo697<br>DT:30.07.07                     | 2007               |
| 676        | M/s. Isgec John<br>Thompson Ltd.,             | STEAM   | 5000                    | 2                       | 485            | 1          | 75                           | 120268/JBo697<br>DT:30.07.07                     | 2007               |
| 677        | M/s. Isgec John<br>Thompson Ltd.,             | STEAM   | 19236                   | 0.5                     | 490            | 1          | 85                           | 120269/JBO695<br>Dt:30.07.07                     | 2007               |
| 678        | M/s. Isgec John<br>Thompson Ltd.,             | STEAM   | 22500                   | 2                       | 490            | 1          | 85                           | 120269/JBO695<br>Dt:30.07.07                     | 2007               |
| 679        | M/s Thermodyne<br>Technology                  | STEAM   | 270                     | 2.2                     | 135            | 2          | 85                           | MB/08/0778/615<br>DT:04.08.07                    | 2007               |
| 680        | M/s.ThermalSystem<br>(Hyderabad Pvt<br>Ltd.,) | STEAM   | 11500                   | 3                       | 550            | 2          | 85                           | 10824/w767/VD108-<br>03 2007-2008<br>Dt:10.08.07 | 2007               |
| 681        | M/s.ThermalSystem<br>(Hyderabad Pvt<br>Ltd.,) | STEAM   | 3450                    | 3                       | 550            | 1          | 85                           | 10824/w767/VD108-<br>03 2007-2008<br>Dt:10.08.07 | 2007               |
| 682        | M/s.ThermalSystem<br>(Hyderabad Pvt<br>Ltd.,) | STEAM   | 18000                   | 3                       | 550            | 1          | 85                           | 10825/w868/VD108-<br>03 2007-2008<br>Dt:10.08.07 | 2007               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

72 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                  | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                    | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------------|--------------------|
| 683        | M/s.ThermalSystem<br>(Hyderabad Pvt<br>Ltd.,)     | STEAM   | 30000                  | 3                      | 550            | 1          | 85                           | 10825/w868/VD108-<br>03 2007-2008<br>Dt:10.08.07      | 2007               |
| 684        | M/s Mather Platt                                  | STEAM   | 13500                  | 25                     | 449            | 1          | 85                           | CCPLB/P282-06-<br>39-24/PO-28/07-08<br>DT:02.08.07    | 2007               |
| 685        | M/S.Airliquied Engg<br>ineering IndiaPVT<br>LTD., | STEAM   | 21785                  | 1.06                   | 31.82          | 1          | 85                           | ALEI/9019/1104<br>/BSI & 2/523322/<br>534 Dt:21.08.07 | 2007               |
| 686        | M/S.Airliquied Engg<br>ineering IndiaPVT<br>LTD., | STEAM   | 2500                   | 1.06                   | 32             | 1          | 85                           | ALEI/9019/1104<br>/BSI & 2/523322/<br>534 Dt:21.08.07 | 2007               |
| 687        | M/S.Bharat Oman<br>Refineries Ltd.,               | STEAM   | 15043                  | 22                     | 350            | 1          | 85                           | FOA:BRP/MECH/<br>204/6743/755/<br>Dt:13.08.07         |                    |
| 688        | M/S.Bharat Oman<br>Refineries Ltd.,               | STEAM   | 9741                   | 22                     | 350            | 1          | 85                           | FOA:BRP/MECH/<br>204/6743/755/<br>Dt:13.08.07         | 2007               |
| 689        | M/S.Bharat Oman<br>Refineries Ltd.,               | STEAM   | 8330                   | 7                      | 240            | 1          | 85                           | FOA:BRP/MECH/<br>204/6743/755/<br>Dt:13.08.07         | 2007               |
| 670        | M/S.Bharat Oman<br>Refineries Ltd.,               | STEAM   | 13800                  | 7                      | 350            | 1          | 85                           | FOA:BRP/MECH/<br>204/6743/755/<br>Dt:13.08.07         | 2007               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

73 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                  | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                             | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------|--------------------|
| 671        | M/s.Cethar Vessels<br>(P)Ltd/CenturyText<br>tiles | STEAM   | 44650                  | Atmospheric            | 545            | 1          | 110                          | CENTURY/CVPL/<br>SIL/001 Trichy<br>Dt:29.08.07 | 2007               |
| 672        | M/s.Cethar Vessels<br>(P)Ltd/CenturyText<br>tiles | STEAM   | 50000                  | 2                      | 545            | 1          | 110                          | CENTURY/CVPL/<br>SIL/001 Trichy<br>Dt:29.08.07 | 2007               |
| 673        | M/s.Cethar Vessels<br>(P)Ltd/CenturyText<br>tiles | STEAM   | 19200                  | Atmospheric            | 545            | 1          | 110                          | CENTURY/CVPL/<br>SIL/001 Trichy<br>Dt:29.08.07 | 2007               |
| 674        | M/s.Cethar Vessels<br>(P)Ltd/CenturyText<br>tiles | STEAM   | 44650                  | Atmospheric            | 545            | 1          | 110                          | CENTURY/CVPL/<br>SIL/002 Trichy<br>Dt:29.08.07 | 2007               |
| 675        | M/s.Cethar Vessels<br>(P)Ltd/CenturyText<br>tiles | STEAM   | 50000                  | 2                      | 545            | 1          | 110                          | CENTURY/CVPL/<br>SIL/002 Trichy<br>Dt:29.08.07 | 2007               |
| 676        | M/s.Cethar Vessels<br>(P)Ltd/CenturyText<br>tiles | STEAM   | 19200                  | Atmospheric            | 545            | 1          | 110                          | CENTURY/CVPL/<br>SIL/002 Trichy<br>Dt:29.08.07 | 2007               |
| 677        | M/s.Cethar Vessels<br>(P)Ltd/CenturyText<br>tiles | STEAM   | 44650                  | Atmospheric            | 545            | 1          | 110                          | CENTURY/CVPL/<br>SIL/003 Trichy<br>Dt:29.08.07 | 2007               |
| 678        | M/s.Cethar Vessels<br>(P)Ltd/CenturyText          | STEAM   | 50000                  | 2                      | 545            | 1          | 110                          | CENTURY/CVPL/<br>SIL/003 Trichy                | 2007               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

74 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                           | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                            | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------------------------|--------------------|
| 679        | tiles<br>M/s.Cethar Vessels<br>(P)Ltd/CenturyText<br>tiles | STEAM   | 19200                  | Atmospheric            | 545            | 1          | 110                          | Dt:29.08.07<br>CENTURY/CVPL/<br>SIL/003 Trichy<br>Dt:29.08.07 | 2007               |
| 680        | M/s.THERMAX LTD<br>JSW PROJECT                             | STEAM   | 97165                  | 0.5                    | 321            | 1          | 110                          | 517515<br>Dt:04.09.07                                         | 2007               |
| 681        | M/s.THERMAX LTD<br>JSW PROJECT                             | STEAM   | 91938                  | 0.5                    | 321            | 1          | 110                          | 517515<br>Dt:04.09.07                                         | 2007               |
| 682        | M/s.THERMAX LTD<br>JSW PROJECT                             | STEAM   | 43857                  | 0.5                    | 545            | 1          | 110                          | 517515<br>Dt:04.09.07                                         | 2007               |
| 683        | M/s.THERMAX LTD<br>JSW PROJECT                             | STEAM   | 35786                  | 0.5                    | 545            | 1          | 110                          | 517515<br>Dt:04.09.07                                         | 2007               |
| 684        | M/s.THERMAX LTD<br>JSW PROJECT                             | STEAM   | 110000                 | 1.5                    | 545            | 1          | 85                           | 517515<br>Dt:04.09.07                                         | 2007               |
| 685        | BHEL Trichy                                                | STEAM   | 65900                  | 25                     | 42.8           | 4          | 85                           | FH-510-7100029924<br>Dt:30.09.07                              | 2007               |
| 686        | M/s.Transparent<br>Energy system Pvt<br>Ltd.,              | STEAM   | 5000                   | 1.5                    | 235            | 1          | 85                           | B/0222/0708<br>Dt:04.09.07                                    | 2007               |
| 687        | M/s.Transparent<br>Energy system Pvt<br>Ltd.,              | STEAM   | 15000                  | 1.5                    | 235            | 1          | 85                           | B/0222/0708<br>Dt:04.09.07                                    | 2007               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

75 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                               | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------|--------------------|
| 688        | M/s.Transparent<br>Energy system Pvt<br>Ltd.,                  | STEAM   | 3000                   | 1.5                    | 375            | 1          | 85                           | B/0222/0708<br>Dt:04.09.07        | 2007               |
| 689        | M/s.Transparent<br>Energy system Pvt<br>Ltd.,                  | STEAM   | 10000                  | 1.5                    | 375            | 1          | 85                           | B/0222/0708<br>Dt:04.09.07        | 2007               |
| 690        | Bhara Heavy Plate<br>& Vessels Ltd/<br>HPCL Mumbai<br>Refinery | STEAM   | 106500                 | 4.5                    | 294            | 2          | 85                           | MM/44/<br>7272/M&E91<br>/83331219 | 2007               |
|            |                                                                | STEAM   | 42000                  | 4.5                    | 395            | 2          | 85                           | MM/44/<br>7272/M&E91<br>/83331219 | 2007               |
|            |                                                                | STEAM   | 140000                 | 4.5                    | 380            | 2          | 85                           | MM/44/<br>7272/M&E91<br>/83331219 | 2007               |
| 691        | Thermax/Mufindi                                                | STEAM   | 29260                  | 0.5                    | 495            | 1          | 110                          | 517556<br>Dt:13.09.07             | 2007               |
|            |                                                                | STEAM   | 43890                  | 0.5                    | 495            | 1          | 85                           | 517556<br>Dt:13.09.07             | 2007               |
| 692        | Forbes marshall<br>Arca Pvt Ltd                                | STEAM   | 120                    | 1.5                    | 420            | 3          | 110                          | 14801737<br>dt:12.09.07           | 2007               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

76 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                | YEAR<br>OF<br>MFR. |
|------------|---------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------------|--------------------|
| 693        | Thermax Limited<br>Bombay Rayan | STEAM   | 7425                   | 6                      | 490            | 1          | 110                          | 517557<br>dt:24.09.07                             | 2007               |
| 694        | Toyo Engg<br>Haldia             | STEAM   | 40475                  | 1.5                    | 570            | 2          | 90                           | HPC/MATL<br>CONTRACT<br>LOT/123/<br>dt:25.09.07   | 2007               |
| 695        | GOYAL MG GASES                  | STEAM   | 11500                  | 6.2                    | 110            | 1          | 85                           | CIAL/07/<br>1067/<br>dt:20.09.07                  | 2007               |
| 696        | Thermal System                  | STEAM   | 24075                  | 18.88                  | 254            | 1          | 85                           | 1175/w818<br>6470<br>dt:03.10.07                  | 2007               |
| 697        | Air Liquide Engg                | wn2     | 21785                  | 1.06                   | 32             | 1          | 85                           | ALET/9020<br>1108/BS3<br>55217/707<br>dt:27.09.07 | 2007               |
| 698        | M/s.THERMAX LTD / Bhusan        | STEAM   | 25568                  | 120                    | 324            | 4          | 85                           | 517599/<br>dt:12.10.07                            | 2007               |
| 699        | M/s.THERMAX LTD / Bhusan        | STEAM   | 25568                  | 120                    | 324            | 4          | 85                           | 517598<br>dt:02.10.07                             | 2007               |
| 700        | M/s.THERMAX LTD / Bhusan        | STEAM   | 25780                  | 121                    | 324            | 4          | 85                           | 517600                                            |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

77 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT         | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                   | YEAR<br>OF<br>MFR. |
|------------|--------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------|--------------------|
| 701        | M/s.THERMAX LTD / Bhusan | STEAM   | 19424                  | 115                    | 540            | 4          | 85                           | dt:02.10.07<br>517601<br>dt:02.10.07 | 2007               |
| 702        | M/s.THERMAX LTD / Bhusan | STEAM   | 18600                  | 115                    | 540            | 4          | 85                           | 51602<br>dt:02.10.07                 | 2007               |
| 703        | M/s.THERMAX LTD / Bhusan | STEAM   | 22839                  | 111.5                  | 540            | 4          | 85                           | 51602<br>dt:02.10.07                 | 2007               |
| 704        | M/s ABC Paper Ltd        | STEAM   | 8.4                    | 1.2                    | 289            | 1          | 85                           | PUR-36/09<br>2007<br>dt:14.09.07     | 2007               |
| 704        | M/s ABC Paper Ltd        | STEAM   | 8.4                    | <2                     | 289            | 1          | 85                           | PUR-36/09<br>2007<br>dt:14.09.07     | 2007               |
|            |                          | STEAM   | 8.4                    | <2                     | 289            | 1          | 85                           | PUR-36/09<br>2007<br>dt:14.09.07     | 2007               |
|            |                          | STEAM   | 7                      | L2                     | 460            | 1          | 85                           | PUR-36/09<br>2007<br>dt:14.09.07     | 2007               |
| 705        | Thermax/Ansolda          | STEAM   | 46874                  | 23                     | Saturated      | 1          | 105                          | 517665<br>dt:16.10.07                | 2007               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

78 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                 | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                  | YEAR<br>OF<br>MFR. |
|------------|----------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------|--------------------|
| 706        | Ansolda Haldie /Panipat          | STEAM   | 25609                  | 16.5                   | 310            | 1          | 105                          | 517665<br>dt:16.10.07               | 2007               |
|            |                                  | STEAM   | 30000                  | -                      | 310            | 1          | 83                           | 517665<br>dt:16.10.07               | 2007               |
|            |                                  | STEAM   | 167046                 | 151                    | 342            | 1          | 85                           | ACPO-3034-<br>209-07<br>DT:30.10.07 | 2007               |
| 707        | Ansolda Haldie /Panipat          | STEAM   | 171513                 | 156                    | 344            | 1          | 85                           | ACPO-3034-<br>209-07<br>DT:30.10.07 | 2007               |
| 708        | Ansolda Haldie /Panipat          | STEAM   | 64836                  | 1413                   | 599            | 2          | 85                           | ACPO-3034-<br>209-07<br>DT:30.10.07 | 2007               |
| 709        | Ansolda Haldie /Panipat          | STEAM   | 139250                 | 138.7                  | 529            | 2          | 85                           | ACPO-3034-<br>209-07<br>DT:30.10.07 | 2007               |
| 710        | Ansolda Haldie /Panipat          | STEAM   | 121950                 | 100                    | 529            | 1          | 85                           | ACPO-3034-<br>209-07<br>DT:30.10.07 | 2007               |
| 711        | M/s.Isgec John Thompson / Mumias | STEAM   | 23418                  | 1.5                    | 515            | 1          | 40                           | 120352/JBO<br>669 DT:16.11.07       | 2007               |
| 712        | M/s.Isgec John Thompson / Mumias | STEAM   | 57169                  | 1.5                    | 515            | 1          | 40                           | 120352/JBO<br>669 DT:16.11.07       | 2007               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

79 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                    | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE            | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------|--------------------|
| 713        | M/s.Isgec John Thompson / Mumias    | STEAM   | 68000                  | 2                      | 515            | 1          | 40                           | 120352/JBO<br>669 DT:16.11.07 | 2007               |
| 714        | M/s.Isgec John Thompson / Nakambala | STEAM   | 63171                  | 5                      | 410            | 1          | 75                           | 1203531JBO701<br>DT:16.11.07  | 2007               |
| 715        | M/s.Isgec John Thompson / Nakambala | STEAM   | 64000                  | 2                      | 410            | 1          | 75                           | 1203531JBO701<br>DT:16.11.07  | 2007               |
| 716        | M/s.Isgec John Thompson / Nakambala | STEAM   | 5000                   | 2                      | 410            | 1          | 75                           | 1203531JBO701<br>DT:16.11.07  | 2007               |
| 117        | M/s.Isgec John Thompson / Sancarlos | STEAM   | 9000                   | 2                      | 490            | 1          | 85                           | 120347/JBO695<br>DT:20.11.07  | 2007               |
| 718        | Thermodyne                          | STEAM   | 6780                   | 1.5                    | 490            | 1          | 110                          | MB/11/1978/705<br>DT:13.11.07 | 2007               |
| 719        | Thermodyne                          | STEAM   | 7500                   | 69                     | 490            | 1          | 110                          | MB/11/1978/705<br>DT:13.11.07 | 2007               |
| 720        | Thermodyne                          | STEAM   | 5162                   | 1.5                    | 490            | 1          | 110                          | MB/11/1978/705<br>DT:13.11.07 | 2007               |
| 721        | Thermodyne                          | STEAM   | 3000                   | 70                     | 490            | 1          | 110                          | MB/11/1978/705<br>DT:13.11.07 | 2007               |
| 722        | Thermodyne                          | STEAM   | 15000                  | 66                     | 490            | 1          | 110                          | MB/11/2078/705<br>DT:13.11.07 | 2007               |
| 723        | Greensol Power                      | STEAM   | 10000                  | 2                      | 400            | 1          | 85                           | GPSPL/PRAEWL                  | 2007               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

80 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT    | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                   | YEAR<br>OF<br>MFR. |
|------------|---------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------------------|--------------------|
| 724        | M/s.Thermax Ltd     | STEAM   | 14801                  | 5                      | 311            | 5          | 115                          | 1077-01/SIL/<br>PO-031/0708<br>23.11.07<br><br>517825<br>dt:28.11.07 | 2007               |
| 725        | M/s.Thermax Ltd     | STEAM   | 11025                  | 5                      | 540            | 5          | 115                          | 517825<br>dt:28.11.07                                                | 2007               |
| 726        | M/s.Thermax Ltd     | STEAM   | 13750                  | 10                     | 540            | 5          | 115                          | 517826<br>dt:28.11.07                                                | 2007               |
| 727        | M/s.Thermax Ltd     | STEAM   | 20611                  | 10                     | 540            | 5          | 115                          | 517828<br>dt:26.11.07                                                | 2007               |
| 728        | M/s.G.B.Engineering | STEAM   | 28125                  | 2                      | 294            | 1          | 85                           | GBE/PUR/07-08<br>0031/1731<br>DT:29.11.07                            | 2007               |
| 729        | M/s.G.B.Engineering | STEAM   | 22500                  | 2                      | 485            | 1          | 85                           | GBE/PUR/07-08<br>0031/1731<br>DT:29.11.07                            | 2007               |
| 730        | M/s.G.B.Engineering | STEAM   | 28125                  | 2                      | 294            | 1          | 85                           | GBE/PUR/07-08<br>0031/1731<br>DT:29.11.07                            | 2007               |
| 731        | M/s.G.B.Engineering | STEAM   | 22500                  | 2                      | 485            | 1          | 856                          | GBE/PUR/07-08                                                        | 2007               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

81 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT           | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                               | YEAR<br>OF<br>MFR. |
|------------|----------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------------------------------|--------------------|
| 732        | CICB Chemicon              | STEAM   | 13500                  | 25                     | 449            | 1          | 85                           | 0031/1731<br>DT:29.11.07<br><br>CCPLB/P304<br>-28<br>PO-520/07-08<br>DT:07.12.07 | 2007               |
| 733        | Greensol Power             | STEAM   | 10000                  | 2                      | 400            | 2          | 85                           | GPSPL/PRAEWL<br>1087-01/SIL<br>PO-007/0780<br>DT:28.11.07                        | 2007               |
| 734        | Veesons(A)                 | STEAM   | 9700                   | 67                     | 490            | 1          | 85                           | VS700840/<br>VWTA03/<br>Dt:15.012.07                                             | 2007               |
|            |                            | STEAM   | 9700                   | 67                     | 495            | 1          | 85                           | VS700840/<br>VWTA03/<br>Dt:15.012.07                                             | 2007               |
| 735        | Triveni Engg               | STEAM   | 45                     | 6                      | 400            | 1          | <85                          | 20000005526<br>Dt:27.12.07                                                       | 2007               |
| 736        | Thermax Ltd/MGM<br>Project | STEAM   | 10500                  | 3                      | 490            | 1          | 90                           | 517904/21.12.07                                                                  | 2007               |
| 737        | Thermax/SFCCL              | STEAM   | 104200                 | 23                     | Saturated      | 1          | 110                          | 517942<br>Dt:08.01.08                                                            | 2008               |
| 738        | Punjilloyd Ltd/HGU-        | STEAM   | 12301                  | 7.5                    | 220            | 1          | 85                           | PII/PROC/PEIN                                                                    | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

82 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                       | YEAR<br>OF<br>MFR. |
|------------|------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------|--------------------|
|            | Haldia Refinery  | STEAM   | 12301                  | 7.5                    | 220            | 1          | 85                           | 04-OHCU<br>SILENCERS/529<br>DT:25.01.08                  |                    |
|            |                  | STEAM   | 9232                   | 7.5                    | 220            | 1          | 85                           | P11/PROC/PEIN<br>04-OHCU<br>SILENCERS/529<br>DT:25.01.08 | 2008               |
|            |                  | STEAM   | 9232                   | 7.5                    | 220            | 1          | 85                           | P11/PROC/PEIN<br>04-OHCU<br>SILENCERS/529<br>DT:25.01.08 | 2008               |
|            |                  | STEAM   | 9699                   | 20                     | 350            | 1          | 85                           | P11/PROC/PEIN<br>04-OHCU<br>SILENCERS/529<br>DT:25.01.08 | 2008               |
|            |                  | STEAM   | 9699                   | 20                     | 350            | 1          | 85                           | P11/PROC/PEIN<br>04-OHCU<br>SILENCERS/529<br>DT:25.01.08 | 2008               |
|            |                  | STEAM   | 1467                   | 7.5                    | 220            | 1          | 85                           | P11/PROC/PEIN                                            | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

83 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                                                  | YEAR<br>OF<br>MFR. |
|------------|------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------------------------------------------------------------|--------------------|
|            |                  | STEAM   | 5                      | 3                      | 400            | 1          | 80                           | 04-OHCU<br>SILENCERS/529<br>DT:25.01.08<br>PII/PROC/PEIN<br>04-OHCU<br>SILENCERS/529<br>DT:25.01.08 | 2008               |
|            |                  | STEAM   | 6746                   | 7.5                    | 220            | 1          | 85                           | PII/PROC/PEIN<br>04-OHCU<br>SILENCERS/529<br>DT:25.01.08                                            | 2008               |
|            |                  | STEAM   | 15734                  | 8                      | 405            | 1          | 85                           | PII/PROC/PEIN<br>04-OHCU<br>SILENCERS/529<br>DT:25.01.08                                            | 2008               |
|            |                  | STEAM   | 15734                  | 8                      | 405            | 1          | 85                           | PII/PROC/PEIN<br>04-OHCU<br>SILENCERS/529<br>DT:25.01.08                                            | 2008               |
|            |                  | STEAM   | 9843.6                 | 20                     | 350            | 1          | 85                           | PII/PROC/PEIN<br>04-OHCU<br>SILENCERS/529<br>DT:25.01.08                                            | 2008               |
|            |                  | STEAM   | 9843.6                 | 20                     | 350            | 1          | 150                          | PII/PROC/PEIN                                                                                       | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

84 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                       | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                                                                                                             | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| 739        | Punjilloyd Ltd/HGU-<br>Haldia Refinery | STEAM   | 7812                   | 20                     | 350            | 1          | 150                          | 04-OHCU<br>SILENCERS/529<br>DT:25.01.08<br>PII/PROC/PEIN<br>04-OHCU<br>SILENCERS/529<br>DT:25.01.08<br>PLL/PROC/<br>PEIN05-HGU<br>SILENCERS/426<br>DT:25.01.08 | 2008               |
|            |                                        | STEAM   | 3621                   | 20                     | 350            | 1          | 141                          | PLL/PROC/<br>PEIN05-HGU<br>SILENCERS/426<br>DT:25.01.08                                                                                                        | 2008               |
|            |                                        | STEAM   | 16359                  | 3.5                    | 250            | 1          | 145                          | PLL/PROC/<br>PEIN05-HGU<br>SILENCERS/426<br>DT:25.01.08                                                                                                        | 2008               |
|            |                                        | STEAM   | 16359                  | 3.5                    | 250            | 1          | 145                          | PLL/PROC/<br>PEIN05-HGU<br>SILENCERS/426<br>DT:25.01.08                                                                                                        | 2008               |
|            |                                        | STEAM   | 7793                   | 50                     | 264            | 1          | 147                          | PLL/PROC/<br>PEIN05-HGU<br>SILENCERS/426<br>DT:25.01.08                                                                                                        | 2008               |
|            |                                        | STEAM   | 116683                 | 37                     | 400            | 1          | 159                          | PLL/PROC/<br>PEIN05-HGU<br>SILENCERS/426<br>DT:25.01.08                                                                                                        | 2008               |
|            |                                        | STEAM   | 129928                 | 20                     | 350            | 1          | 154                          | PLL/PROC/                                                                                                                                                      | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

85 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                        | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                          | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------------------|--------------------|
| 740        | M/s.Greensol Power System Pvt Ltd/<br>Sanghi Industries | STEAM   | 129928                 | 20                     | 350            | 1          | 154                          | PEIN05-HGU<br>SILENCERS/426<br>DT:25.01.08                  | 2008               |
|            |                                                         | STEAM   | 1557                   | 55                     | 172            | 1          | 133                          | PLL/PROC/<br>PEIN05-HGU<br>SILENCERS/426<br>DT:25.01.08     | 2008               |
|            |                                                         | STEAM   | 17477                  | 3.5                    | 150            | 1          | 143                          | PLL/PROC/<br>PEIN05-HGU<br>SILENCERS/426<br>DT:25.01.08     | 2008               |
|            |                                                         | STEAM   | 17477                  | 3.5                    | 150            | 1          | 143                          | PLL/PROC/<br>PEIN05-HGU<br>SILENCERS/426<br>DT:25.01.08     | 2008               |
|            |                                                         | STEAM   | 10000                  | 2                      | 400            | 1          | 160                          | GPSPL/PRAEWL<br>/1083-01/SIL/PO<br>-008/0708<br>DT:22.01.08 | 2008               |
| 741        | M/s.THERMAX LTD/<br>Himadri chemicals                   | STEAM   | 22644                  | 74                     | 289            | 1          | 153                          | 571983/ dt:24.01.08                                         | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

86 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                  | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                               | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------------------|--------------------|
|            | Industries Ltd                    | STEAM   | 22946                  | 75                     | 289            | 1          | 153                          | 571983/ dt:24.01.08                                              | 2008               |
|            |                                   | STEAM   | 19800                  | -                      | 485            | 1          | 120                          | 571983/ dt:24.01.08                                              | 2008               |
|            |                                   | STEAM   | 30824                  | 70                     | 3              | 1          | 120                          | 571983/ dt:24.01.08                                              |                    |
| 742        | M/s.Turbomach India               | GAS     | 20                     | 500                    | 600            | 4          | 122                          | TIPL/DLFCyberity<br>/10877/111/<br>SILENCERS/RO:<br>Dt:11.02.08  |                    |
| 743        | M/s.Turbomach India               | GAS     | 20                     | 500                    | 600            | 3          | 122                          | TIPL/DLFSilokhera<br>/10880/111/<br>SILENCERS/RO:<br>Dt:11.02.08 | 2008               |
| 744        | M/s.Kirloskar Ebra<br>Pumbs Ltd   | STEAM   | 8700                   | 23                     | 340            | 3          | 144                          | 121850/TurbineNew<br>Release dt: 06.02.08                        | 2008               |
| 745        | M/s.Kirloskar Ebra<br>Pumbs Ltd   | STEAM   | 2834                   | 1.5                    | 222            | 1          | 144                          | 121855/Turbine New<br>Release dt : 09.02.08                      | 2008               |
| 746        | API Ispat & Power<br>Tech (P) Ltd | STEAM   | 15000                  | 1.5                    | 150            | 1          | 9.97                         | API/AFBC/2007-08<br>DT : 15.02.08                                | 2008               |
| 747        | M/s.Thermax Ltd / Adhunik         | STEAM   | 8966                   | 3                      | 490            | 1          | 150                          | 518046 DT : 25.02.08                                             | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

87 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                   | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------|--------------------|
| 748        | M/s.Thermax Ltd / Adhunik                          | STEAM   | 10500                  | 3                      | 490            | 1          | 155                          | 518046 DT : 25.02.08              | 2008               |
|            |                                                    | STEAM   | 8966                   | 3                      | 490            | 1          | 150                          | 518041 DT : 25.02.08              | 2008               |
|            |                                                    | STEAM   | 10500                  | 3                      | 490            | 1          | 155                          | 518041 DT : 25.02.08              | 2008               |
| 749        | M/s.Isgec John Thompson /<br>BajajHindustan        | STEAM   | 45000                  | 8                      | 445            | 1          | 160                          | 501408/JBO669<br>DT : 28.10.08    | 2008               |
| 750        | M/s.Bannari Amman Sugars Ltd<br>Unit-II Distillery | STEAM   | 10000                  | 2                      | 350            | 1          | 160                          | PO2/SR-3/6682/2008<br>DT:26.02.08 | 2008               |
|            |                                                    | STEAM   | 10000                  | 1.3                    | 205            | 1          | 160                          | PO2/SR-3/6682/2008<br>DT:26.02.08 | 2008               |
| 751        | M/s.ISGEC JOHN THOMPSON<br>Mitrphol                | STEAM   | 39367                  | Atmospheric            | 500            | 1          | 110                          | 120423/JBO711<br>Dt:01.03.08      | 2008               |
|            |                                                    | STEAM   | 38000                  | 2                      | 500            | 1          | 110                          | 120423/JBO711<br>Dt:01.03.08      | 2008               |
| 752        | M/s.Isgec John Thompson<br>/ White Nile Sugar      | STEAM   | 41577                  | Atmospheric            | 540            | 4          | 155                          | 120416/JBO707<br>dt:29.02.08      | 2008               |
|            |                                                    | STEAM   | 48750                  | 2                      | 500            | 4          | 157                          | 120417/JBO708<br>dt:29.02.08      | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

88 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                         | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                          | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------------------|--------------------|
| 753        | Naftogaz India Pvt. Ltd<br>pvt Ltd                                       | STEAM   | 16025                  | 4.5                    | 121            | 1          | 150                          | CDSP/6743/035<br>Dt:04.03.08                                | 2008               |
|            |                                                                          | STEAM   | 16025                  | 4.5                    | 121            | 1          | 150                          | CDSP/6743/035<br>Dt:04.03.08                                | 2008               |
| 754        | BHEL/Trichy                                                              | STEAM   | 30500                  | 25                     | 1.1 to<br>45   | 6          | 114                          | FH-510-7100034/<br>035 Dt:06.03.08                          | 2008               |
| 755        | Thermax/Udhe EPPC<br>PDH Project                                         | STEAM   | 127300                 | 1.5                    | saturated      | 1          | 131                          | 518065 Dt:04.08.07                                          | 2008               |
|            |                                                                          | STEAM   | 46565                  | 1.5                    | 410            | 1          | 131                          | 518065 Dt:04.08.07                                          | 2008               |
| 756        | M/s.Greensol Power<br>System Pvt Ltd/<br>Bannari Amman<br>Sugars Limited | STEAM   | 10000                  | 2                      | 400            | 1          | 160                          | GPSPL/PRAEWL/<br>1086-01/SIL<br>/PO-009/0708<br>DT:05.03.08 | 2008               |
| 757        | M/s.Kirloskar Epbara<br>Pumbs Ltd.,                                      | STEAM   | 3500                   | 1.5                    | 230            | 1          | 144                          | T21896/Turbine<br>New Release<br>Dt:23.02.08                | 2008               |
| 758        | M/s.Kirloskar Epbara<br>Pumbs Ltd.,                                      | STEAM   | 1900                   | 1.95                   | 230            | 1          | 144                          | T21896/Turbine<br>New Release<br>Dt:13.03.08                | 2008               |
| 759        | CICB Chemicon                                                            | STEAM   | 38457                  | 1.5                    | 361            | 1          | 150                          | CCPLB/P293-07-<br>01-41/PO-811/07-08                        | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

89 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                         | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                               | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------|--------------------|
| 760        | Thermax LTD/<br>UDHE                                                     | STEAM   | 49500                  | 1.5                    | 400            | 1          | 95                           | 518065 DT:04.03.08                               |                    |
| 761        | M/s.Indian Farmers<br>Co-Operative Ltd.,                                 | STEAM   | 1.7                    | 3.6                    | 105            | 1          | 125                          | PO/37/03208/P2/<br>3041C1/9821792<br>DT:28.03.08 | 2008               |
| 762        | M/s.Shriram epc/ ATC<br>OTC.BSL Bokaro                                   | STEAM   | 90000                  | Min 250 -<br>Max-350   | 100            | 1          | 135                          | SEPC/KC-03.16(074)<br>/201/466 Dt:28.03.08       | 2008               |
|            |                                                                          | STEAM   | 18000                  | Min 250 -<br>Max-350   | 100            | 1          | 135                          | SEPC/KC-03.16(074)<br>/201/466 Dt:28.03.08       | 2008               |
| 763        | Alstom/UTRAN-370<br>MW CCPP                                              | STEAM   | 3.9                    | 1.5                    | 420            | 1          | 150                          | 800000922 D:01.04.08                             | 2008               |
|            |                                                                          | STEAM   | 6.29                   | 1.5                    | 567            | 1          | 150                          | 800000922 D:01.04.08                             | 2008               |
| 764        | M/s.G.B.Power<br>Systems Projects Ltd.,<br>/Phillips Carbon<br>Black Ltd | STEAM   | 25416                  | 101                    | <2             | 1          | 150                          | GBE/PUR/08.09/B/<br>WI3033M/0012<br>Dt:14.04.08  | 2008               |
| 765        | Thyssenkrupp<br>Industries Ltd/<br>Nirma Project                         | STEAM   | 53                     | 121                    | 325            | 1          | 153                          | 2500000546<br>Dt:24.04.08                        | 2008               |
|            |                                                                          | STEAM   | 53.3                   | 122                    | 325            | 1          | 153                          | 2500000546<br>Dt:24.04.08                        | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

90 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                              | YEAR<br>OF<br>MFR. |
|------------|---------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------|--------------------|
| 766        | Shree CementLtd                 | STEAM   | 28                     | 114                    | 5.5            | 1          | 153                          | 2500000546<br>Dt:24.04.08                       | 2008               |
|            |                                 | STEAM   | 40                     | 114                    | 55             | 1          | 153                          | 2500000546<br>Dt:24.04.08                       | 2008               |
|            |                                 | STEAM   | 23.8                   | 113                    | 515            | 1          | 153                          | 2500000546<br>Dt:24.04.08                       | 2008               |
| 767        | Thyssenkrupp<br>Industries Ltd  | STEAM   | 9                      | 2                      | 520            | 1          | 150                          | SCL/USPP(VI)08-09<br>/PO-019 DATE :<br>10.05.08 | 2008               |
| 768        | M/s.THERMAX LTD<br>Bina Project | STEAM   | 25944                  | 2                      | 288            | 1          | 94                           | 14900533<br>Dt:15.05.08                         | 2008               |
|            |                                 | STEAM   | 17519                  | 22                     | 270            | 1          | 150                          | 518284 /Dt:26.05.08                             | 2008               |
|            |                                 | STEAM   | 17519                  | 22                     | 270            | 1          | 150                          | 518284 /Dt:26.05.08                             | 2008               |
| 769        | M/s.THERMAX LTD<br>Harekrishna  | STEAM   | 5293                   | 4                      | 270            | 2          | 153.08                       | 5188286/26.05.08                                | 2008               |
|            |                                 | STEAM   | 3120                   | 4                      | 270            | 2          | 155                          | 5188287/26.05.08                                | 2008               |
| 770        | M/s.Hindustan Zinc<br>Ltd       | STEAM   | 360<br>TPH             | 40                     | 425            | 1          | 150                          | HZLPROJ/ORDER/<br>DBN/ZM/033                    | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

91 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                   | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                             | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------------|--------------------|
|            |                                                    | STEAM   | 60<br>TPH              | 90                     | 540            | 1          | 150                          | Dt : 31.05.08<br>HZLPROJ/ORDER/<br>DBN/ZM/033<br>Dt : 31.05.08 | 2008               |
| 771        | M/s.THERMAX LTD/<br>Sri Varagana Steels Ltd<br>Ltd | STEAM   | 5215                   | 3                      | 490            | 2          | 90                           | 518321/ Dt : 10.06.08<br>518322/ Dt : 10.06.08                 | 2008               |
| 772        | M/s.THERMAX LTD/<br>Sri Varagana Steels Ltd<br>Ltd | STEAM   | 300                    | 3                      | 490            | 2          | 155                          | 518322/ Dt : 10.06.08                                          | 2008               |
| 773        | M/s.THERMAX LTD/<br>Deepak Steel                   | STEAM   | 13933                  | 3                      | 490            | 1          | 152.06                       | 518323<br>Dt:10.06.08                                          | 2008               |
|            | (B)                                                | STEAM   | 11400                  | 3                      | 490            | 1          | 155                          | 518323<br>Dt:10.06.08                                          | 2008               |
| 774        | Electrosteel Castings<br>Ltd                       | STEAM   | 10000                  | 3                      | 400            | 1          | 160                          | 61000289/08-09<br>Dt:11.06.08                                  | 2008               |
| 775        | TCE Consulting<br>Engineers Ltd.,                  | STEAM   | 86                     | 1.5                    | 540            | 1          | 85                           | TPH/HMCPCL/TP-<br>055/PO/42 Dt:8.6.08                          | 2008               |
| 776        | TCE Consulting<br>Engineers Ltd.,                  | STEAM   | 86                     | 1.5                    | 540            | 1          | 150                          | TPH/HMCPCL/TP-<br>055/PO/42 Dt:8.6.08                          | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

92 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT               | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                               | YEAR<br>OF<br>MFR. |
|------------|--------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------|--------------------|
| 777        | IJT/Long View Power Ltd.,      | STEAM   | 86                     | 1.5                    | 540            | 1          | 150                          | TPH/HMCPCL/TP-055/PO/42 Dt:8.6.08                | 2008               |
|            |                                | STEAM   | 84795                  | 18                     | 430            | 1          | 120                          | 120499/JBO712/<br>Dt:19.06.08                    | 2008               |
|            |                                | STEAM   | 84795                  | 18                     | 430            | 1          | 120                          | 120499/JBO712/<br>Dt:19.06.08                    | 2008               |
|            |                                | STEAM   | 84795                  | 18                     | 580            | 1          | 120                          | 120499/JBO712/<br>Dt:19.06.08                    | 2008               |
|            |                                | STEAM   | 58808                  | 50                     | 580            | 1          | 140                          | 120499/JBO712/<br>Dt:19.06.08                    | 2008               |
| 778        | M/s.Nava Bharat Ventures Ltd., | STEAM   | 5                      | 6.5                    | 520            | 1          | 150                          | NBV/PP-DS/20MW/132<br>/2993/08-09<br>DT:25.06.08 | 2008               |
| 779        | Ansaldo Haldia                 | STEAM   | 190000                 | 5.2                    | 380            | 1          | 100                          | ACPO-3034-681-08<br>DT:30.06.08                  | 2008               |
| 780        | Thermax/Nilkanth               | STEAM   | 90000                  | 71.6                   | 495            | 1          | 150                          | 518515<br>Dt:20.08.08                            | 2008               |
|            |                                | STEAM   | 8000                   | 2-66                   | 150-495        | 1          | 150                          | 518516<br>Dt:20.08.08                            | 2008               |
| 781        | Thermax/Nilkanth WHRB          | STEAM   | 2593                   | 72                     | 490            | 2          | 153.08                       | 518516<br>Dt:20.08.08                            | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

93 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT       | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE    | YEAR<br>OF<br>MFR. |
|------------|------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------|--------------------|
| 782        | Thermax/Thai<br>Carbon | STEAM   | 3000                   | 77.5                   | 490            | 2          | 155                          | 518516<br>Dt:20.08.08 | 2008               |
|            |                        | STEAM   | 40348                  | 52.5                   | 267            | 2          | 155                          | 518525<br>Dt:21.08.08 | 2008               |
|            |                        | STEAM   | 41348                  | 52.5                   | 267            | 1          | 52                           | 518525<br>DT:21.08.08 | 2008               |
|            |                        | STEAM   | 22317                  | 48.5                   | 425            | 1          | 152                          | 518525<br>DT:21.08.08 | 2008               |
|            |                        | STEAM   | 28800                  | -                      | 425            | 1          | 120                          | 518525<br>DT:21.08.08 | 2008               |
|            |                        | STEAM   | 7038                   | 5                      | 317/<br>390    | 1          | 142.2                        | 518525<br>DT:21.08.08 | 2008               |
| 783        | Thermax//BMM<br>Ispat  | STEAM   | 38560                  | 121                    | 323            | 1          | 111                          | 518527<br>Dt:21.08.08 | 2008               |
|            |                        | STEAM   | 38861                  | 128                    | 323            | 1          | 111                          | 518527<br>Dt:21.08.08 | 2008               |
|            |                        | STEAM   | 29585                  | 123                    | 540            | 1          | 113                          | 518527<br>Dt:21.08.08 | 2008               |
|            |                        | STEAM   | 1800                   | -                      | 540            | 1          | 110                          | 518527<br>Dt:21.08.08 | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

94 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                   | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                  | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------|--------------------|
| 784        | Thermax//BMM<br>Ispat                              | STEAM   | 38560                  | 121                    | 323            | 1          | 111                          | 518528<br>Dt:21.08.08               | 2008               |
|            |                                                    | STEAM   | 38861                  | 128                    | 323            | 1          | 111                          | 518528<br>Dt:21.08.08               | 2008               |
|            |                                                    | STEAM   | 29585                  | 123                    | 540            | 1          | 113                          | 518528<br>Dt:21.08.08               | 2008               |
|            |                                                    | STEAM   | 1800                   | -                      | 540            | 1          | 110                          | 518528<br>Dt:21.08.08               | 2008               |
| 785        | Thermax/HPCL                                       | STEAM   | 26000                  | Jan-00                 | 210            | 1          | 155                          | 518540<br>Dt:27.08.08               | 2008               |
|            |                                                    | STEAM   | 300                    | 6                      | 164.2          | 1          | 155                          | 518540<br>Dt:27.08.08               | 2008               |
| 786        | Reliance Industries Ltd                            | STEAM   | 11000                  | 0.5                    | 6              | 3          | 100                          | JM1/7107617<br>Dt:26.08.08          | 2008               |
| 787        | Thermax/HPCL                                       | STEAM   | 26500                  | 19                     | 211.4          | 1          | 155                          | 518541<br>Dt:27.08.08               | 2008               |
| 788        | M/s.Walchand Nagar Industries Ltd<br>Renuka Energy | STEAM   | 38500                  | 70.09                  | 525            | 1          | 85 - 1                       | D-8-2-5-84-113/35007<br>Dt:04.09.08 | 2008               |
|            |                                                    | STEAM   | 42000                  | 67                     | 525            | 1          | 85 - 1                       |                                     |                    |
| 789        | M/s.Walchand Nagar Industries Ltd                  | STEAM   | 9000                   | 47                     | 465            | 1          | 85 - 1                       | D-8-2-5-84-117/91401                | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

95 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                 | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                  | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------|--------------------|
|            | Green Plant                                      | STEAM   | 9900                   | 47                     | 465            | 1          | 85 - 1                       | Dt:04.09.08                         |                    |
| 790        | M/s.Walchand Nagar Industries Ltd<br>Green Plant | STEAM   | 9000                   | 47                     | 465            | 1          | 85 - 1                       | D-8-2-5-84-117/91402<br>Dt:04.09.08 | 2008               |
|            |                                                  | STEAM   | 9900                   | 47                     | 465            | 1          | 85 - 1                       |                                     |                    |
| 791        | M/s.Walchand Nagar Industries Ltd<br>Green Plant | STEAM   | 9000                   | 47                     | 465            | 1          | 85 - 1                       | D-8-2-5-84-117/91403<br>Dt:04.09.08 | 2008               |
|            |                                                  | STEAM   | 9900                   | 47                     | 465            | 1          | 85 - 1                       |                                     |                    |
| 792        | M/s.Walchand Nagar Industries Ltd<br>Green Plant | STEAM   | 9000                   | 47                     | 465            | 1          | 85 - 1                       | D-8-2-5-84-117/91404<br>Dt:04.09.08 | 2008               |
|            |                                                  | STEAM   | 9900                   | 47                     | 465            | 1          | 85 - 1                       |                                     |                    |
| 793        | M/s.Walchand Nagar Industries Ltd<br>Green Plant | STEAM   | 9000                   | 47                     | 465            | 1          | 85 - 1                       | D-8-2-5-84-117/91405<br>Dt:04.09.08 | 2008               |
|            |                                                  | STEAM   | 9900                   | 47                     | 465            | 1          | 85 - 1                       |                                     |                    |
| 794        | M/s.Walchand Nagar Industries Ltd                | STEAM   | 9000                   | 47                     | 465            | 1          | 85 - 1                       | D-8-2-5-84-117/91406                | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

96 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                 | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE   | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|----------------------|--------------------|
|            | Green Plant                                      |         |                        |                        |                |            |                              | Dt:04.09.08          |                    |
| 795        | M/s.Walchand Nagar Industries Ltd<br>Green Plant | STEAM   | 9900                   | 47                     | 465            | 1          | 85 - 1                       |                      | 2008               |
|            |                                                  | STEAM   | 9000                   | 47                     | 465            | 1          | 85 - 1                       |                      |                    |
|            |                                                  | STEAM   | 9900                   | 47                     | 465            | 1          | 85 - 1                       |                      |                    |
| 796        | M/s.Walchand Nagar Industries Ltd<br>Green Plant | STEAM   | 9000                   | 47                     | 465            | 1          | 85 - 1                       |                      | 2008               |
|            |                                                  | STEAM   | 9900                   | 47                     | 465            | 1          | 85 - 1                       |                      |                    |
| 797        | M/s.Walchand Nagar Industries Ltd<br>Green Plant | STEAM   | 9000                   | 47                     | 465            | 1          | 85 - 1                       |                      | 2008               |
|            |                                                  | STEAM   | 9900                   | 47                     | 465            | 1          | 85 - 1                       |                      |                    |
| 798        | M/s.Walchand Nagar Industries Ltd<br>Green Plant | STEAM   | 9000                   | 47                     | 465            | 1          | 85 - 1                       |                      | 2008               |
|            |                                                  | STEAM   | 9900                   | 47                     | 465            | 1          | 85 - 1                       |                      |                    |
| 799        | M/s.Airliquide Engineering India Ltd.,           | STEAM   | 9000                   | 47                     | 465            | 1          | 85 - 1                       | ALEI/1065/2175/BS42/ | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

97 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                       | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                     | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------|--------------------|
| 800        | M/s.Thermax Ltd / Lamson Project       | STEAM   | 11600                  | 49                     | 425            | 1          | 110-3                        | 552024&25/1023<br>Dt:09.09.08<br>518590 :dt:10.09.2008 | 2008               |
|            |                                        | STEAM   | 11600                  | 45                     | 425            | 1          | 110-3                        |                                                        |                    |
| 801        | M/s.Thermax Ltd / Deepak Steel Project | STEAM   | 5215                   | 71                     | 490            | 1          | 90 - 1                       | 518591 :dt:10.09.2008                                  | 2008               |
|            |                                        | STEAM   | 3000                   | 77.5                   | 490            | 1          | 90 - 1                       |                                                        |                    |
| 802        | M/s.Thermax Ltd / Deepak Steel Project | STEAM   | 5215                   | 71                     | 490            | 1          | 90 - 1                       | 518592 :dt:10.09.2008                                  | 2008               |
|            |                                        | STEAM   | 3000                   | 77.5                   | 490            | 1          | 90 - 1                       |                                                        |                    |
| 803        | M/s.Thermax Ltd / Cairn Energy Project | STEAM   | 55823                  | 54                     | Saturated      | 1          | 110 - 1                      | 518614; DT:16.09.2008                                  | 2008               |
|            |                                        | STEAM   | 32377                  | 47                     | 371            | 1          | 110 - 1                      |                                                        |                    |
|            |                                        | STEAM   | 58432                  | 5                      | 371            | 1          | 110 - 1                      |                                                        |                    |
| 804        | M/s.Siemens Limited / Bhushan Steel    | STEAM   | 22500                  | 62/70                  | 500            | 1          | 85 - 1                       | 4501832641                                             | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

98 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                       | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                       | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------|--------------------|
| 805        | M/s.Reliance Industries Limited                                        | STEAM   | 5000                   | 9                      | 260            | 1          | 85 - 1                       | Dt.04.09.2008                                            |                    |
|            |                                                                        | STEAM   | ---                    | ---                    | ---            | 2          | ---                          | JM1/7112514<br>Dt.12.09.2008                             | 2008               |
|            |                                                                        | STEAM   | ---                    | ---                    | ---            | 2          | ---                          |                                                          |                    |
| 806        | M/s.Greenesol Power Systems Pvt. Ltd<br>Corporate Ispat Alloys Project | STEAM   | 10000                  | 2                      | 400            | 1          | 85-1                         | GPSPL/PRAEWL/<br>1049-01/SIL/PO-046/<br>0809 Dt.10.09.08 | 2008               |
| 807        | M/s.Greenesol Power Systems Pvt. Ltd<br>SV Power Ltd                   | STEAM   | 10000                  | 2                      | 400            | 1          | 85-1                         | GPSPL/PRAEWL/<br>1084-01/SIL/PO-029/<br>0809 Dt.10.09.08 | 2008               |
| 808        | M/s.Greenesol Power Systems Pvt. Ltd<br>Hemarus Technologies Ltd       | STEAM   | 10000                  | 2                      | 400            | 1          | 85-1                         | GPSPL/PRAEWL/<br>1100-01/SIL/PO-007/<br>0809 Dt.10.09.08 | 2008               |
| 809        | M/s.Uhde India Limited / GNFC                                          | STEAM   | 63620                  | 7.5                    | 240            | 1          | 85-1                         | UIPL/GNFC/0139/P/<br>M514 Dt.17.09.2008                  | 2008               |
|            |                                                                        | STEAM   | 30000                  | 26                     | 430            | 1          | 85-1                         |                                                          |                    |
| 810        | M/s.Ansaldo Caldaie / OPG Power<br>Generation Project /                | STEAM   | 139114                 | 114.21                 | 320            | 1          | 115 - 1                      | ACB-097-242-08-00<br>Dt.15.09.2008                       | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

99 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                 | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE            | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------|--------------------|
| 811        | M/s.Kirloskar Ebara Pumps Ltd.,<br>BINA Refinery | STEAM   | 142820                 | 117.28                 | 322            | 1          | 115 - 1                      | 1110003257<br>Dt.12.09.2008   | 2008               |
| 812        | M/s.Kirloskar Ebara Pumps Ltd.,<br>IOCL-MSQ      | STEAM   | 51156 /<br>128000      | 101.46                 | 494            | 1          | 115 - 1                      | 1110003230<br>Dt.11.09.2008   | 2008               |
| 813        | M/s.Siemens Limited<br>ServaLakshmi              | STEAM   | 99337                  | 103.5                  | 494            | 1          | 115 - 1                      | 4501838328<br>Dt.09.09.2008   | 2008               |
|            |                                                  | STEAM   | 12000                  | 6/7                    | 215            | 1          | 85 - 1                       |                               |                    |
|            |                                                  | STEAM   | 12000                  | 63/70                  | 215            | 1          | 85 - 1                       |                               |                    |
| 814        | M/s.Siemens Limited<br>SEL Manufacturing Co. Ltd | STEAM   | 15000                  | 85/92                  | 520            | 1          | 89 - 1                       | 4501838348<br>Dt.09.09.2008   | 2008               |
| 815        | M/s.Thermax Ltd / BRFL                           | STEAM   | 5 TPH                  | 50                     | 420            | 1          | 85 - 1                       | CGN/PUR/BRFL-D/<br>C043/SA/01 | 2008               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                              |         | REFERENCE LIST           |                        |                |            |                              | 100 OF 380                                     |                    |
|----------------------------------------------------------------------|----------------------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------|--------------------|
| PRAE                                                                 |                                              |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                             | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                             | YEAR<br>OF<br>MFR. |
| 816                                                                  | M/s.Fives Cail-Kcp Ltd<br>Dharani Sugars     | STEAM   | 18150                    | 2                      | 450            | 1          | 85 - 1                       | Dt.25.09.2008<br><br>4500002242<br>Dt.21.09.08 | 2008               |
|                                                                      |                                              | STEAM   | 30250                    | 2                      | 450            | 1          | 85 - 1                       |                                                |                    |
|                                                                      |                                              | STEAM   | 33000                    | 2                      | 500            | 1          | 85 - 1                       |                                                |                    |
|                                                                      |                                              | STEAM   | 10000                    | 2                      | 450            | 1          | 85 - 1                       |                                                |                    |
| 817                                                                  | M/s.Fives Cail-Kcp Ltd<br>Siruguppa Sugars   | STEAM   | 18150                    | 2                      | 450            | 1          | 85 - 1                       | 4500002250<br>Dt.23.09.08                      | 2008               |
|                                                                      |                                              | STEAM   | 30250                    | 2                      | 450            | 1          | 85 - 1                       |                                                |                    |
|                                                                      |                                              | STEAM   | 33000                    | 2                      | 500            | 1          | 85 - 1                       |                                                |                    |
|                                                                      |                                              | STEAM   | 10000                    | 2                      | 450            | 1          | 85 - 1                       |                                                |                    |
| 818                                                                  | M/s.Fives Cail-Kcp Ltd<br>Krishnaveni Sugars | STEAM   | 18150                    | 2                      | 450            | 1          | 85 - 1                       | 4500002256<br>Dt.24.09.08                      | 2008               |
|                                                                      |                                              | STEAM   | 30250                    | 2                      | 450            | 1          | 85 - 1                       |                                                |                    |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                            |         | REFERENCE LIST           |                        |                |            |                              | 101 OF 380                |                    |
|----------------------------------------------------------------------|------------------------------------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|---------------------------|--------------------|
| PRAE                                                                 |                                                            |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                           |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                           | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE        | YEAR<br>OF<br>MFR. |
| 819                                                                  | M/s.Fives Cail-Kcp Ltd<br>Dhanalakshmi Srinivasan Sugars / | STEAM   | 33000                    | 2                      | 500            | 1          | 85 - 1                       | 4500002257<br>Dt.24.09.08 | 2008               |
|                                                                      |                                                            | STEAM   | 10000                    | 2                      | 450            | 1          | 85 - 1                       |                           |                    |
|                                                                      |                                                            | STEAM   | 18150                    | 2                      | 450            | 1          | 85 - 1                       |                           |                    |
|                                                                      |                                                            | STEAM   | 30250                    | 2                      | 450            | 1          | 85 - 1                       |                           |                    |
|                                                                      |                                                            | STEAM   | 33000                    | 2                      | 500            | 1          | 85 - 1                       |                           |                    |
| 820                                                                  | M/s.Fives Cail-Kcp Ltd<br>Jai Mahesh Sugar                 | STEAM   | 37125                    | 2                      | 540            | 1          | 85 - 1                       | 4500002264<br>Dt.24.09.08 | 2008               |
|                                                                      |                                                            | STEAM   | 20250                    | 2                      | 540            | 1          | 85 - 1                       |                           |                    |
|                                                                      |                                                            | STEAM   | 40500                    | 2                      | 540            | 1          | 85 - 1                       |                           |                    |
| 821                                                                  | M/s.Airliquide Engineering India (P)                       | STEAM   | 10750                    | 1.1                    | 28.2           | 1          | 85 - 1                       | ALEI/1068/2126/           | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

102 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                         | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------------|--------------------|
| 822        | Ltd / Raigarh-3<br><br>M/s.Thermax Limited /<br>Bhushan Project | STEAM   | 25568                  | 120                    | 324            | 1          | 85                           | BS11/552017/1137<br>DT:30.09.08<br><br>518708 Dt. 10.10.08 | 2008               |
|            |                                                                 | STEAM   | 25780                  | 121                    | 324            | 1          | 85                           |                                                            |                    |
|            |                                                                 | STEAM   | 19424                  | 115                    | 540            | 1          | 85                           |                                                            |                    |
|            |                                                                 | STEAM   | 18600                  | 120                    | 540            | 1          | 85                           |                                                            |                    |
| 822        | M/s.Thermax Limited /<br>Bhushan Project                        | STEAM   | 25568                  | 120                    | 324            | 1          | 85                           | 518709 Dt. 10.10.08                                        | 2008               |
|            |                                                                 | STEAM   | 25780                  | 121                    | 324            | 1          | 85                           |                                                            |                    |
|            |                                                                 | STEAM   | 19424                  | 115                    | 540            | 1          | 85                           |                                                            |                    |
|            |                                                                 | STEAM   | 18600                  | 120                    | 540            | 1          | 85                           |                                                            |                    |
| 823        | M/s.Thermax Limited /                                           | STEAM   | 25568                  | 120                    | 324            | 1          | 85                           | 518710 Dt. 10.10.08                                        | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

103 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                         | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE  | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|---------------------|--------------------|
| 824        | Bhushan Project                          | STEAM   | 25780                  | 121                    | 324            | 1          | 85                           | 518711 Dt. 10.10.08 | 2008               |
|            |                                          | STEAM   | 19424                  | 115                    | 540            | 1          | 85                           |                     |                    |
|            |                                          | STEAM   | 18600                  | 120                    | 540            | 1          | 85                           |                     |                    |
|            |                                          | STEAM   | 25568                  | 120                    | 324            | 1          | 85                           |                     |                    |
|            |                                          | STEAM   | 25780                  | 121                    | 324            | 1          | 85                           |                     |                    |
|            |                                          | STEAM   | 19424                  | 115                    | 540            | 1          | 85                           |                     |                    |
| 825        | M/s.Thermax Limited /<br>Bhushan Project | STEAM   | 18600                  | 120                    | 540            | 1          | 85                           | 518712 Dt. 10.10.08 | 2008               |
|            |                                          | STEAM   | 25568                  | 120                    | 324            | 1          | 85                           |                     |                    |
|            |                                          | STEAM   | 25780                  | 121                    | 324            | 1          | 85                           |                     |                    |
|            |                                          | STEAM   | 19424                  | 115                    | 540            | 1          | 85                           |                     |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

104 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                         | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                   | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------|--------------------|
| 826        | M/s.Thermax Limited /<br>Bhushan Project                 | STEAM   | 18600                  | 120                    | 540            | 1          | 85                           | 518713 Dt. 10.10.08                  | 2008               |
|            |                                                          | STEAM   | 25568                  | 120                    | 324            | 1          | 85                           |                                      |                    |
|            |                                                          | STEAM   | 25780                  | 121                    | 324            | 1          | 85                           |                                      |                    |
|            |                                                          | STEAM   | 19424                  | 115                    | 540            | 1          | 85                           |                                      |                    |
|            |                                                          | STEAM   | 18600                  | 120                    | 540            | 1          | 85                           |                                      |                    |
| 827        | M/s.Thermax Limited /<br>Reliance Dahej Industries Ltd., | STEAM   | 54756                  | 0.5                    | Saturated      | 1          | 110                          | 518714 Dt. 10.10.08                  | 2008               |
|            |                                                          | STEAM   | 55191                  | 0.5                    | Saturated      | 1          | 110                          |                                      |                    |
|            |                                                          | STEAM   | 29141                  | 0.5                    | 513            | 1          | 110                          |                                      |                    |
| 828        | M/s.Essar Construction (India) Ltd<br>CCR Project        | STEAM   | 96057                  | 39.4                   | 433            | 1          | 85                           | LOI/ECIL/EOVL/<br>1027 / Dt:14.10.08 | 2008               |
| 829        | M/s.Mangalore Chemical & Fertilizers                     | AIR     | 10500                  | 3270                   | 90             | 1          | 85                           | M02 4000026233                       | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

105 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                             | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                        | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------|--------------------|
| 830        | Ltd<br>M/s.Kirloskar Ebara Pumps Ltd /<br>Bina Refinery Ltd  | STEAM                 | 15750                  | (mmwg)<br>21           | 380            | 1          | 85                           | Dt:20.10.08<br>1110003673<br>Dt. 14.10.08 | 2008               |
| 831        | M/s.Reliance Industries Ltd                                  | STEAM                 | 975                    | 7                      | 230            | 1          | 85                           | JM1 / 7124255<br>Dt.20.10.08              | 2008               |
| 832        | M/s.Essar Construction (India) Ltd<br>COREX 3.9 MTPA Project | OXYGEN                | 71996                  | 10                     | 288            | 1          | 90                           | SZ03/M04/650002531/<br>Dt.14.10.08        | 2008               |
| 833        | M/s.Essar Construction (India) Ltd<br>COREX 3.9 MTPA Project | STEAM<br>TWO<br>INLET | 70000<br>300000        | 1.5                    | 100 -<br>120   | 1          | 85                           | SZ03/M04/650002532/<br>Dt.14.10.08        | 2008               |
| 834        | M/s.Thermax Limited /<br>HKML - HOSPET,                      | STEAM                 | 5<br>TPH               | 70                     | 420            | 1          | 110                          | 1000002038<br>Dt.17.10.08                 | 2008               |
| 835        | M/s.Thermax Limited /<br>BRFL - Maharashtra,                 | STEAM                 | 5<br>TPH               | 70                     | 420            | 1          | 110                          | 1000002039<br>Dt.17.10.08                 | 2008               |
| 837        | M/s.Thermax Limited /<br>Essar Project,                      | STEAM                 | 127766                 | 0.5                    | Saturated      | 1          | 110                          | 518780<br>Dt.04.11.08                     | 2008               |
|            |                                                              | STEAM                 | 128668                 | 0.5                    | Saturated      | 1          | 110                          |                                           |                    |
|            |                                                              | STEAM                 | 91108                  | 0.5                    | 465            | 1          | 110                          |                                           |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

106 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                        | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE    | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------|--------------------|
| 838        | M/s.Thermax Limited /<br>Essar Project, | STEAM   | 11766                  | 0.5                    | Saturated      | 1          | 110                          | 518781<br>Dt.04.11.08 | 2008               |
|            |                                         | STEAM   | 12383                  | 0.5                    | Saturated      | 1          | 110                          |                       |                    |
|            |                                         | STEAM   | 7549                   | 0.5                    | 200            | 2          | 110                          |                       |                    |
|            |                                         | STEAM   | 127766                 | 0.5                    | Saturated      | 1          | 110                          |                       |                    |
|            |                                         | STEAM   | 128668                 | 0.5                    | Saturated      | 1          | 110                          |                       |                    |
|            |                                         | STEAM   | 91108                  | 0.5                    | 465            | 1          | 110                          |                       |                    |
|            |                                         | STEAM   | 11766                  | 0.5                    | Saturated      | 1          | 110                          |                       |                    |
|            |                                         | STEAM   | 12383                  | 0.5                    | Saturated      | 1          | 110                          |                       |                    |
|            |                                         | STEAM   | 7549                   | 0.5                    | 200            | 2          | 110                          |                       |                    |
| 839        | M/s.Thermax Limited /                   | STEAM   | 127766                 | 0.5                    | Saturated      | 1          | 110                          | 518782                | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

107 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                              | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                           | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------|--------------------|
| 840        | Essar Project,<br>M/s.Triveni Engineering & Industries Ltd<br>Hindustan Zinc, | STEAM                 | 56.5<br>TPH            | 8                      | 200            | 1          | 110                          | Dt.04.11.08<br><br>2000006674<br>Dt.18.11.08 | 2008               |
| 841        | M/s.Suguna Poultry Farm Ltd                                                   | STEAM                 | 6<br>TPH               | 70                     | 495            | 1          | 85                           | 260001720<br>Dt.29.11.08                     | 2008               |
| 842        | M/s.Forbes Marshal Private Ltd<br>Seavalakshmi Paper                          | STEAM                 | 5000                   | 13.75                  | 456            | 1          | 85                           | 15906331<br>Dt.08.12.08                      | 2008               |
| 843        | M/s.Larsen & Toubro Ltd<br>IOCL-Panipat                                       | STEAM<br>TWO<br>INLET | 174<br>141<br>TPH      | 315                    | 425            | 1          | 85                           | IOCL/PUR/SU/ME41/<br>478 / Dt: 12.12.08      | 2008               |
|            |                                                                               | STEAM                 | 315<br>TPH             | 315                    | 425            | 1          | 85                           |                                              |                    |
| 844        | M/s.Isgec John Thompson<br>Khon Kaen Sugar                                    | STEAM                 | 46620                  | 1.3                    | 510            | 1          | 110                          | 120683/JB0729<br>Dt.16.12.08                 | 2008               |
|            |                                                                               | STEAM                 | 60000                  | 2                      | 510            | 1          | 110                          |                                              |                    |
| 845        | M/s.Isgec John Thompson<br>Khon Kaen Sugar                                    | STEAM                 | 46620                  | 1.3                    | 510            | 1          | 110                          | 120683/JB0729<br>Dt.16.12.08                 | 2008               |
|            |                                                                               | STEAM                 | 60000                  | 2                      | 510            | 1          | 110                          |                                              |                    |
| 846        | M/s.Thermax Limited /                                                         | STEAM                 | 136390                 | 2                      | 465            | 1          | 85                           | PH 0341                                      | 2008               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

108 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                              | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                    | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------|--------------------|
|            | Essar Project,                                | STEAM   | 13664                  | 2                      | 200            | 1          | 85                           | Dt.17.12.08<br>PH 0341<br>Dt.17.12.08 | 2008               |
| 847        | M/s.Thermax Limited /<br>Essar Project,       | STEAM   | 136390                 | 2                      | 465            | 1          | 85                           | PH 0341<br>Dt.17.12.08                | 2008               |
|            |                                               | STEAM   | 13664                  | 2                      | 200            | 1          | 85                           | PH 0341<br>Dt.17.12.08                | 2008               |
| 848        | M/s.Rajashree Sugar & Chemicals Ltd           | STEAM   | 40<br>TPH              | 87                     | 520            | 1          | 85                           | RSCL/PR/08/07<br>Dt.16.08.07          | 2008               |
| 850        | M/s.TCI Sanmar Chemicals LLC<br>I-VCM Project | STEAM   | 5000<br>TPH            | 25                     | 260            | 2          | 85                           | TCI/Project/IVCM/<br>172 Dt.15.12.08  | 2008               |
| 851        | M/s.BOC India Ltd<br>IOCL-Barauni Project     | AIR     | 3890<br>Nm3/hr         | 1.243                  | 10 -<br>15     | 1          | 85                           | 153285<br>Dt:08.01.09                 | 2009               |
|            |                                               | AIR     | 6182<br>Nm3/hr         | 8.8                    | 129            | 2          | 85                           |                                       |                    |
|            |                                               | AIR     | 540<br>Nm3/hr          | 8.56                   | 20             | 1          | 85                           |                                       |                    |
|            |                                               | AIR     | 850<br>Nm3/hr          | 8.05                   | 10 -<br>15     | 1          | 85                           |                                       |                    |
| 852        | M/s.Reliance Industries Ltd                   | STEAM   | 4300                   | 10.6                   | 150            | 1          | 85                           | MX1 / 7137778<br>Dt.24.12.08          | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

109 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                             | SERVICE | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                      | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------|---------|-------------------------|-------------------------|----------------|------------|------------------------------|---------------------------------------------------------|--------------------|
| 853        | M/s.OPG Power Generation Pvt. Ltd<br>CPP-Gummudipundi        | STEAM   | 10<br>TPH               | 90                      | 540            | 1          | 85                           |                                                         | 2009               |
| 854        | M/s.Isgec John Thompson<br>ARARMETA Captive                  | STEAM   | 59350                   | 2                       | 515            | 1          | 110                          | 140024/JB 0734<br>Dt.27.01.09                           | 2009               |
|            |                                                              | STEAM   | 23750                   | 2                       | 515            | 1          | 110                          |                                                         |                    |
| 855        | M/s.Essar Construction (India) Ltd<br>COREX 3.9 MTPA Project | STEAM   | 63484<br>m3/hr.         | 6.6                     | 126            | 1          | 85                           | SZ03/M11/650003064/<br>Dt.02.02.09                      | 2009               |
| 856        | M/s.The Andhra Petrochemicals Ltd                            | STEAM   | 1440                    | 4.2                     | 185            | 1          | 85                           | NOPO/20/34560229<br>Dt.28.01.09                         | 2009               |
|            |                                                              | STEAM   | 8150                    | 1.68                    | 185            | 1          | 85                           |                                                         |                    |
|            |                                                              | STEAM   | 23440                   | 1.2                     | 235            | 1          | 85                           |                                                         |                    |
|            |                                                              | STEAM   | 7628                    | 1.2                     | 235            | 1          | 85                           |                                                         |                    |
| 857        | M/s.Greenesol Power Systems Pvt. Ltd                         | STEAM   | 10000                   | 2                       | 400            | 3          | 85                           | GPSPL/PRAEWL/1098/<br>01/SIL/PO-045/0809<br>Dt.31.01.09 | 2009               |
| 858        | M/s.Isgec John Thompson<br>Dalmia Cement-Ariyalur            | STEAM   | 41350                   | 2                       | 540            | 1          | 110                          | 140034/JB0723<br>Dt.05.02.09                            | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

110 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                         | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE           | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------|--------------------|
| 859        | M/s.Isgec John Thompson<br>OCL India Ltd | STEAM   | 16820                  | 2                      | 540            | 1          | 110                          | 140035/JB0725<br>Dt.05.02.09 | 2009               |
|            |                                          | STEAM   | 50000                  | 3                      | 540            | 1          | 110                          |                              |                    |
|            |                                          | STEAM   | 12500                  | 5                      | 390            | 1          | 110                          |                              |                    |
|            |                                          | STEAM   | 41350                  | 2                      | 540            | 1          | 110                          |                              |                    |
|            |                                          | STEAM   | 16820                  | 2                      | 540            | 1          | 110                          |                              |                    |
|            |                                          | STEAM   | 50000                  | 3                      | 540            | 1          | 110                          |                              |                    |
|            |                                          | STEAM   | 12500                  | 5                      | 390            | 1          | 110                          | 140036/JB0725<br>Dt.05.02.09 | 2009               |
| 860        | M/s.Isgec John Thompson<br>OCL India Ltd | STEAM   | 41350                  | 2                      | 540            | 1          | 110                          |                              |                    |
|            |                                          | STEAM   | 16820                  | 2                      | 540            | 1          | 110                          |                              |                    |
|            |                                          | STEAM   | 50000                  | 3                      | 540            | 1          | 110                          |                              |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

111 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                       | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------|--------------------|
| 861        | M/s.Bharat Oman Refineries Ltd<br>BINA Refinery | STEAM   | 12500                  | 5                      | 390            | 1          | 110                          | BRP/MECH/789/6743<br>101/437 Dt.05.02.09 | 2009               |
|            |                                                 | STEAM   | 2568.5                 | 22                     | 350            | 1          | 85                           |                                          |                    |
|            |                                                 | STEAM   | 3960                   | 22                     | 350            | 1          | 85                           |                                          |                    |
|            |                                                 | STEAM   | 22000                  | 22                     | 350            | 1          | 85                           |                                          |                    |
|            |                                                 | STEAM   | 10898                  | 22                     | 350            | 1          | 85                           |                                          |                    |
|            |                                                 | STEAM   | 5800                   | 7                      | 240            | 1          | 85                           |                                          |                    |
|            |                                                 | STEAM   | 8390                   | 22                     | 350            | 1          | 85                           |                                          |                    |
|            |                                                 | STEAM   | 1183                   | 3.5                    | 350            | 1          | 85                           |                                          |                    |
|            |                                                 | STEAM   | 18088                  | 3.5                    | 350            | 1          | 85                           |                                          |                    |
|            |                                                 | STEAM   | 8692                   | 18                     | 298            | 1          | 85                           |                                          |                    |
| 862        | M/s.Isgec John Thompson                         | STEAM   | 44180                  | 109                    | 540            | 1          | 110                          | 140042/JB0722                            | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

112 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                  | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                    | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------|--------------------|
|            | Vijay Nagar                                       | STEAM   | 45000                  | 2                      | 540            | 1          | 110                          | Dt.04.02.09                           |                    |
|            |                                                   | STEAM   | 17895                  | 109                    | 540            | 1          | 110                          |                                       |                    |
|            |                                                   | STEAM   | 12000                  | 3                      | 540            | 1          | 110                          |                                       |                    |
| 863        | M/s.Thermax Limited /<br>Mohan Breweries Project, | STEAM   | 12061                  | 2                      | 385            | 1          | 85                           | 519001<br>Dt.10.02.09                 | 2009               |
| 864        | M/s.Hindustan Petroleum Corporation<br>Ltd        | STEAM   | 27677                  | 46.9                   | 335            | 1          | 85                           | LOI:8000355-HB-<br>-48009 Dt.28.01.09 | 2009               |
| 865        | M/s.Hindustan Petroleum Corporation<br>Ltd        | STEAM   | 27677                  | 46.9                   | 335            | 1          | 85                           | LOI:8000355-HB-<br>-48009 Dt.28.01.09 | 2009               |
| 866        | M/s.Thermax Limited /<br>Deepak Fertilizer,       | STEAM   | 14000                  | 13                     | 191            | 1          | 85                           | 1126624<br>Dt.10.02.09                | 2009               |
| 867        | M/s.ABC Papers Limited                            | STEAM   | 12<br>TPH              | 4                      | 250            | 1          | 85                           | GA 3374<br>Dt.13.02.09                | 2009               |
| 868        | M/s.Isgec John Thompson<br>BPCL                   | STEAM   | 64018                  | 2.5                    | 267            | 1          | 110                          | 140050/JB0727<br>Dt.20.02.09          | 2009               |
| 869        | M/s.Thermodyne Technologies Pvt. Ltd              | STEAM   | 5252                   | 55                     | 298            | 1          | 110                          | MB/02/6989/823<br>Dt.24.02.09         | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

113 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                       | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                   | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------|--------------------|
| 870        | M/s.Isgec John Thompson<br>INDURE                      | STEAM   | 27000                  | 2                      | 525            | 1          | 110                          | 140058/JB0740<br>Dt.25.02.09         | 2009               |
| 871        | M/s.Isgec John Thompson<br>INDURE                      | STEAM   | 27000                  | 2                      | 525            | 1          | 110                          | 140059/JB0741<br>Dt.25.02.09         | 2009               |
| 872        | M/s.Thermax Limited /<br>Drolia Electrosteel,          | STEAM   | 10000                  | 71.8                   | 500            | 1          | 110                          | 519046<br>Dt.28.02.09                | 2009               |
| 873        | M/s.Larsen & Toubro Ltd<br>Cairn Energy India Pty Ltd, | STEAM   | 155336                 | 3.5                    | 425            | 2          | 85                           | 527A1-MPT-M-LOI-<br>4515 Dt.05.03.09 | 2009               |
|            |                                                        | STEAM   | 186038                 | 3.5                    | 425            | 3          | 85                           |                                      |                    |
|            |                                                        | STEAM   | 117853                 | 3.5                    | 225            | 1          | 85                           |                                      |                    |
|            |                                                        | STEAM   | 142131                 | 3.5                    | 370            | 4          | 85                           |                                      |                    |
|            |                                                        | STEAM   | 23772                  | 3.5                    | 225            | 5          | 85                           |                                      |                    |
| 874        | M/s.Kirloskar Ebara Pumps Ltd                          | STEAM   | 36700                  | 6.5                    | 370            | 1          | 85                           | 1110005782<br>Dt.09.02.09            | 2009               |
| 875        | M/s.Thermax Limited /<br>Turbomach India Ltd           | STEAM   | 70362                  | 500<br>mm WC           | 608            | 1          | 85                           | 519097<br>Dt.12.03.09                | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

114 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                             | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                     | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------|--------------------|
|            | Stack Silencers                              | STEAM   | 13888                  | 15                     | Saturated      | 1          | 110                          |                                        | 2009               |
| 876        | M/s.Thermax Limited /<br>Turbomach India Ltd | STEAM   | 13022                  | 14                     | Saturated      | 1          | 110                          | 519098<br>Dt.12.03.09                  | 2009               |
| 877        | M/s.Naftogaz India (P) Ltd<br>GGSR           | STEAM   | 10747                  | 4.22                   | 300            | 4          | 85                           | GGRL/6922/CDSP/<br>LOI/014 Dt.21.02.09 | 2009               |
| 878        | M/s.Isgec John Thompson<br>Sunil Hytech      | STEAM   | 41250                  | 109                    | 540            | 1          | 110                          | 140081/JB0738<br>Dt.13.03.09           | 2009               |
|            |                                              | STEAM   | 60000                  | 109                    | 540            | 1          | 110                          |                                        |                    |
|            |                                              | STEAM   | 18750                  | 109                    | 540            | 1          | 110                          |                                        |                    |
|            |                                              | STEAM   | 15000                  | 109                    | 540            | 1          | 110                          |                                        |                    |
| 879        | M/s.Kirloskar Ebara Pumps Ltd                | STEAM   | 7200                   | 7                      | 347            | 1          | 85                           | 1110006048<br>Dt.21.03.09              | 2009               |
|            |                                              | STEAM   | 12600                  | 7                      | 347            | 1          | 85                           |                                        |                    |
| 880        | M/s.Isgec John Thompson<br>Khon Kaen Sugar   | STEAM   | 66876                  | 2                      | 329            | 1          | 110                          | 140109/JB 0729<br>Dt.03.04.09          | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

115 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                           | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                          | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------|--------------------|
| 881        | M/s.Isgec John Thompson<br>Khon Kaen Sugar | STEAM   | 67257                  | 2                      | 329            | 1          | 110                          | 140110/JB 0730<br>Dt.03.04.09               | 2009               |
| 882        | M/s.Engineers India Ltd<br>IOCL-Panipat    | STEAM   | 66876                  | 2                      | 329            | 1          | 110                          | 6841-6450/1520/<br>0422 Dt.31.03.09         | 2009               |
| 883        | M/s.Larsen & Toubro Ltd<br>GGSR            | STEAM   | 43148                  | 1                      | 219            | 1          | 85                           | CHEM US/45000-<br>58366/AP<br>Dt.08.04.2009 | 2009               |
| 884        | M/s.Indian Oil Corporation Ltd             | STEAM   | 24000                  | 4                      | 308            | 2          | 85                           | RFO No.18-3293-E-<br>370015-A               | 2009               |
| 885        | M/s.ITC Limited                            | STEAM   | 24000                  | 2                      | 332            | 2          | 85                           | LPO No.701292<br>Dt.10.04.09                | 2009               |
| 886        | M/s.Thermax Limited /                      | STEAM   | 5500                   | 36.85                  | 485            | 1          | 85                           | 519150                                      | 2009               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                              |         | REFERENCE LIST           |                        |                |            |                              | 116 OF 380            |                    |
|----------------------------------------------------------------------|----------------------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|-----------------------|--------------------|
| PRAE                                                                 |                                              |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                       |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                             | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE    | YEAR<br>OF<br>MFR. |
|                                                                      | Lanco Infratech Ltd / 851                    | STEAM   | 83525                    | 104.2                  | 573            | 1          | 110                          | Dt.14.04.09           |                    |
|                                                                      |                                              | STEAM   | 105011                   | 23.5                   | 572            | 1          | 110                          |                       |                    |
|                                                                      |                                              | STEAM   | 134659                   | 26.5                   | 410            | 1          | 110                          |                       |                    |
|                                                                      |                                              | STEAM   | 138684                   | 27.3                   | 410            | 1          | 110                          |                       |                    |
|                                                                      |                                              | STEAM   | 26508                    | 29                     | 235            | 1          | 110                          |                       |                    |
|                                                                      |                                              | STEAM   | 14287                    | 27.8                   | 350            | 1          | 110                          |                       |                    |
|                                                                      |                                              | STEAM   | 15812                    | 7                      | 176            | 1          | 110                          |                       |                    |
|                                                                      |                                              | STEAM   | 17265                    | 5.2                    | 350            | 1          | 110                          |                       |                    |
| 887                                                                  | M/s.Thermax Limited /<br>Turbomach India Ltd | STEAM   | 5900                     | 1.5                    | 230            | 1          | 85                           | 519143<br>Dt.10.04.09 | 2009               |
| 888                                                                  | M/s.Tata Projects Ltd /                      | STEAM   | 40                       | 94                     | 540            | 1          | 85                           | TPH/TPCL/TP-045/      | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

117 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                  | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                  | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------------|--------------------|
| 889        | TCE Consulting<br>M/s.Isgec John Thompson /<br>Compagine Sucierce | STEAM   | TPH<br>56263           | Atm.                   | 440            | 1          | 85                           | PO/214 Dt.13.04.09<br>140021/JB 0750<br>Dt.20.04.09 | 2009               |
| 890        | M/s.Isgec John Thompson /<br>Gujarat Anjan Cement                 | STEAM   | 45000                  | 2                      | 440            | 1          | 85                           | 140123/JB 0743<br>Dt.20.04.09                       | 2009               |
| 891        | M/s.Isgec John Thompson /<br>Gujarat Anjan Cement                 | STEAM   | 33000                  | 1                      | 485            | 1          | 85                           | 140122/JB 0744<br>Dt.20.04.09                       | 2009               |
| 892        | M/s.Technip KT India Ltd<br>GGSR /                                | STEAM   | 11000                  | 5                      | 485            | 1          | 85                           | 00767/505-MR-0840-01                                | 2009               |
| 893        | M/s.Thermax Limited /<br>Drolia Electrosteel,                     | STEAM   | 33000                  | 1                      | 485            | 1          | 85                           | 519179<br>Dt.22.04.09                               | 2009               |
| 894        | M/s.Linde Engineering India<br>Pvt. Ltd / IOCL                    | STEAM   | 455                    | 3.5                    | 80             | 1          | 85                           | 002 2DA2240 Sup 00<br>Dt.23.04.09                   | 2009               |
| 895        | M/s.Isgec John Thompson /                                         | STEAM   | 19250                  | 11                     | 495            | 1          | 85                           | 140120/JB 0728                                      | 2009               |
|            |                                                                   | STEAM   | 31200                  | 3.05                   | 401.45         | 1          | 85                           |                                                     |                    |
|            |                                                                   | STEAM   | 1080                   | 1                      | 107            | 1          | 85                           |                                                     |                    |
|            |                                                                   | STEAM   | 62576                  | Atm                    | 294.1          | 1          | 110                          |                                                     |                    |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                  |         | REFERENCE LIST           |                        |                |            |                              | 118 OF 380                                                |                    |
|----------------------------------------------------------------------|------------------------------------------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------------------|--------------------|
| PRAE                                                                 |                                                                  |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                           |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                 | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                        | YEAR<br>OF<br>MFR. |
|                                                                      | Shri Hiranayakhesi                                               | STEAM   | 34941                    | Atm                    | 294.1          | 1          | 110                          | Dt.20.04.09                                               |                    |
| 896                                                                  | M/s.Engineers India Ltd<br>Numaligarh Refinery Ltd               | STEAM   | 9130                     | 3.5                    | 240            | 1          | 110                          | NRL/DQU-100/6946/<br>118 Dt.28.04.09                      | 2009               |
|                                                                      |                                                                  | STEAM   | 12940                    | 3.5                    | 240            | 1          | 110                          |                                                           |                    |
|                                                                      |                                                                  | STEAM   | 10993                    | 3.5                    | 200            | 1          | 110                          |                                                           |                    |
| 897                                                                  | M/s.Larsen & Toubro Ltd<br>Cairn Energy India Pty Ltd,           | STEAM   | 115<br>TPH               | 10                     | 371            | 2          | 85                           | CHEM US/45000-<br>58631/SG/<br>Dt.05.03.09                | 2009               |
| 898                                                                  | M/s.Greenesol Power Systems (P) Ltd<br>Hemarus Technologies Ltd, | STEAM   | 18150                    | 114                    | 450            | 1          | 85                           | GPSPL/PRAEWL/<br>7013(01)/SIL/PO-<br>022/0910 Dt.02.05.09 | 2009               |
|                                                                      |                                                                  | STEAM   | 33000                    | 110                    | 500            | 1          | 85                           |                                                           |                    |
|                                                                      |                                                                  | STEAM   | 30250                    | 115                    | 450            | 1          | 85                           |                                                           |                    |
| 899                                                                  | M/s.DF Power Systems Pvt. Ltd<br>Aarti Steel Ltd,                | STEAM   | 7<br>TPH                 | 2.5                    | 300            | 1          | 85                           | 09/4/B/1/2/001/<br>0033 / Dt.14.05.09                     | 2009               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                    |         | REFERENCE LIST           |                        |                |            |                              | 119 OF 380                       |                    |
|----------------------------------------------------------------------|----------------------------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|----------------------------------|--------------------|
| PRAE                                                                 |                                                    |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                                  |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                   | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE               | YEAR<br>OF<br>MFR. |
| 900                                                                  | M/s.Indian Oil Corporation Ltd<br>Haldia Refinery, | STEAM   | 715                      | 6.11                   | 200            | 1          | 85                           | D 10144774LI0079<br>Dt.04.05.09  | 2009               |
|                                                                      |                                                    | STEAM   | 95154                    | 49                     | 282            | 2          | 85                           |                                  |                    |
|                                                                      |                                                    | STEAM   | 11194                    | 13                     | 295            | 2          | 85                           |                                  |                    |
|                                                                      |                                                    | STEAM   | 10004                    | 4.5                    | 220            | 3          | 85                           |                                  |                    |
| 901                                                                  | M/s.Techno Electric & Engineering Co.<br>Ltd       | STEAM   | 83333                    | 31.895                 | 380            | 3          | 85                           | 1362 /2009-10/111<br>Dt.08.05.09 | 2009               |
|                                                                      |                                                    | STEAM   | 4x20000                  | 2.454                  | 220            | 1          | 85                           |                                  |                    |
|                                                                      |                                                    | STEAM   | 2x42000                  | 6.865                  | 234            | 1          | 85                           |                                  |                    |
|                                                                      |                                                    | STEAM   | 3x5667                   | 15                     | 280            | 1          | 85                           |                                  |                    |
| 902                                                                  | M/s.Vardhman Textiles Ltd                          | STEAM   | 10<br>TPH                | 8.5                    | 220            | 1          | 85                           | 96/012343<br>Dt.07.05.09         | 2009               |
| 903                                                                  | M/s.Naftogaz India Pvt. Ltd                        | STEAM   | 9000                     | 3.5                    | 175            | 1          | 85                           | HGU/6743/199<br>Dt.12.05.09      | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

120 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                      | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE        | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------|--------------------|
| 904        | M/s.Thermax Limited /<br>Shalivahana MSW Green Energy | STEAM   | 15200                  | 66                     | 490            | 1          | 85                           | 519208<br>Dt.13.05.09     | 2009               |
|            |                                                       | STEAM   | 18200                  | 66                     | 490            | 1          | 85                           |                           |                    |
| 904        | M/s.Thermax Limited /<br>Foster Wheeler Energy Ltd /  | STEAM   | 90000                  | 4310                   | 425            | 1          | 85                           | 519209<br>Dt.13.05.09     | 2009               |
| 905        | M/s.Thermax Limited /<br>Steel Authority              | STEAM   | 53000                  | 3.5                    | 485            | 1          | 85                           | 519211<br>Dt.14.05.09     | 2009               |
| 906        | M/s.Thermax Limited /<br>Steel Authority              | STEAM   | 53000                  | 3.5                    | 485            | 1          | 85                           | 519212<br>Dt.14.05.09     | 2009               |
| 907        | M/s.Thermax Limited /<br>Steel Authority              | STEAM   | 53000                  | 3.5                    | 485            | 1          | 85                           | 519213<br>Dt.14.05.09     | 2009               |
| 908        | M/s.Thermax Limited /<br>Deepak Fertiliser            | STEAM   | 14000                  | 1                      | 350            | 1          | 85                           | 519214<br>Dt.14.05.09     | 2009               |
| 909        | M/s.Kirloskar Ebara Pumps Ltd                         | STEAM   | 9800                   | 7                      | 360            | 1          | 85                           | 1110006796<br>Dt.11.05.09 | 2009               |
|            |                                                       | STEAM   | 9500                   | 7                      | 235            | 1          | 85                           |                           |                    |
|            |                                                       | STEAM   | 1150                   | 7                      | 240            | 1          | 85                           |                           |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

121 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                            | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                        | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------|--------------------|
| 910        | M/s.Thermax Limited /<br>Lanco Infratech Ltd                | STEAM   | 233152                 | 111                    | 573            | 1          | 85                           | 519218<br>Dt.19.05.09                     | 2009               |
|            |                                                             | STEAM   | 19160                  | 30                     | 350            | 1          | 85                           |                                           |                    |
|            |                                                             | STEAM   | 19125                  | 8                      | 350            | 1          | 85                           |                                           |                    |
|            |                                                             | STEAM   | 15230                  | 8                      | 176            | 1          | 85                           |                                           |                    |
| 911        | M/s.Bharat Heavy Electricals Ltd<br>Hyderabad / HPCL-Mumbai | STEAM   | 63516                  | 6                      | 272            | 1          | 85                           | B7 09 A219<br>Dt.27.05.09                 | 2009               |
| 912        | M/s.Forbes & Company Ltd                                    | STEAM   | 16600                  | 7.38                   | 338            | 1          | 85                           | FCL/ESG:PO:PRA(SL)<br>AD:1078 Dt.10.06.09 | 2009               |
| 913        | M/s.Shree Sidhbali                                          | STEAM   | 30<br>TPH              | 5                      | 490            | 1          | 85                           | LOI Dt.08.06.09                           | 2009               |
|            |                                                             | STEAM   | 25<br>TPH              | 72                     | 520            | 1          | 85                           |                                           |                    |
|            |                                                             | STEAM   | 20<br>TPH              | 72                     | 520            | 1          | 85                           |                                           |                    |
| 914        | M/s.Uhde India Ltd<br>MRPL                                  | STEAM   | 1300                   | 2                      | 295            | 1          | 85                           |                                           | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

122 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                   | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                          | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------|--------------------|
| 915        | M/s.Vardhman Textiles Ltd<br>Vardhman Fabrics                      | STEAM   | 20<br>TPH              | 8.5                    | 300            | 1          | 85                           | 96/013057<br>Dt.13.06.09                    | 2009               |
|            |                                                                    | STEAM   | 10<br>TPH              | 10                     | 320            | 1          | 85                           |                                             |                    |
| 916        | M/s.Thermodyne Technologies Pvt. Ltd<br>Synergy Shakthi Renewables | STEAM   | 13500                  | 66                     | 495            | 1          | 110                          | MB/05/63910/819<br>Dt.22.05.09              | 2009               |
|            |                                                                    | STEAM   | 9450                   | 71                     | 495            | 1          | 110                          |                                             |                    |
| 917        | M/s.Thermodyne Technologies Pvt. Ltd<br>BSR Green Power Ltd        | STEAM   | 12000                  | 52                     | 425            | 1          | 110                          | MB/05/40910/807<br>Dt.16.06.09              | 2009               |
|            |                                                                    | STEAM   | 10000                  | 48.25                  | 425            | 1          | 110                          |                                             |                    |
| 918        | M/s.Thermodyne Technologies Pvt. Ltd<br>Saravana Power             | STEAM   | 12000                  | 52                     | 425            | 1          | 110                          | MB/06/39910/809<br>Dt.16.06.09              | 2009               |
|            |                                                                    | STEAM   | 10000                  | 48.25                  | 425            | 1          | 110                          |                                             |                    |
| 919        | M/s.Lloyd Steel Industries Ltd<br>LMEL Project                     | STEAM   | 27000                  | 80                     | 495            | 1          | 85                           | LSIL/LOI/SLNCR/09/<br>2075-3003 Dt.20.06.09 | 2009               |
|            |                                                                    | STEAM   | 45000                  | 80                     | 295            | 1          | 85                           |                                             |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

123 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                        | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                   | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------|--------------------|
| 920        | M/s.Isgec John Thompson<br>Coastal Gujarat Power Ltd    | STEAM   | 45000                  | 80                     | 295            | 1          | 85                           | 140172/JB 0757<br>Dt.18.06.09        | 2009               |
| 921        | M/s.Gujarat Enviro Protection &<br>Infrastructure Ltd   | STEAM   | 27000                  | 80                     | 495            | 1          | 85                           | GEPI/PO/INC/09-10<br>129 Dt.24.06.09 | 2009               |
| 923        | M/s.Thermax Limited /<br>ECO Oils Ltd                   | STEAM   | 20000                  | 2                      | 400            | 1          | 85                           | 519267<br>Dt.12.06.09                | 2009               |
| 924        | M/s.Neo Structo Construction Ltd<br>BPCL-Kochi          | STEAM   | 5.5                    | 0.1                    | 25             | 1          | 85                           | LOI Email<br>Dt.26.06.09             | 2009               |
| 925        | M/s.Tech Sharp Engineers (P) Ltd<br>Tata Project / BPCL | STEAM   | 4285                   | 40                     | 375            | 1          | 85                           | 09-0416<br>Dt.24.06.09               | 2009               |
|            |                                                         | STEAM   | 3000                   | 37                     | 375            | 1          | 85                           |                                      |                    |
|            |                                                         | STEAM   | 36833                  | 41.4                   | 417            | 1          | 85                           |                                      |                    |
|            |                                                         | STEAM   | 336                    | 9                      | 195            | 1          | 85                           |                                      |                    |
|            |                                                         | STEAM   | 18995                  | 9                      | 195            | 1          | 85                           |                                      |                    |
|            |                                                         | STEAM   | 16755                  | 20                     | 245            | 1          | 85                           |                                      |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

124 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                       | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                           | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------|--------------------|
| 926        | M/s.TCI Sanmar Chemicals,<br>Egypt / Technip India Ltd | STEAM   | 3617                   | 9                      | 195            | 1          | 85                           | TCI/Projects/Utilities<br>136 Dt.24.06.09    | 2009               |
|            |                                                        | STEAM   | 28000                  | 22                     | 215            | 1          | 85                           |                                              |                    |
|            |                                                        | STEAM   | 107000                 | 12                     | 230            | 2          | 85                           |                                              |                    |
|            |                                                        | STEAM   | 28000                  | 22                     | 245            | 1          | 85                           |                                              |                    |
|            |                                                        | STEAM   | 107000                 | 12                     | 230            | 2          | 85                           |                                              |                    |
| 927        | M/s.Air Liquide Engineering India<br>Pvt. Ltd          | WN2     | 7811<br>Nm3/hr.        | 1.05                   | 32.3           | 1          | 85                           | ALEI/9027/1122/BS/<br>522017/445 Dt.24.06.09 | 2009               |
| 928        | M/s.Air Liquide Engineering India<br>Pvt. Ltd          | WN2     | 7811<br>Nm3/hr.        | 1.05                   | 32.3           | 1          | 85                           | ALEI/9026/1119/BS/<br>522017/446 Dt.24.06.09 | 2009               |
| 929        | M/s.M.A.H.Y.Khoory & Co.<br>Union Paper Mills          | STEAM   | 5<br>TPH               | 18                     | 220            | 2          | 85                           | UPM/BFB/PO<br>Dt.29.06.09                    | 2009               |
| 930        | M/s.Aurobindo Pharma Ltd                               | STEAM   | 20<br>TPH              | 45                     | 445            | 1          | 85                           | 140904958<br>Dt.01.07.09                     | 2009               |
|            |                                                        | STEAM   | 2.5                    | 45                     | 445            | 1          | 85                           |                                              |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

125 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                             | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                           | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------|--------------------|
| 931        | M/s.Essar Engineering Services Ltd.                          | STEAM   | TPH<br>23<br>TPH       | 6.5                    | 260            | 1          | 85                           |                                              | 2009               |
|            |                                                              | STEAM   | 25<br>TPH              | 45                     | 445            | 1          | 85                           |                                              |                    |
|            |                                                              | STEAM   | 15<br>TPH              | 6.5                    | 260            | 1          | 85                           |                                              |                    |
|            |                                                              | STEAM   | 55000                  | 3.5                    | 470            | 1          | 85                           |                                              |                    |
|            |                                                              | STEAM   | 2000                   | 3.5                    | 470            | 1          | 85                           |                                              |                    |
|            |                                                              | STEAM   | 59000                  | 3.5                    | 470            | 1          | 85                           |                                              |                    |
|            |                                                              | STEAM   | 35000                  | 3.5                    | 470            | 1          | 85                           |                                              |                    |
| 932        | M/s.Lurgi India Co. Ltd<br>IOCL                              | STEAM   | 24024                  | 55                     | 538            | 1          | 85                           | 10144774/232<br>Dt.07.07.09                  | 2009               |
| 933        | M/s.Greenesol Power Systems (P) Ltd<br>SKS Ispat & Power Ltd | STEAM   | 10500                  | 3.5                    | 410            | 1          | 85                           | GPSPL/PRAEWL/<br>7011-01/SIL-PO-056/<br>0910 | 2009               |
| 934        | M/s.Air Liquide Engg. India Pvt. Ltd                         | WN2     | 14527                  | 1.043                  | 18.29          | 1          | 85                           |                                              | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

126 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                         | SERVICE                                      | FLOW<br>RATE<br>KG/Hr.                       | INLET<br>PR.<br>Kg/Cm2               | TEMP.<br>DEG.C                       | NO.<br>OFF                   | NOISE<br>LEVEL<br>dB(A)-Mtr.     | P.O. NO. &<br>DATE                                                                                                   | YEAR<br>OF<br>MFR.                       |
|------------|--------------------------------------------------------------------------|----------------------------------------------|----------------------------------------------|--------------------------------------|--------------------------------------|------------------------------|----------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------------------------------|
| 935        | EIL/HPCL Mittal Energy<br>M/s.Isgec John Thompson /<br>Nirani Sugars Ltd | Air<br><br>STEAM                             | 36000                                        | 92.7                                 | 515                                  | 1                            | 85                               | 140198/JB0751<br>Dt.09.07.2009                                                                                       | 2009                                     |
| 936        | M/s.Isgec John Thompson /<br>Butali Sugar Mills Ltd                      | STEAM<br><br>STEAM                           | 14800<br><br>12373                           | 48.5<br><br>48.5                     | 415<br><br>415                       | 1<br><br>1                   | 85<br><br>85                     | 140201/JB0737<br>Dt.14.07.2009<br><br>140201/JB0737<br>Dt.14.07.2009                                                 | 2009<br><br>2009                         |
| 937        | M/s.Thermax Limited<br>Hitech Carbon                                     | STEAM<br><br>STEAM<br><br>STEAM              | 32599<br><br>33033<br><br>24296              | 74<br><br>75<br><br>69               | 289<br><br>290<br><br>490            | 1<br><br>1<br><br>1          | 85<br><br>85<br><br>85           | 519354<br>Dt.10.07.2009<br><br>519354<br>Dt.10.07.2009<br><br>519354<br>Dt.10.07.2009                                | 2009<br><br>2009<br><br>2009             |
| 938        | M/s.Thermax Limited<br>JSL Ltd                                           | STEAM<br><br>STEAM<br><br>STEAM<br><br>STEAM | 20735<br><br>16500<br><br>19200<br><br>19200 | 55<br><br>51<br><br>61.5<br><br>62.5 | 410<br><br>410<br><br>278<br><br>410 | 1<br><br>1<br><br>1<br><br>1 | 85<br><br>85<br><br>85<br><br>85 | 519339<br>Dt.08.07.2009<br><br>519339<br>Dt.08.07.2009<br><br>519339<br>Dt.08.07.2009<br><br>519339<br>Dt.08.07.2009 | 2009<br><br>2009<br><br>2009<br><br>2009 |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

127 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                             | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                           | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------|--------------------|
| 939        | M/s.Larsen & Toubro Ltd, Mumbai<br>GGSR / HPCL Mittal Energy | STEAM   | 88000                  | 3.375                  | 405            | 2          | 85                           | CHEM PP/45000-<br>59255/SMH<br>Dt.21.07.2009 | 2009               |
|            |                                                              | STEAM   | 30000                  | 1.35                   | 300            | 2          | 85                           | CHEM PP/45000-<br>59255/SMH<br>Dt.21.07.2009 | 2009               |
| 940        | M/s.Intercat Equipment (Mumbai)<br>Pvt. Ltd / HPCL-Mumbai    | STEAM   | 600                    | ---                    | ---            | 1          | 85                           | 103/2009                                     | 2009               |
| 941        | M/s.Thermax Limited<br>Jindal Steel & Power Ltd              | STEAM   | 16750                  | 79                     | 510            | 1          | 85                           | 519443<br>Dt.29.07.2009                      | 2009               |
| 942        | M/s.Thermax Limited<br>Jindal Steel & Power Ltd              | STEAM   | 16750                  | 79                     | 510            | 1          | 85                           | 519442<br>Dt.29.07.2009                      | 2009               |
| 943        | Thermal systems (Hyderabad) Pvt. Ltd                         | STEAM   | 10000                  | 66                     | 485            | 1          | 85                           | 2009000307/W-00897/<br>00.01.28 Dt.31.07.09  | 2009               |
|            |                                                              | STEAM   | 40000                  | 66                     | 485            | 1          | 85                           | 2009000307/W-00897/<br>00.01.28 Dt.31.07.09  | 2009               |
|            |                                                              | STEAM   | 20000                  | 71                     | 320            | 1          | 85                           | 2009000307/W-00897/<br>00.01.28 Dt.31.07.09  | 2009               |
|            |                                                              | STEAM   | 2000                   | 66                     | 485            | 1          | 85                           | 2009000307/W-00897/<br>00.01.28 Dt.31.07.09  | 2009               |
| 944        | Hi-Tech Carbon (Aditya Birlo group)                          | STEAM   | 43.2                   | 46                     | 410            | 1          | 85                           | 2500005422                                   | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

128 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                           | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                       | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------|--------------------|
|            |                                                            |         | m3/hr                  |                        |                |            |                              | Dt.31.07.09                                              |                    |
|            |                                                            | STEAM   | 38<br>m3/hr            | 47                     | 410            | 1          | 85                           | 2500005422<br>Dt.31.07.09                                | 2009               |
| 945        | M/s.Siemens Limited /<br>Bhushan                           | STEAM   | 22500                  | 70                     | 500            | 1          | 85                           | 4501832629<br>Dt.04.09.2008                              | 2009               |
| 946        | M/s.Thermax Limited<br>Foster Wheeler                      | STEAM   | 100                    | 5                      | 133.7          | 1          | 85                           | 646995<br>Dt.05.08.09                                    | 2009               |
| 947        | M/s.GMR Industries Ltd                                     | STEAM   | 16000                  | 54                     | 450            | 1          | 85                           | 4500009617<br>Dt.04.08.09                                | 2009               |
| 948        | M/s.Thermax Limited /<br>HiTech Carbon                     | STEAM   | 25875                  | 69                     | 490            | 1          | 85                           | 519466<br>Dt.03.08.2009                                  | 2009               |
|            |                                                            | STEAM   | 5657                   | 4                      | 300            | 1          | 85                           | 519466<br>Dt.03.08.2009                                  | 2009               |
| 949        | M/s.Sri Virangana Steels Ltd                               | STEAM   | 45000                  | 71.5                   | 500            | 1          | 85                           | CPP/SVSL/NGP/<br>09-10/150                               | 2009               |
| 949        | M/s.Punj Lloyd Ltd<br>Aker Solution / LURGI                | STEAM   | 18172                  | 48                     | 365            | 1          | 85                           | PLL/PROC/PEIN04-<br>OHCUC/SILENCERS/<br>612 DT.20.08.09. | 2009               |
| 950        | M/s.Isgec John Thompson /<br>PetroquimicaSuape PTA Project | STEAM   | 51000                  | 2                      | 311            | 1          | 85                           | 140236/JB0752<br>Dt.21.08.09                             | 2009               |
|            |                                                            | STEAM   | 51000                  | 2                      | 311            | 1          | 85                           | 140236/JB0752                                            | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

129 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                           | SERVICE      | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                             | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------|--------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------|--------------------|
| 951        | M/s.Isgec John Thompson /<br>PetroquimicaSuape PTA Project | STEAM        | 4500                   | 2                      | 451            | 1          | 85                           | Dt.21.08.09<br>140236/JB0752<br>Dt.21.08.09    | 2009               |
|            |                                                            | STEAM        | 4500                   | 2                      | 451            | 1          | 85                           | 140236/JB0752<br>Dt.21.08.09                   | 2009               |
|            |                                                            | STEAM        | 50000                  | 2                      | 311            | 1          | 85                           | 140236/JB0752<br>Dt.21.08.09                   | 2009               |
|            |                                                            | STEAM        | 51000                  | 2                      | 311            | 1          | 85                           | 140237/JB0753<br>Dt.21.08.09                   | 2009               |
|            |                                                            | STEAM        | 51000                  | 2                      | 311            | 1          | 85                           | 140237/JB0753<br>Dt.21.08.09                   | 2009               |
|            |                                                            | STEAM        | 4500                   | 2                      | 451            | 1          | 85                           | 140237/JB0753<br>Dt.21.08.09                   | 2009               |
|            |                                                            | STEAM        | 4500                   | 2                      | 451            | 1          | 85                           | 140237/JB0753<br>Dt.21.08.09                   | 2009               |
|            |                                                            | STEAM        | 50000                  | 2                      | 311            | 1          | 85                           | 140237/JB0753<br>Dt.21.08.09                   | 2009               |
| 952        | M/s.Enmas Andritz Pvt. Ltd / TNPL                          | STEAM        | 45000                  | 106.5                  | 525            | 1          | 85                           | EAL/PUR/09-10/B/<br>WB072M/0106<br>Dt.20.08.09 | 2009               |
|            |                                                            | TWO<br>INLET | 27601                  | 106.5                  | 525            |            |                              |                                                |                    |
| 953        | M/s.Thermax Ltd /                                          | STEAM        | 5000                   | 41                     | 390            | 1          | 85                           | 1000003850                                     | 2009               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                              |         | REFERENCE LIST           |                        |                |            |                              | 130 OF 380                                            |                    |
|----------------------------------------------------------------------|--------------------------------------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------------|--------------------|
| PRAE                                                                 |                                                              |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                       |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                             | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                    | YEAR<br>OF<br>MFR. |
| 954                                                                  | SONA ALLOYS PVT. LTD<br>M/s.Bharat Petroleum Corporation Ltd | STEAM   | 189000                   | 21                     | 375            | 1          | 85                           | Dt.13.08.09<br>J01-4502624529<br>Dt.26.08.09          | 2009               |
|                                                                      |                                                              | STEAM   | 60000                    | 36                     | 200            | 1          | 85                           | J01-4502624529<br>Dt.26.08.09                         | 2009               |
| 955                                                                  | M/s.Enmas GB Power Systems<br>Projects Ltd / Dalkia          | STEAM   | 19800                    | 65.38                  | 460            | 1          | 85                           | EGB/PUR/09-10/B/<br>WB066M/0064<br>Dt.24.08.09        | 2009               |
| 956                                                                  | M/s.Mangalore Refinery &<br>Petrochemicals Ltd/ Jacobs       | STEAM   | 6630                     | 15                     | 400            | 1          | 85                           | LOA No. P38034<br>Dt.02.09.09.                        | 2009               |
|                                                                      |                                                              | STEAM   | 8330                     | 4                      | 225            | 1          | 85                           | LOA No. P38034<br>Dt.02.09.09.                        | 2009               |
|                                                                      |                                                              | STEAM   | 6630                     | 15                     | 350            | 1          | 85                           | LOA No. P38034<br>Dt.02.09.09.                        | 2009               |
|                                                                      |                                                              | STEAM   | 8330                     | 4                      | 400            | 1          | 85                           | LOA No. P38034<br>Dt.02.09.09.                        | 2009               |
| 957                                                                  | M/s.CICB-Chemicon Pvt. Ltd                                   | AIR     | 7030                     | 10.5                   | 109            | 1          | 85                           | CICB/P347-09-01-24/<br>PO-482/09-10<br>Dt.08.09.09    | 2009               |
| 958                                                                  | M/s.Mid India Power & Steel Limited                          | STEAM   | 90<br>Ton                | 70                     | 530            | 1          | 85                           | MIPSL/II/PUR/ORD/<br>GUJ/TP-14/09-10<br>Dt.02.09.2009 | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

131 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                     | SERVICE                        | FLOW<br>RATE<br>KG/Hr.  | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C    | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                 | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------|--------------------------------|-------------------------|------------------------|-------------------|------------|------------------------------|----------------------------------------------------|--------------------|
| 959        | M/s.Kirloskar Ebara Pumps Ltd        | STEAM                          | 37650                   | 22.5                   | 300               | 1          | 85                           | 1110008237<br>Dt.10.09.2009                        | 2009               |
| 960        | M/s.Bharat Pumps & Compressor Ltd    | STEAM                          | 28.5                    | 8.55                   | 163               | 1          | 85                           | 461-16441391-1064<br>Dt.12.09.09                   | 2009               |
| 961        | M/s.Thermax Ltd / NESTLE             | STEAM                          | 12000                   | 25                     | 220               | 1          | 85                           | 519583 Dt.10.09.09                                 | 2009               |
|            |                                      | STEAM                          | 10000                   | 22.29                  | 220               | 1          | 85                           | 519583 Dt.10.09.09                                 | 2009               |
| 962        | M/s.Empee Sugar & Chemicals Ltd      | STEAM                          | 20.25<br>Ton            | 117                    | 548               | 2          | 85                           | ESCL/COR/AMBA/<br>0114 Dt.12.09.2009               | 2009               |
| 963        | M/s.Margen Impex Limited             |                                |                         |                        |                   |            |                              | 13307-E0912-3125S<br>Dt.16.09.2009                 | 2009               |
| 964        | M/s.Kirloskar Ebara Pumps Ltd        | STEAM                          | 6000                    | 7.5                    | 350               | 1          | 85                           | 1110008428<br>Dt.19.09.2009                        | 2009               |
| 965        | M/s.Thermax Ltd / GNFC               | STEAM<br>TWO<br>INLET<br>STEAM | 55441<br>56643<br>31680 | 45<br>41               | Saturation<br>255 | 1<br>1     | 85<br>85                     | 519614<br>Dt.25.09.2009<br>519614<br>Dt.25.09.2009 | 2009<br>2009       |
| 966        | M/s.Tamilnadu Newsprint & Papers Ltd | AIR                            | 110000                  | 101325<br>pa           | 20                | 1          | 85                           |                                                    | 2009               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                              |         | REFERENCE LIST           |                        |                |            |                              | 132 OF 380                                 |                    |
|----------------------------------------------------------------------|------------------------------------------------------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------|--------------------|
| PRAE                                                                 |                                                                              |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                                            |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                             | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                         | YEAR<br>OF<br>MFR. |
| 967                                                                  | M/s.Indian Oil Corporation Ltd /<br>M/s.Jacobs - Mumbai<br>937               | AIR     | 130000                   | 101325<br>pa           | 20             | 1          | 85                           |                                            | 2009               |
|                                                                      |                                                                              | AIR     | 25000                    | 101325<br>pa           | 20             | 1          | 85                           |                                            |                    |
|                                                                      |                                                                              | AIR     | 80000                    | 101325<br>pa           | 20             | 1          | 85                           |                                            | 2009               |
|                                                                      |                                                                              | AIR     | 27000                    | 101325<br>pa           | 20             | 1          | 85                           |                                            | 2009               |
|                                                                      |                                                                              | STEAM   | 42000                    | 50                     | 485            | 1          | 85                           | 3342/283<br>Dt.24.09.2009                  |                    |
|                                                                      |                                                                              | STEAM   | 20000                    | 50                     | 264            | 1          | 85                           | 3342/283<br>Dt.24.09.2009                  | 2009               |
| 968                                                                  | M/s.Aditya Birla Group<br>M/s.Hitech Carbon - PataggangProject<br>Job No.938 | STEAM   | 65000                    | 50                     | 485            | 1          | 85                           | 3342/283<br>Dt.24.09.2009                  | 2009               |
|                                                                      |                                                                              | STEAM   | 56000                    | 5                      | 500            | 1          | 85                           | HTC/PG/PRA/127/<br>09-10/<br>Dt.24.09.2009 | 2009               |
|                                                                      |                                                                              | STEAM   | 27000                    | 5                      | 315            | 1          | 85                           | HTC/PG/PRA/127/<br>09-10/<br>Dt.24.09.2009 | 2009               |
|                                                                      |                                                                              | STEAM   | 20000                    | 1                      | 120            | 1          | 85                           | HTC/PG/PRA/127/<br>09-10/                  | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

133 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                        | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                                   | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------------------------------------|--------------------|
| 969        | M/s.Greensol Power System Pvt.Ltd<br>Job No.939                                         | STEAM   | 10000                  | 2                      | 400            | 1          | 85                           | Dt.24.09.2009<br><br>GPSPL/PRAEWL/<br>1103/-01/SIL/<br>PO-005/0910/<br>Dt.09.10.2009 | 2009               |
|            |                                                                                         | STEAM   | 10000                  | 2                      | 400            | 1          | 85                           | GPSPL/PRAEWL/<br>1103/-01/SIL/<br>PO-005/0910/<br>Dt.09.10.2009                      | 2009               |
| 970        | M/S.Hi-tech Engineering Corporation<br>India Pvt. Ltd<br>Sumrudhi Project<br>Job No.940 | STEAM   | 16500                  | 10                     | 500            | 1          | 85                           | HEC/SAM/BOILER<br>/ORDER/845/09-10<br>Dt.12.10.2009                                  | 2009               |
|            |                                                                                         | STEAM   | 16500                  | 75                     | 500            | 1          | 85                           | HEC/SAM/BOILER<br>/ORDER/845/09-10<br>Dt.12.10.2009                                  | 2009               |
| 971        | M/S.Hi-tech Engineering Corporation<br>India Pvt. Ltd<br>Jakarya Project<br>Job No.941  | STEAM   | 19225                  | 10                     | 500            | 1          | 85                           | HEC/JAK/BOILER<br>/ORDER/846/09-10<br>Dt.12.10.2009                                  | 2009               |
|            |                                                                                         | STEAM   | 19225                  | 75                     | 500            | 1          | 85                           | HEC/JAK/BOILER<br>/ORDER/846/09-10<br>Dt.12.10.2009                                  | 2009               |
| 972        | M/s.Turbomach India Pvt Ltd<br>DLF-Hyderabad Project<br>Job No. 942                     | STEAM   | 20                     | 500                    | 600            | 2          | 85                           | TIPL/SCM/DLF-<br>HYDERABAD/<br>10902/19/SILENCER                                     | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

134 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                  | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                 | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------------------|--------------------|
| 973        | M/s.Lanxess India Private Ltd<br>Job No.943                       | STEAM   | 5000                   | 70                     | 460            | 1          | 85                           | RO Dt.14.10.2009<br><br>G1BL GC0910-PO<br>G1BL-49<br>Dt.03.10.2009 | 2009               |
|            |                                                                   | STEAM   | 10000                  | 15                     | 260            | 1          | 85                           | G1BL GC0910-PO<br>G1BL-49<br>Dt.03.10.2009                         | 2009               |
|            |                                                                   | STEAM   | 10000                  | 9                      | 220            | 1          | 85                           | G1BL GC0910-PO<br>G1BL-49<br>Dt.03.10.2009                         | 2009               |
| 974        | M/s.Foster Wheeler Energy Limited<br>CTCI CO BOILER<br>Job No.944 | STEAM   | 147500                 | 54.5                   | 430            | 1          | 83                           | 229012/0020092                                                     | 2009               |
|            |                                                                   | STEAM   | 195000                 | 5                      | 420            | 1          | 115                          | 229012/0020092                                                     | 2009               |
|            |                                                                   | STEAM   | 395272                 | 5.2                    | 271            | 1          | 115                          | 229012/0020092                                                     | 2009               |
|            |                                                                   | STEAM   | 39564                  | 6                      | 231.6          | 1          | 115                          | 229012/0020092                                                     | 2009               |
| 975        | M/s.Forbes & Company Limited<br>Job No.945                        | STEAM   | 21196                  | 7.38                   | 339            | 4          | 80                           | FCL:ESG:PO:PRA<br>(SL):AD:1079<br>Dt.15.10.2009                    | 2009               |
| 976        | M/s.Gail (India) Limited                                          | STEAM   | 22227                  | 2                      | 516            | 1          | 85                           | FOI :GAIL/PA09/                                                    | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

135 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                    | SERVICE | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                               | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------------------|---------|-------------------------|-------------------------|----------------|------------|------------------------------|--------------------------------------------------|--------------------|
|            | Sixth Furnace SWRL Project No.10059<br>Job No.946                                   |         |                         |                         |                |            |                              | SIXTH FURNACE-<br>SVS/KN/<br>Dt.23.10.2009       |                    |
| 977        | M/s.Kirloskar Ebara Pumps Limited<br>Job No.947                                     | STEAM   | 11000                   | 6.5                     | 220            | 1          | 85                           | 1110008820/<br>Dt.12.10.2009                     | 2009               |
| 978        | M/s.Enmas GB Power Systems<br>Project Limited<br>ISMT Ltd Project<br>Job No.948     | STEAM   | 59476                   | 1.5                     | 480            | 1          | 85                           | EGB/PUR/09-10/<br>B/VB001M/0088<br>Dt.23.10.2009 | 2009               |
| 979        | M/s.Odebrecht Engenharia E<br>Construcao<br>Petroquimicasuape Project<br>Job No.949 | STEAM   | 913337                  | 1.37                    | 185            | 1          | 115                          | CNO-B-AQZ001/<br>Dt.03.11.2009                   | 2011               |
|            |                                                                                     | STEAM   | 327058                  | 0.94                    | 230            | 1          | 115                          | CNO-B-AQZ001/<br>Dt.03.11.2009                   | 2011               |
|            |                                                                                     | STEAM   | 268129                  | 2.08                    | 230            | 1          | 115                          | CNO-B-AQZ001/<br>Dt.03.11.2009                   | 2011               |
|            |                                                                                     | STEAM   | 196364                  | 5.5                     | 185            | 1          | 85                           | CNO-B-AQZ001/<br>Dt.03.11.2009                   | 2011               |
|            |                                                                                     | STEAM   | 388076                  | 10                      | 175            | 1          | 115                          | CNO-B-AQZ001/<br>Dt.03.11.2009                   | 2011               |
| 980        | M/s.Thermax Limited<br>GNFC Project<br>Job No.950                                   | STEAM   | 47000                   | 1.5                     | 255            | 1          | 85                           | 519695<br>Dt.03.11.2009                          | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

136 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                             | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                     | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------|--------------------|
| 981        | M/s.ME Energy Private Limited<br>Job No.951                                  | STEAM   | 9100                   | 49.5                   | 268            | 2          | 85                           | 09-10/724/AA417/<br>9<br>Dt.27.10.2009 | 2009               |
|            |                                                                              | STEAM   | 9100                   | 50                     | 268            | 2          | 85                           | 09-10/724/AA417/<br>9<br>Dt.27.10.2009 | 2009               |
|            |                                                                              | STEAM   | 5300                   | 47                     | 494            | 2          | 85                           | 09-10/724/AA417/<br>9<br>Dt.27.10.2009 | 2009               |
|            |                                                                              | STEAM   | 6075                   | 44                     | 494            | 2          | 85                           | 09-10/724/AA417/<br>9<br>Dt.27.10.2009 | 2009               |
| 982        | M/s.Ansaldo Caldaie Boilers India(P)<br>Ltd.<br>OPG II Project<br>Job No.952 | STEAM   | 139114                 | 3.5                    | 320            | 1          | 115                          | ACB-151-076-09<br>Dt.10.11.2009        | 2009               |
|            |                                                                              | STEAM   | 142820                 | 3.5                    | 322            | 1          | 115                          | ACB-151-076-09<br>Dt.10.11.2009        | 2009               |
|            |                                                                              | STEAM   | 128000                 | 3.5                    | 494            | 1          | 115                          | ACB-151-076-09<br>Dt.10.11.2009        | 2009               |
|            |                                                                              | STEAM   | 99337                  | 3.5                    | 494            | 1          | 115                          | ACB-151-076-09<br>Dt.10.11.2009        | 2009               |
| 983        | M/s.Cethar Vessals Limited                                                   | STEAM   | 209246                 | 49.5                   | 348            | 1          | 85                           | MB 1079                                | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

137 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                         | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                    | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------|--------------------|
|            | Job No.953                               | STEAM   | 128302                 | 4.08                   | 540            | 1          | 85                           | Dt.13.11.09<br>MB 1079<br>Dt.13.11.09 | 2009               |
|            |                                          | STEAM   | 47500                  | 8.2                    | 540            | 1          | 85                           | MB 1079<br>Dt.13.11.09                | 2009               |
|            |                                          | STEAM   | 23678                  | 5                      | 540            | 1          | 85                           | MB 1079<br>Dt.13.11.09                | 2009               |
|            |                                          | STEAM   | 266735                 | 6.51                   | 317            | 1          | 85                           | MB 1079<br>Dt.13.11.09                | 2009               |
|            |                                          | STEAM   | 203770                 | 5.51                   | 540            | 1          | 85                           | MB 1079<br>Dt.13.11.09                | 2009               |
|            |                                          | STEAM   | 72147                  | 2.31                   | 540            | 1          | 85                           | MB 1079<br>Dt.13.11.09                | 2009               |
| 984        | M/s.Cethar Vessals Limited<br>Job No.954 | STEAM   | 209246                 | 11.23                  | 348            | 1          | 85                           | MB 1080<br>Dt.13.11.09                | 2009               |
|            |                                          | STEAM   | 128304                 | 4.08                   | 540            | 1          | 85                           | MB 1080<br>Dt.13.11.09                | 2009               |
|            |                                          | STEAM   | 47500                  | 8.2                    | 540            | 1          | 85                           | MB 1080<br>Dt.13.11.09                | 2009               |
|            |                                          | STEAM   | 23678                  | 5                      | 540            | 1          | 85                           | MB 1080<br>Dt.13.11.09                | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

138 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                            | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE         | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------|--------------------|
| 985        | M/s.Tata Chemicals Limited<br>Job No.955    | STEAM   | 266735                 | 6.51                   | 317            | 1          | 85                           | MB 1080<br>Dt.13.11.09     | 2009               |
|            |                                             | STEAM   | 203770                 | 5.51                   | 540            | 1          | 85                           | MB 1080<br>Dt.13.11.09     | 2009               |
|            |                                             | STEAM   | 72147                  | 2.31                   | 540            | 1          | 85                           | MB 1080<br>Dt.13.11.09     | 2009               |
| 986        | M/s.Essar Project<br>Job No.956             | STEAM   | 30                     | 40                     | 370            | 1          | 85                           | VPM/HS/01<br>Dt.13.11.2009 | 2009               |
|            |                                             | STEAM   | 46100                  | 42                     | 415            | 1          | 85                           | PH01/M04/<br>610013444     | 2009               |
|            |                                             | STEAM   | 10050                  | 37.5                   | 415            | 1          | 85                           | PH01/M04/<br>610013444     | 2009               |
|            |                                             | STEAM   | 7550                   | 37.5                   | 415            | 1          | 85                           | PH01/M04/<br>610013444     | 2009               |
|            |                                             | STEAM   | 42250                  | 14.9                   | 290            | 1          | 85                           | PH01/M04/<br>610013444     | 2009               |
|            |                                             | STEAM   | 29640                  | 37.5                   | 415            | 1          | 85                           | PH01/M04/<br>610013444     | 2009               |
| 987        | M/s.Phillips Carbon Block Ltd<br>Job No.957 | STEAM   | 35                     | 90                     | 540            | 1          | 85                           | 450002248<br>Dt.20.11.2009 | 2009               |
| 988        | M/s.Turbomach India (P) Ltd                 | STEAM   | 20                     | 500                    | 600            | 5          | 85                           | TIPL/SCM/DLF-              | 2009               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                         |         | REFERENCE LIST           |                        |                |            |                              | 139 OF 380                                           |                    |
|----------------------------------------------------------------------|---------------------------------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------|--------------------|
| PRAE                                                                 |                                                         |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                      |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                        | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                   | YEAR<br>OF<br>MFR. |
|                                                                      | M/s.DLF Chennai Project                                 |         |                          |                        |                |            |                              | Chennai/B009/13/<br>Silencer/R0<br>Dt.24.11.2009     |                    |
| 989                                                                  | M/s.Kirloskar Ebara Pumps Limited<br>Job No.959         | STEAM   | 13700                    | 6                      | 220            | 1          | 85                           | 1110009583<br>Dt.02.12.09                            | 2009               |
| 990                                                                  | M/s.Kirloskar Ebara Pumps Limited<br>Job No.960         | STEAM   | 10956                    | 4                      | 350            | 1          | 85                           | 1110009548<br>Dt.02.12.2009                          | 2009               |
|                                                                      |                                                         | STEAM   | 11865                    | 4                      | 350            | 1          | 85                           | 1110009548<br>Dt.02.12.2009                          | 2009               |
|                                                                      |                                                         | STEAM   | 10956                    | 4                      | 351            | 1          | 85                           | 1110009548<br>Dt.02.12.2009                          | 2009               |
| 991                                                                  | M/S.UDHE INDIA LTD<br>Job No.961                        | STEAM   | 12000                    | 2.5                    | 290            | 1          | 85                           | LOI: KCIL:DLH:LOI:VIZAG(FD):2009:61<br>Dt.30.11.2009 | 2009               |
| 992                                                                  | M/s.Absotherm Energy Solutions Company<br>Job No.962    | GAS     | 50                       | 500                    | 600            | 1          | 85                           | LOI Dt.09.12.2009                                    | 2009               |
| 993                                                                  | M/S IJT/<br>PROJECT:PETROQUIMICASUAPE PTA<br>Job No.963 | STEAM   | 4500                     | 2                      | 215            | 2          | 85                           | 140354/JB0752 Dt.10.12.09                            | 2009               |
| 994                                                                  | M/S IJT/<br>PROJECT:PETROQUIMICASUAPE PTA<br>Job No.964 | STEAM   | 4500                     | 2                      | 215            | 2          | 85                           | 140354/JB0752 Dt.10.12.09                            | 2009               |
| 995                                                                  | M/S.IJT/BPCL<br>Job No.965                              | STEAM   | 9500                     | 5                      | 390            | 1          | 85                           | 140349/JB0727 Dt.09.12.09                            | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

140 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                         | SERVICE                     | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                         | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------|-----------------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------|--------------------|
| 996        | M/S Reliance Industries /<br>RIL-Nagathane<br>Job No.966 | STEAM                       | 15400                  | 5                      | 390            | 1          | 85                           | 140349/JB0727 Dt.09.12.09                  | 2009               |
|            |                                                          | STEAM                       | 9000                   | 18                     | 390            | 1          | 85                           | 140349/JB0727 Dt.09.12.09                  | 2009               |
|            |                                                          | STEAM                       | 5040                   | 18                     | 390            | 1          | 85                           | 140349/JB0727 Dt.09.12.09                  | 2009               |
|            |                                                          | SUPER<br>HEATED<br>STEAM    | 15000                  | 2                      | 560            | 5          | < 80                         | MM3/7216116 Dt.05.12.2009<br>Dt.05.12.2009 | 2009               |
|            |                                                          | SUPER<br>HEATED<br>STEAM    | 4500                   | 2                      | 560            | 1          | < 80                         | MM3/7216116<br>Dt.05.12.2009               | 2009               |
|            |                                                          | MEDIUM<br>PRESSURE<br>STEAM | 5242                   | 19                     | 340            | 3          | 80                           | MM3/7216116 Dt.05.12.2009                  | 2009               |
| 997        | M/S SYNERGY ENERGY<br>SOLUTIONS PVT LTD<br>Job No.967    | EXHAUST<br>GAS              | 19                     | 400                    | 550            | 1          | 85                           | LOI Dt.15.12.2009                          | 2009               |
| 998        | M/S WALCHANDNAGAR<br>PROJECT:WARNA PROJECT<br>Job.No.968 | STEAM                       | 31625                  | 117                    | 540+5          | 2          | 85                           | D-0-2-5-84-122-71501 Dt.17.12.09           | 2009               |
|            |                                                          | STEAM                       | 34500                  | 0-110                  | 540+5          | 2          | 85                           | D-0-2-5-84-122-71501 Dt.17.12.09           | 2009               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

141 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                | SERVICE                  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                    | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------|--------------------------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------|--------------------|
| 999        | M/S WALCHANDNAGAR<br>INDUSTRIES<br>Job No.969   | STEAM                    | 31625                  | 117                    | 540+5          | 2          | 85                           | D-0-2-5-84-122-71501 Dt.17.12.09      | 2009               |
|            |                                                 | STEAM                    | 13750                  | 70.8                   | 480+5          | 1          | 85                           | D-0-2-5-84-137-71701 Dt.12.12.09      | 2009               |
|            |                                                 | STEAM                    | 15000                  | 0 To 66                | 480+5          | 1          | 85                           | D-0-2-5-84-137-71701 Dt.12.12.09      | 2009               |
| 1000       | M/S RELIANCE INDUSTRIES<br>Job No.970           | NITROGEN                 | 40 To 500              | 4.5                    | 320            | 1          | < 80                         | MX8/7218364 Dt.15.12.2009             | 2009               |
| 1001       | M/s CAIRN ENERGY INDIA<br>PVT LTD<br>Job No.971 | LOW<br>PRESSURE<br>STEAM | 115                    | 10                     | 371            | 10         | 85                           | Email Dt.25.12.2009                   | 2009               |
| 1002       | M/s.ABC PAPER LIMITED<br>Job No.972             | STEAM                    | 15                     | 35                     | 400            | 1          | 85                           | GA 3491 Dt.28.12.2009                 | 2009               |
| 973        |                                                 |                          |                        |                        |                |            |                              |                                       |                    |
| 1003       | M/s ABSOTHEM INDIA PVT LTD<br>Job No.974        | EXHAUST<br>GAS           | 114.56                 | 30/50                  | 520/550        | 2          | 85                           | GTS-06/GFL/09-10/PO/131 Dt.07.01.2010 | 2010               |
| 1004       | M/S THERMAX LTD/MRPL-FGC<br>Job No.975          | SATURATED<br>STEAM       | 41734                  | 53                     | 257            | 1          | < 85                         | 519934 Dt.31.12.2009                  | 2010               |
|            |                                                 | SATURATED<br>STEAM       | 42506                  | 54                     | 257            | 1          | < 85                         | 519934 Dt.31.12.2009                  | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

142 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                          | SERVICE                  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                    | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------|--------------------------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------|--------------------|
| 1005       | M/S THERMAX LTD/GGSR<br>Job No.976        | SUPER<br>HEATED<br>STEAM | 33061                  | 50                     | 400            | 1          | < 85                         | 519934 Dt.31.12.2009                  | 2010               |
|            |                                           | SATURATED<br>STEAM       | 47708                  | 46                     | 258            | 1          | < 85                         | 519978 Dt.06.01.2010                  | 2010               |
|            |                                           | SATURATED<br>STEAM       | 48772                  | 47                     | 260            | 1          | < 85                         | 519978 Dt.06.01.2010                  | 2010               |
|            |                                           | SATURATED<br>STEAM       | 37682                  | 42                     | 380            | 1          | < 85                         | 519978 Dt.06.01.2010                  | 2010               |
|            |                                           | SUPER<br>HEATED<br>STEAM | 34890                  | 4.5                    | 380            | 1          | < 85                         | 519978 Dt.06.01.2010                  | 2010               |
| 1006       | M/S.BMM ISPAT LTD<br>Job No.977           | SATURATED<br>STEAM       | 70000                  | 45 To 50               | 350            | 1          | 85                           | BMMIL/PROJ/PP2/09-10/90 Dt.16.01.2010 | 2010               |
| 1007       | M/s.BHEL - HYDERABAD / GGSR<br>Job No.978 | STEAM                    | 65000                  | 2                      | 508            | 1          | 85                           | T709A01537 Dt.18.01.2010              | 2010               |
|            |                                           | STEAM                    | 115000                 | 2                      | 158            | 1          | 85                           | T709A01537 Dt.18.01.2010              | 2010               |
|            |                                           | STEAM                    | 20000                  | 2                      | 191            | 1          | 85                           | T709A01537 Dt.18.01.2010              | 2010               |
|            |                                           | STEAM                    | 65000                  | 2                      | 191            | 1          | 85                           | T709A01537 Dt.18.01.2010              | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

143 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                              | SERVICE        | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE       | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------|----------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------|--------------------|
|            |                                                               | STEAM          | 50000                  | 2                      | 387            | 1          | 85                           | T709A01537 Dt.18.01.2010 | 2010               |
| 1008       | M/S THERMAX LTD/<br>BHATIA ENERGY<br>Job No.979               | SH STEAM       | 6985                   | 7                      | 495            | 2          | 115                          | 520096 Dt.18.01.2010     | 2010               |
| 1009       | M/S THERMAX LTD/<br>BHATIA ENERGY<br>Job No.980               | SH STEAM       | 7500                   | 7                      | 495            | 2          | 115                          | 520096 Dt.18.01.2010     | 2010               |
| 1010       | M/S.Thermax Ltd/<br>Sona Alloys- 4.7 MW Project<br>Job No.981 | STEAM          | 5                      | 41                     | 390            | 1          | 85                           | 1000004948 Dt.25.12.2009 | 2010               |
| 1011       | M/s HR-JOHNSON<br><br>Job No.982                              | EXHAUST<br>GAS | 78732                  | 500                    | 550            | 1          | 85                           | 4700008538 Dt.25.01.2010 | 2010               |
| 1012       | M/S THERMAX LTD/<br>RANA SPONGE<br>Job No.983                 | SH STEAM       | 5261                   | 7                      | 485            | 1          | 85                           | 520118 Dt.28.01.2010     | 2010               |
|            |                                                               | SH STEAM       | 3500                   | 7                      | 485            | 1          | 85                           | 520118 Dt.28.01.2010     | 2010               |
| 1013       | M/s.KIRLOSKAR EBARA<br>Job No.985                             | STEAM          | 14800                  | 40                     | 380            | 1          | 85                           | 1110010598 Dt.30.01.10   | 2010               |
|            |                                                               | STEAM          | 14500                  | 12.5                   | 293            | 1          | 85                           | 1110010598 Dt.30.01.10   | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

144 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                 | SERVICE  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                              | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------|----------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------|--------------------|
| 1014       | M/s.KIRLOSKAR EBARA<br>Job No.956                | STEAM    | 9500                   | 40                     | 260            | 1          | 85                           | 1110010599 Dt.30.01.10                          | 2010               |
|            |                                                  | STEAM    | 9500                   | 12.5                   | 337            | 1          | 85                           | 1110010599 Dt.30.01.10                          | 2010               |
| 1015       | M/S WALCHANDNAGAR/<br>PROJECT:HPCL<br>Job No.987 | STEAM    | 30250                  | 117                    | 540+5          | 1          | 85                           | LOI No. MDP/CMD/AT/SJL/HPCL/SILR<br>Dt.02.02.10 | 2010               |
|            |                                                  | STEAM    | 33000                  | 0-110                  | 540+5          | 1          | 85                           | LOI No. MDP/CMD/AT/SJL/HPCL/SILR<br>Dt.02.02.10 | 2010               |
| 1016       | M/S.L&T LTD<br>Job No.988                        | STEAM    | 2820                   | 5.5                    | 190            | 1          | 85                           | LOI No. L&T/NRO/HCP/PVP/2010/033<br>Dt.09.02.10 | 2010               |
|            |                                                  | STEAM    | 5693<br>6203<br>14150  | 40                     | 400            | 1          | 85                           | LOI No. L&T/NRO/HCP/PVP/2010/033<br>Dt.09.02.10 | 2010               |
|            |                                                  | STEAM    | 309                    | 3.5                    | 65             | 1          | 85                           | LOI No. L&T/NRO/HCP/PVP/2010/033<br>Dt.09.02.10 | 2010               |
|            |                                                  | LP STEAM | 2126.5<br>4253<br>5996 | 5.5                    | 190            | 1          | 85                           | LOI No. L&T/NRO/HCP/PVP/2010/033<br>Dt.09.02.10 | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

145 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT | SERVICE  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                              | YEAR<br>OF<br>MFR. |
|------------|------------------|----------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------|--------------------|
|            |                  | MP STEAM | 3555<br>7110<br>7821   | 12.5                   | 300            | 1          | 85                           | LOI No. L&T/NRO/HCP/PVP/2010/033<br>Dt.09.02.10 | 2010               |
|            |                  | STEAM    | 4263<br>8525<br>9378   | 5.5                    | 427            | 1          | 85                           | LOI No. L&T/NRO/HCP/PVP/2010/033<br>Dt.09.02.10 | 2010               |
|            |                  | LP STEAM | 1460<br>2920<br>3212   | 5.5                    | 190            | 1          | 85                           | LOI No. L&T/NRO/HCP/PVP/2010/033<br>Dt.09.02.10 | 2010               |
|            |                  | MP STEAM | 2861<br>5722<br>6294   | 24.4                   | 300            | 1          | 85                           | LOI No. L&T/NRO/HCP/PVP/2010/033<br>Dt.09.02.10 | 2010               |
|            |                  | MP STEAM | 2122<br>4244<br>4668   | 24.2                   | 300            | 1          | 85                           | LOI No. L&T/NRO/HCP/PVP/2010/033<br>Dt.09.02.10 | 2010               |
|            |                  | MP STEAM | 5817                   | 12.5                   | 300            | 1          | 85                           | LOI No. L&T/NRO/HCP/PVP/2010/033<br>Dt.09.02.10 | 2010               |
|            |                  | MP STEAM | 5817                   | 12.5                   | 300            | 1          | 85                           | LOI No. L&T/NRO/HCP/PVP/2010/033<br>Dt.09.02.10 | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

146 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                             | SERVICE          | FLOW<br>RATE<br>KG/Hr.  | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                              | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------|------------------|-------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------|--------------------|
| 1017       | M/s.Thermax/Renovation Project<br>Job No.989 | HP STEAM         | 22826                   | 40                     | 400            | 1          | 85                           | LOI No. L&T/NRO/HCP/PVP/2010/033<br>Dt.09.02.10 | 2010               |
|            |                                              | MP STEAM         | 11545<br>23091<br>25400 | 14.5                   | 300            | 1          | 85                           | LOI No. L&T/NRO/HCP/PVP/2010/033<br>Dt.09.02.10 | 2010               |
|            |                                              | LP STEAM         | 9350<br>18700<br>20570  | 7.5                    | 190            | 1          | 85                           | LOI No. L&T/NRO/HCP/PVP/2010/033<br>Dt.09.02.10 | 2010               |
|            |                                              | SAT.<br>MP STEAM | 8760                    | 12.5                   | 205            | 1          | 85                           | LOI No. L&T/NRO/HCP/PVP/2010/033<br>Dt.09.02.10 | 2010               |
|            |                                              | SAT.<br>MP STEAM | 2874                    | 12.5                   | 220            | 1          | 85                           | LOI No. L&T/NRO/HCP/PVP/2010/033<br>Dt.09.02.10 | 2010               |
|            |                                              | STEAM            | 20                      | 2.5                    | 200            | 2          | < 85                         | 651185 Dt.08.02.2010                            | 2010               |
|            |                                              | STEAM            | 20                      | 2.5                    | 350            | 1          | < 85                         | 651185 Dt.08.02.2010                            | 2010               |
|            |                                              | STEAM            | 45-55                   | 5                      | 505            | 2          | < 85                         | 651185 Dt.08.02.2010                            | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

147 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                      | SERVICE                     | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                    | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------|-----------------------------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------|--------------------|
| 1018       | M/S ESSAR ENGG<br>Job No.990                          | LP<br>SATURATED<br>STEAM    | 2792                   | 6.5                    | 190            | 1          | < 85                         | LOI No. EPIL/EOL/AN/004 Dt.09.02.10   | 2010               |
|            |                                                       | LP<br>SATURATED<br>STEAM    | 2015                   | 6.5                    | 190            | 1          | < 85                         | LOI No. EPIL/EOL/AN/004 Dt.09.02.10   | 2010               |
|            |                                                       | LP<br>SATURATED<br>STEAM    | 938                    | 6.5                    | 190            | 1          | < 85                         | LOI No. EPIL/EOL/AN/004 Dt.09.02.10   | 2010               |
|            |                                                       | HP SUPER<br>HEATED<br>STEAM | 1500                   | 42                     | 415            | 1          | 85                           | LOI No. EPIL/EOL/AN/004 Dt.09.02.10   | 2010               |
| 1019       | M/S.THERMAX LIMITED /<br>SUPER SMELTERS<br>Job No.991 | SUPER<br>HEATED<br>STEAM    | 9206                   | 69                     | 490            | 1          | 115                          | 520162 Dt.09.02.2010                  | 2010               |
|            |                                                       | SUPER<br>HEATED<br>STEAM    | 17150                  | 69.5                   | 490            | 1          | 90                           | 520162 Dt.09.02.2010                  | 2010               |
| 1020       | M/S THERMAX LTD/ BESL<br>Job No.992                   | STEAM                       | 5                      | 50                     | 370            | 1          | 85                           | 1000005301 Dt.29.01.2010              | 2010               |
| 1021       | M/S.L&T/MRPL<br>Job No.993                            | STEAM                       | 38000                  | 4                      | 480            | 1          | 85                           | CHEM US/45000-61147/KSW Dt.09.02.2010 | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

148 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                     | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                        | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------|--------------------|
|            |                                                      | STEAM   | 25113                  | 2                      | 480            | 1          | 85                           | CHEM US/45000-61147/KSW Dt.09.02.2010     | 2010               |
|            |                                                      | STEAM   | 4800                   | 50                     | 480            | 1          | 85                           | CHEM US/45000-61147/KSW Dt.09.02.2010     | 2010               |
|            |                                                      | STEAM   | 3600                   | 50                     | 480            | 1          | 85                           | CHEM US/45000-61147/KSW Dt.09.02.2010     | 2010               |
| 1022       | M/S IJT/PROJ:KHON KAEN<br>Job No.994                 | STEAM   | 66876                  | 86.5                   | 329            | 1          | 110                          | 114792/JB0765 Dt.20.02.2010               | 2010               |
|            |                                                      | STEAM   | 67257                  | 87                     | 329            | 1          | 110                          | 114792/JB0765 Dt.20.02.2010               | 2010               |
| 1023       | M/S IJT/PROJ:KHON KAEN<br>Job No.995                 | STEAM   | 66876                  | 86.5                   | 329            | 1          | 110                          | 114793/JB0766 Dt.20.02.2010               | 2010               |
|            |                                                      | STEAM   | 67257                  | 87                     | 329            | 1          | 110                          | 114793/JB0766 Dt.20.02.2010               | 2010               |
| 1024       | M/S FIVES CAIL-KCP/<br>PROJECT:FINCHAA<br>Job No.996 | STEAM   | 33000                  | 3                      | 410            | 2          | 85                           | 4100001058 Dt.18.02.2010                  | 2010               |
|            |                                                      | STEAM   | 28000                  | 3                      | 360            | 2          | 85                           | 4100001058 Dt.18.02.2010                  | 2010               |
| 1025       | M/s.IFFCO PARADEEP<br>Job No.997                     | STEAM   | 35                     | 60-65                  | 470-480        | 1          | 85                           | PO/42/00244/PDP/DKJ/9012919 Dt.12.02.2010 | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

149 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                   | SERVICE                  | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                     | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------|--------------------------|--------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------|--------------------|
| 1026       | M/S.THERMAX/<br>EGYPTIAN FERTILIZERS<br>Job No.998 | SATURATED<br>STEAM       | 112177.4                 | 141                    | 337            | 1          | 110                          | 520218 Dt.22.02.2010                                   | 2010               |
|            |                                                    | SATURATED<br>STEAM       | 113094.8                 | 142                    | 337            | 1          | 110                          | 520218 Dt.22.02.2010                                   | 2010               |
|            |                                                    | SUPER<br>HEATED<br>STEAM | 44145                    | 128                    | 515            | 1          | 110                          | 520218 Dt.22.02.2010                                   | 2010               |
| 1027       | M/S.EIL/CPCL<br>Job No.999                         | VHP<br>STEAM             | /5000/<br>5500           | 58                     | 440            | 1          | 85                           | 6879/6290/117/386 Dt.23.02.2010                        | 2010               |
|            |                                                    | LP<br>STEAM              | /5000/<br>5500           | 7                      | 240            | 1          | 85                           | 6879/6290/117/386 Dt.23.02.2010                        | 2010               |
|            |                                                    | STEAM                    | 40/101/<br>111           | 6.9                    | 65             | 1          | 85                           | 6879/6290/117/386 Dt.23.02.2010                        | 2010               |
|            |                                                    | MP STEAM                 | 1500/<br>11190/<br>13428 | 3.5                    | 205            | 1          | 85                           | 6879/6290/117/386 Dt.23.02.2010                        | 2010               |
| 1028       | M/s.TOYO ENGG INDIA LTD<br>Job No.1000             | STEAM                    | 32616                    | 16.4                   | 207.5/<br>240  | 1          | 85                           | FOA No. 6270/F/022 Dt.25.02.2010                       | 2010               |
| 1029       | M/s.Punj Lloyd Ltd<br>Job No.1001                  | STEAM                    | 10000                    | 4.2                    | 350            | 4          | 85                           | PLL/PROC/<br>PEIN10-CDSP/<br>NLTB/117<br>Dt.25.02.2010 | 2010               |
| 1030       | M/s.ME Energy Private Limited                      | STEAM                    | 8057                     | 51                     | 427            | 2          | 85                           | 09-10/1185/                                            | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

150 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                  | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------------------------|--------------------|
|            | Job No.1002                                                                                       |         |                        |                        |                |            |                              | AA427/31<br>Dt.24.02.2010                                         |                    |
|            |                                                                                                   | STEAM   | 5000                   | 41                     | 427            | 2          | 85                           | 09-10/1185/<br>AA427/31<br>Dt.24.02.2010                          | 2010               |
| 1031       | M/s.Thermax Limited<br>Predominant Engineers<br>A/C.Trimula Industries Ltd Project<br>Job No.1003 | STEAM   | 10477                  | 7                      | 490            | 1          | 90                           | 520246<br>Dt.04.03.2010                                           | 2010               |
|            |                                                                                                   | STEAM   | 13110                  | 7                      | 490            | 1          | 90                           | 520246<br>Dt.04.03.2010                                           | 2010               |
| 1032       | M/s.Thermax Limited<br>Predominant Engineers<br>A/C.Trimula Industries Ltd Project<br>Job No.1004 | STEAM   | 10477                  | 7                      | 490            | 1          | 90                           | 520247<br>Dt.04.03.2010                                           | 2010               |
|            |                                                                                                   | STEAM   | 13110                  | 7                      | 490            | 1          | 90                           | 520247<br>Dt.04.03.2010                                           | 2010               |
| 1033       | M/s.Greensol Power Systems P Ltd<br>JSW Steel Ltd Project<br>Job No.1005                          | STEAM   | 7500                   | 3                      | 400            | 1          | 85                           | GPSPL/<br>PRAEWL/1111-<br>01/SIL-PO-019<br>/0910<br>Dt.08.03.2010 | 2010               |
| 1034       | M/s.Isgec John Thomson<br>GM Sugars and Energy(P) Ltd Project<br>Job No.1006                      | STEAM   | 22000                  | 92.5                   | 520            | 1          | 110                          | 114906/JB0761<br>Dt.11.03.2010                                    | 2010               |
|            |                                                                                                   | STEAM   | 32000                  | 99.5                   | 520            | 1          | 110                          | 114906/JB0761<br>Dt.11.03.2010                                    | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

151 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                       | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                            | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------|--------------------|
| 1035       | M/s.Thermax Limited<br>Egyptian Fertilizers Project<br>Job No.1007                                     | STEAM   | 185942                 | 125.5                  | 515            | 1          | 110                          | 520249<br>Dt.04.03.2010                       | 2010               |
| 1036       | M/s.Thermax Limited<br>(Hyderabad) Ltd.<br>Job No.1008                                                 | STEAM   | 20323                  | 41.3                   | 280            | 1          | 85                           | 2009001134/<br>W-00948.50.05<br>Dt.12.03.2010 | 2010               |
|            |                                                                                                        | STEAM   | 18348                  | 41.3                   | 430            | 1          | 85                           | 2009001134/<br>W-00948.50.05<br>Dt.12.03.2010 | 2010               |
|            |                                                                                                        | STEAM   | 5972                   | 5                      | 550            | 1          | 85                           | 2009001134/<br>W-00948.50.05<br>Dt.12.03.2010 | 2010               |
|            |                                                                                                        | STEAM   | 2850                   | 41.3                   | 280            | 1          | 85                           | 2009001134/<br>W-00948.50.05<br>Dt.12.03.2010 | 2010               |
| 1037       | M/s.Techno Electric & Engineering<br>Co Limited. Bengal Energy Ltd<br>Kharagpur Project<br>Job No.1009 | STEAM   | 3500                   | 64                     | 480            | 1          | 85                           | 13611/2009-10<br>/1751<br>Dt.06.03.2010       | 2010               |
| 1038       | M/s.Isgec John Thomson<br>Urjankur Shree Datta Power Co<br>Project<br>Job No.1010                      | STEAM   | 18000                  | 2                      | 400            | 1          | 110                          | 114955/JP0001<br>Dt.02.03.2010                | 2010               |
| 1039       | M/s.Greensol Power Systems P Ltd<br>Madhucon Project/Simhapuri Energy                                  | STEAM   | 20000                  | 2                      | 400            | 1          | 85                           | GPSPL/<br>PRAEWL/1104-                        | 2010               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                   |         | REFERENCE LIST           |                        |                |            |                              | 152 OF 380                                                                                                         |                    |
|----------------------------------------------------------------------|-------------------------------------------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------------------------------------------------------------------|--------------------|
| PRAE                                                                 |                                                                   |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                                                                                    |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                  | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                                                                 | YEAR<br>OF<br>MFR. |
|                                                                      | Job No.1011                                                       | STEAM   | 30000                    | 2                      | 400            | 1          | 85                           | 01/SIL/'PO-030<br>/0910<br>Dt.22.03.2010<br><br>GPSPL/<br>PRAEWL/1104-<br>01/SIL/'PO-030<br>/0910<br>Dt.22.03.2010 | 2010               |
| 1040                                                                 | M/s.Absotherm Energy Solution<br>Company<br>Job No.1012           | STEAM   | 50                       | 500                    | 600            | 2          | 85                           | GTS-11/DFPL/<br>09-10-PO/234<br>Dt.30.03.2010                                                                      | 2010               |
| 1041                                                                 | M/s.Thermal Systems(HYD)Pvt.Ltd<br>2x11.5 TPH WHRB<br>Job No.1013 | STEAM   | 2875                     | 78                     | 510            | 2          | 85                           | 2010000030/<br>W-00953.50.15<br>Dt.04.04.2010                                                                      | 2010               |
|                                                                      |                                                                   | STEAM   | 14000                    | 78                     | 510            | 2          | 85                           | 2010000030/<br>W-00953.50.15<br>Dt.04.04.2010                                                                      | 2010               |
| 1042                                                                 | M/s.Thermax Limited<br>Kudos Chemie Ltd. Project<br>Job No.1014   | STEAM   | 5                        | 42                     | 420            | 1          | 85                           | 1000005302<br>Dt.29.01.2010                                                                                        | 2010               |
| 1043                                                                 | M/s.Thermax Limited<br>DSPL. Project<br>Job No.1015               | STEAM   | 5                        | 42                     | 420            | 1          | 85                           | 1000005741<br>Dt.12.03.2010                                                                                        | 2010               |
| 1045                                                                 | M/s.Vinayak Enterprises                                           | STEAM   | 10500                    | 45                     | 520            | 1          | 85                           | VE/SP-019/                                                                                                         | 2010               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                                     |         | REFERENCE LIST           |                        |                |            |                              | 153 OF 380                                                       |                    |
|----------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------------------|--------------------|
| PRAE                                                                 |                                                                                     |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                                  |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                                    | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                               | YEAR<br>OF<br>MFR. |
|                                                                      | Job No.1016                                                                         | STEAM   | 11808                    | 7                      | 520            | 1          | 85                           | 2010<br>Dt.31.03.2010<br><br>VE/SP-019/<br>2010<br>Dt.31.03.2010 | 2010               |
| 1046                                                                 | M/s.Wave Industries Ltd<br>Chadha Sugars Pvt Ltd Project<br>Job No.1017             | STEAM   | 17000                    | 105                    | 540            | 1          | 100                          | D/O/2009-<br>2010/PO/100<br>413/COGEN<br>Dt.07.04.2010           | 2010               |
| 1047                                                                 | M/s.Kirloskar Ebara Pumps Limited<br>Job No.1018                                    | STEAM   | 9500                     | 40                     | 360            | 1          | 85                           | 1110011533<br>Dt.01.04.2010                                      | 2010               |
| 1048                                                                 | M/s.Thermax Limited/<br>Fisher Sanmar Limited<br>Egyptian Fertilizer<br>Job No.1019 | STEAM   | 220000                   | 32                     | 525            | 1          | 85                           | 520362<br>Dt.21.04.2010                                          | 2010               |
| 1049                                                                 | M/s.Kirloskar Ebara Pumps Limited<br>MRPL Ph-3 Exp, Project<br>Job No.1020          | STEAM   | 16272                    | 50                     | 420            | 1          | 85                           | 1110011772<br>Dt.20.04.2010                                      | 2010               |
|                                                                      |                                                                                     | STEAM   | 16272                    | 10                     | 365            | 1          | 85                           | 1110011772<br>Dt.20.04.2010                                      | 2010               |
| 1050                                                                 | M/s.Kirloskar Ebara Pumps Limited<br>Job No.1021                                    | STEAM   | 7500                     | 19                     | 350            | 1          | 85                           | 1110011774<br>Dt.20.04.2010                                      | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

154 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                          | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                  | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------|--------------------|
| 1051       | M/s.Bharat Heavy Plate & Vessels Limited.<br>JSPL-ANGUL-ORISSA Project<br>Job No.1022     | STEAM   | 92247                  | 5                      | 321            | 2          | 85                           | 1331030<br>Dt.30.04.2010            | 2010               |
|            |                                                                                           | STEAM   | 92247                  | 5                      | 321            | 2          | 85                           | 1331030<br>Dt.30.04.2010            | 2010               |
|            |                                                                                           | STEAM   | 39600                  | 5                      | 540            | 2          | 85                           | 1331030<br>Dt.30.04.2010            | 2010               |
|            |                                                                                           | STEAM   | 18000                  | 5                      | 540            | 2          | 85                           | 1331030<br>Dt.30.04.2010            | 2010               |
|            |                                                                                           | STEAM   | 29700                  | 5                      | 540            | 2          | 85                           | 1331030<br>Dt.30.04.2010            | 2010               |
| 1052       | M/s.Enmas GB Power Systems Project Limited<br>Job No.1023                                 | STEAM   | 10000                  | 89                     | 530            | 1          | 85                           | FB 001M/020<br>Dt.14.05.2010        | 2010               |
| 1053       | M/s.Triveni Engineering & Industries LYD.<br>Rauzagaon Chini Mills Project<br>Job No.1024 | STEAM   | 12.6                   | 2.5                    | 200            | 1          | 85                           | LOI<br>Dt.19.05.2010                | 2010               |
| 1054       | M/s.BHEL Hyderabad<br>GGSR Bhatinda Project<br>Job No.1025                                | STEAM   | 65000                  | 2                      | 508            | 1          | 85                           | T7 10 A00029/<br>Dt.19.04.2010      | 2010               |
| 1055       | M/s.Enmas GB Power Systems Project Ltd.<br>Philips Carbon Black Ltd Project               | STEAM   | 14400                  | 92.3                   | 515            | 1          | 85                           | EGB/PUR/<br>10-11/B/<br>WB078M/0019 | 2010               |

| <b>P.R. ACOUSTICAL AND<br/>ENGINEERING WORKS<br/>(P) LIMITED - TRICHY-15.</b> <div>PRAE</div> |                                                                                                    |         | REFERENCE LIST           |                        |                |            |                              | 155 OF 380                                                         |                    |
|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------------------|--------------------|
|                                                                                               |                                                                                                    |         |                          |                        |                |            |                              |                                                                    |                    |
|                                                                                               |                                                                                                    |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                                    |                    |
| SL.<br>NO.                                                                                    | CUSTOMER/PROJECT                                                                                   | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                 | YEAR<br>OF<br>MFR. |
| 1056                                                                                          | Job No.1026<br>M/s.Isgec John Thomson<br>Sanjog Sugar & ECO Power(P) Ltd<br>Project<br>Job No.1027 | STEAM   | 17572                    | 71                     | 480            | 1          | 110                          | Dt.19.05.2010<br>115090/JB0789<br>Dt.20.05.2010                    | 2010               |
| 1057                                                                                          | M/s.Forbes & Company Ltd<br>Flow Serve/ CPCL Project<br>Job NO.1028                                | STEAM   | 14100                    | 2                      | 480            | 1          | 110                          | 115090/JB0789<br>Dt.20.05.2010                                     | 2010               |
| 1058                                                                                          | M/s.Air Liquide Engineering India<br>Pvt Ltd.<br>LILO Elabuga Project<br>Job No.1029               | STEAM   | 6776.18                  | 13                     | 392.6          | 1          | 80                           | AD-1085<br>Email<br>Dt.30.05.2010                                  | 2010               |
| 1059                                                                                          | M/s.Greensol Power Systems P Ltd<br>Madras Sugar Ltd Project<br>Job No.1030                        | STEAM   | 12019                    | 25                     | 36             | 1          | 85                           | ALEI/9035/<br>LOA/<br>PRACOUS/<br>11-Oct<br>Dt.18.06.2010          | 2010               |
|                                                                                               |                                                                                                    | STEAM   | 30000                    | 128                    | 400            | 1          | 85                           | GPSPL/<br>PRAEWL/7023<br>(01)/SIL-PO-<br>041/1011<br>Dt.23.06.2010 | 2010               |
|                                                                                               |                                                                                                    | STEAM   | 60000                    | 3.5                    | 500            | 1          | 85                           | GPSPL/<br>PRAEWL/7023<br>(01)/SIL-PO-<br>041/1011<br>Dt.23.06.2010 | 2010               |
|                                                                                               |                                                                                                    | STEAM   | 50000                    | 129.6                  | 400            | 1          | 85                           | GPSPL/<br>PRAEWL/7023<br>(01)/SIL-PO-                              | 2010               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                                          |         | REFERENCE LIST           |                        |                |            |                              | 156 OF 380                                                                                          |                    |
|----------------------------------------------------------------------|------------------------------------------------------------------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------------------------------------------------------------|--------------------|
| PRAE                                                                 |                                                                                          |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                                                                     |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                                         | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                                                  | YEAR<br>OF<br>MFR. |
| 1060                                                                 | M/s.IOT Infrastructure & Energy<br>Services Ltd<br>IOCL ,Guwahati Project<br>Job No.1031 | STEAM   | 12000                    | 50                     | 400            | 1          | 85                           | 041/1011<br>Dt.23.06.2010<br><br>GPSPL/<br>PRAEWL/7023<br>(01)/SIL-PO-<br>041/1011<br>Dt.23.06.2010 | 2010               |
| 1061                                                                 | M/s.Thermal Systems (Hyderabad)<br>Pvt.Ltd.<br>2x11.5 TPH WHRB Project<br>Job No.1032    | STEAM   | 2875                     | 78                     | 510            | 1          | 85                           | LOI NO.<br>IOTIES/DCU/<br>VENT<br>SILENCERS<br>/009<br>Dt.30.06.2010                                | 2010               |
| 1062                                                                 | M/s.Thermax Ltd<br>Bhushan Steel & Strips Ltd Project<br>Job No.1033,1034                | STEAM   | 25885                    | 7                      | 325            | 2          | 90                           | 2010000549/W-<br>00958.50.08<br>Dt.29.06.2010                                                       | 2010               |
|                                                                      |                                                                                          | STEAM   | 14000                    | 78                     | 510            | 1          | 85                           | 2010000549/W-<br>00958.50.08<br>Dt.29.06.2010                                                       | 2010               |
|                                                                      |                                                                                          | STEAM   | 25990                    | 7                      | 325            | 2          | 90                           | LOI NO.<br>520074/520075<br>Dt.15.01.2010<br>LOI NO.<br>520074/520075<br>Dt.15.01.2010              | 2010               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                                                    |         | REFERENCE LIST           |                        |                |            |                              | 157 OF 380                                                         |                    |
|----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------------------|--------------------|
| PRAE                                                                 |                                                                                                    |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                                    |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                                                   | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                 | YEAR<br>OF<br>MFR. |
|                                                                      |                                                                                                    | STEAM   | 19085                    | 7                      | 550            | 2          | 115                          | LOI NO.<br>520074/520075<br>Dt.15.01.2010                          | 2010               |
|                                                                      |                                                                                                    | STEAM   | 17085                    | 7                      | 550            | 2          | 115                          | LOI NO.<br>520074/520075<br>Dt.15.01.2010                          | 2010               |
| 1063                                                                 | M/s.Thermax Limited<br>UltraTech Cements Ltd (PC0221)<br>Job No.1035                               | STEAM   | 38000                    | 14.53                  | 545            | 1          | 85                           | LOI NO.<br>520683<br>Dt.24.06.2010                                 | 2010               |
| 1064                                                                 | M/s.Greensol Power Systems P Ltd<br>Madhucon Project/Simhapuri<br>Energy - Phase II<br>Job No.1036 | STEAM   | 20000                    | 2                      | 400            | 2          | 85                           | GPSPL/<br>PRAEWL/<br>2001T-01/SIL/<br>PO-008/1011<br>Dt.01.07.2010 | 2010               |
|                                                                      |                                                                                                    | STEAM   | 30000                    | 2                      | 400            | 2          | 85                           | GPSPL/<br>PRAEWL/<br>2001T-01/SIL/<br>PO-008/1011<br>Dt.01.07.2010 | 2010               |
| 1065                                                                 | M/s.Thermax Limited<br>MRPL Project<br>Job No.1037                                                 | STEAM   | 30536                    | 50                     | 400            | 1          | 85                           | LOI NO:<br>520724<br>Dt.08.07.2010                                 | 2010               |
| 1066                                                                 | M/s.Isgec John Thomson<br>Transmara Sugar Mills Ltd Project<br>Job No.1038                         | STEAM   | 12373                    | 48.5                   | 415            | 1          | 110                          | 115583/JS0006<br>Dt.15.07.2010                                     | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

158 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                       | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                   | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------|--------------------|
|            |                                                                        | STEAM   | 14800                  | 2                      | 415            | 1          | 110                          | 115583/JS0006<br>Dt.15.07.2010                       | 2010               |
| 1067       | M/s.Essar Project (India) Limited<br>8001 Project<br>Job No.1039       | STEAM   | 13000                  | 42                     | 415            | 1          | 85                           | PH01/M07/<br>610020988<br>Dt.26.07.2010              | 2010               |
| 1068       | M/s.B.S.Ispat Ltd<br>Aquatherm Engg.Consultants(I)P.Ltd<br>Job NO.1040 | STEAM   | 30                     | 72                     | 512            | 1          | 85                           | BSIL/NGP/PP<br>2011/301<br>Dt.26.07.2010             | 2010               |
| 1069       | M/s.Technip KT India Ltd<br>HPCL Project<br>Job No.1041                | STEAM   | 1300 x<br>1.2          | 12                     | 200            | 1          | 85                           | LOI:Email<br>Dt.30.04.2010                           | 2010               |
| 1070       | M/s.Kirloskar Ebara Pumps Limited<br>Job No.1042                       | STEAM   | 6120                   | 19                     | 350            | 1          | 88                           | LOA.<br>Dt.31.07.2010                                | 2010               |
|            |                                                                        | STEAM   | 2952                   | 19                     | 290            | 1          | 88                           | LOA.<br>Dt.31.07.2010                                | 2010               |
| 1071       | M/s.Thermax Limited<br>SAIL Project<br>Job No.1043                     | STEAM   | 20                     | 55                     | 440            | 3          | 110                          | LOI:Email<br>Dt.02.08.2010<br>(PO.REF:<br>100007182) | 2010               |
|            |                                                                        | STEAM   | 15                     | 12                     | 400            | 1          | 110                          | LOI:Email<br>Dt.02.08.2010<br>(PO.REF:<br>100007182) | 2010               |
| 1072       | M/s.Larsen & Tubro Limited                                             | STEAM   | 11070                  | 46.6                   | 275            | 1          | 85                           | L & T/SC/                                            | 2010               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                   |         | REFERENCE LIST           |                        |                |            |                              | 159 OF 380                     |                    |
|----------------------------------------------------------------------|-----------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|--------------------------------|--------------------|
| PRAE                                                                 |                                   |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                                |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                  | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE             | YEAR<br>OF<br>MFR. |
|                                                                      | GGSRP-HMEL Project<br>Job No.1044 | STEAM   | 11070                    | 46.6                   | 275            | 1          | 85                           | 6922/COMP/<br>240              | 2010               |
|                                                                      |                                   | STEAM   | 11070                    | 46.6                   | 275            | 1          | 85                           | L & T/SC/<br>6922/COMP/<br>240 | 2010               |
|                                                                      |                                   | STEAM   | 11070                    | 46.6                   | 275            | 1          | 85                           | L & T/SC/<br>6922/COMP/<br>240 | 2010               |
|                                                                      |                                   | STEAM   | 20000                    | 3.5                    | 607            | 1          | 85                           | L & T/SC/<br>6922/COMP/<br>240 | 2010               |
|                                                                      |                                   | STEAM   | 9896                     | 5.5                    | 190            | 1          | 85                           | L & T/SC/<br>6922/COMP/<br>240 | 2010               |
|                                                                      |                                   | STEAM   | 11689                    | 40                     | 400            | 1          | 85                           | L & T/SC/<br>6922/COMP/<br>240 | 2010               |
|                                                                      |                                   | STEAM   | 33200                    | 40                     | 400            | 1          | 85                           | L & T/SC/<br>6922/COMP/<br>240 | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

160 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                             | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                             | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------|--------------------|
| 1073       | M/s.Hindustan Petroleum Corporation Ltd.<br>NFCCU Project<br>Consultant : EIL<br>Job No.1045 | STEAM   | 38240                  | 40                     | 400            | 1          | 85                           | L & T/SC/<br>6922/COMP/<br>240                 | 2010               |
|            |                                                                                              | AIR     | 125000                 | 10                     | 272            | 1          | 85                           | 10000313-OW-<br>48009<br>Dt.11.08.2010         | 2010               |
| 1074       | M/s.Indian Oil Corporation Ltd<br>Uhde India Ltd<br>Job No.1046                              | STEAM   | 4165                   | 7                      | 515            | 1          | 85                           | FOA NO<br>U6487/3096/<br>2132<br>Dt.13.08.2010 | 2010               |
|            |                                                                                              | STEAM   | 8450                   | 3.5                    | 515            | 1          | 85                           | FOA NO<br>U6487/3096/<br>2132<br>Dt.13.08.2010 | 2010               |
|            |                                                                                              | STEAM   | 3410                   | 7                      | 427            | 1          | 85                           | FOA NO<br>U6487/3096/<br>2132<br>Dt.13.08.2010 | 2010               |
|            |                                                                                              | STEAM   | 19250                  | 3                      | 240            | 1          | 85                           | FOA NO<br>U6487/3096/<br>2132<br>Dt.13.08.2010 | 2010               |
|            |                                                                                              | STEAM   | 19800                  | 9                      | 350            | 3          | 85                           | FOA NO                                         | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

161 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                            | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                                         | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------------------------------------------|--------------------|
| 1075       | M/s.Jindal Steel & Power Ltd<br>Lurgi Project<br>Job No.1047                | STEAM   | 865                    | 0.9                    | 150            | 1          | 85                           | U6487/3096/<br>2132<br>Dt.13.08.2010<br><br>FOA NO<br>U6487/3096/<br>2132<br>Dt.13.08.2010 | 2010               |
|            |                                                                             | AIR     | 3120                   | 4.9                    | 150            | 2          | 85                           | JSPL/ANG/PRJ<br>/CGP/LOI/147<br>Dt.12.08.2010                                              | 2010               |
|            |                                                                             | STEAM   | 102806                 | 6                      | 181            | 1          | 85                           | JSPL/ANG/PRJ<br>/CGP/LOI/147<br>Dt.12.08.2010                                              | 2010               |
|            |                                                                             | STEAM   | 72000                  | 50                     | 475            | 1          | 85                           | JSPL/ANG/PRJ<br>/CGP/LOI/147<br>Dt.12.08.2010                                              | 2010               |
| 1076       | M/s.Isgec John Thompson<br>M/s.MSP Steel & Power Ltd Project<br>Job No.1048 | STEAM   | 40500                  | 2                      | 525            | 1          | 110                          | 115367/JB0770<br>Email<br>Dt.21.08.2010                                                    | 2010               |
|            |                                                                             | STEAM   | 40500                  | 3                      | 525            | 1          | 110                          | 115367/JB0770<br>Email<br>Dt.21.08.2010                                                    | 2010               |
|            |                                                                             | STEAM   | 13500                  | 5                      | 500            | 1          | 110                          | 115367/JB0770<br>Email<br>Dt.21.08.2010                                                    | 2010               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                          |         | REFERENCE LIST           |                        |                |            |                              | 162 OF 380                                                   |                    |
|----------------------------------------------------------------------|--------------------------------------------------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------------|--------------------|
| PRAE                                                                 |                                                                          |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                              |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                         | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                           | YEAR<br>OF<br>MFR. |
| 1077                                                                 | M/s.Isgec John Thompson<br>Ratnaprabha Sugars Ltd Project<br>Job No.1049 | STEAM   | 43567                    | 71                     | 525            | 1          | 110                          | 115129/JP0007<br>Email<br>Dt.20.08.2010                      | 2010               |
|                                                                      |                                                                          | STEAM   | 42000                    | 2                      | 525            | 1          | 110                          | 115129/JP0007<br>Email<br>Dt.20.08.2010                      | 2010               |
| 1078                                                                 | M/s.Udhe India Ltd<br>Praxair/IOCL-Paradeep Project<br>Job No.1050       | STEAM   | 58000                    | 21                     | 430            | 1          | 85                           | LOI NO<br>UIPL/<br>PRAXAIR/0152<br>/P/U0011<br>Dt.25.08.2010 | 2010               |
| 1079                                                                 | M/s.Renuka Sugars Ltd<br>Gujarat Power Plant Project<br>Job No.1051      | STEAM   | 10000                    | 50                     | 400            | 1          | 85                           | LOI Email<br>Dt.31.08.2010                                   | 2010               |
|                                                                      |                                                                          | STEAM   | 10000                    | 50                     | 400            | 1          | 85                           | LOI Email<br>Dt.31.08.2010                                   | 2010               |
|                                                                      |                                                                          | STEAM   | 30000                    | 5                      | 320            | 1          | 85                           | LOI Email<br>Dt.31.08.2010                                   | 2010               |
| 1080                                                                 | M/s.Bhushan Steel Limited<br>Job No.1052                                 | STEAM   | 15000                    | 60                     | 400            | 1          | 85                           | FOA NO:<br>8/4006/10-11<br>/026<br>Dt.26.08.2010             | 2010               |
|                                                                      |                                                                          | STEAM   | 10000                    | 60                     | 400            | 3          | 85                           | FOA NO:<br>8/4006/10-11<br>/026                              | 2010               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                                       |         | REFERENCE LIST           |                        |                |            |                              | 163 OF 380                                                           |                    |
|----------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------------------|--------------------|
| PRAE                                                                 |                                                                                       |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                                      |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                                      | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                   | YEAR<br>OF<br>MFR. |
| 1081                                                                 | M/s.Bhushan Energy Limited<br>Job No.1053                                             | STEAM   | 15000                    | 60                     | 400            | 1          | 85                           | Dt.26.08.2010<br><br>FOA NO:<br>8/BEL/10-11<br>/209<br>Dt.26.08.2010 | 2010               |
| 1082                                                                 | M/s.Gujarat Narmada Valley<br>Fertilizers Company Ltd.<br>GNFC Project<br>Job No.1054 | STEAM   | 13899                    | 10                     | 350            | 1          | 85                           | MM/D01/<br>5500030767/<br>TDI/10130<br>Dt.08.09.2010                 | 2010               |
| 1083                                                                 | M/s.Isgec John Thompson<br>Hema Sri Power Project<br>Job No.1055                      | STEAM   | 13791                    | 0.485                  | 485            | 1          | 110                          | 115970/JP0771<br>Email<br>Dt.08.09.2010                              | 2010               |
|                                                                      |                                                                                       | STEAM   | 18150                    | 2                      | 485            | 1          | 110                          | 115970/JP0771<br>Email<br>Dt.08.09.2010                              | 2010               |
| 1084                                                                 | M/s.Isgec John Thompson<br>Shyam Metalics&Energy Ltd Project<br>Job No.1056 & 1057    | STEAM   | 16075                    | 3                      | 315            | 4          | 110                          | 115978/JB0776<br>&<br>115979/JB0777<br>Email<br>Dt.13.09.2010        | 2010               |
|                                                                      |                                                                                       | STEAM   | 18233                    | 3                      | 525            | 2          | 110                          | 115978/JB0776<br>&<br>115979/JB0777                                  | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

164 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                        | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                                          | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------------------------------------------------------|--------------------|
|            |                                                                         | STEAM   | 15200                  | 3                      | 525            | 2          | 110                          | Email<br>Dt.13.09.2010<br><br>115978/JB0776<br>&<br>115979/JB0777<br>Email<br>Dt.13.09.2010 | 2010               |
| 1085       | M/s.Isgec John Thompson<br>BLA Power Pvt Ltd Project<br>Job No.1058     | STEAM   | 57000                  | 3                      | 545            | 1          | 110                          | 116004/JB0772<br>Email<br>Dt.14.09.2010                                                     | 2010               |
| 1086       | M/s.Larsen & Toubro Ltd<br>CPCL Project<br>Job No.1059                  | STEAM   | 6000                   | 52                     | 268            | 1          | 85                           | CHEM MUS/<br>45000-62764/<br>KSW<br>Dt.08.09.2010                                           | 2010               |
| 1087       | M/s.Kirloskar Ebara Pumps Ltd<br>PH-III Refinary Project<br>Job No.1060 | STEAM   | 4002                   | 10                     | 175            | 1          | 88                           | 1110012980<br>Dt.10.07.2010                                                                 | 2010               |
|            |                                                                         | STEAM   | 3616                   | 45                     | 390            | 1          | 88                           | 1110012980<br>Dt.10.07.2010                                                                 | 2010               |
| 1088       | M/s.Indian Farmers Fertilizers<br>Cooperative Ltd.<br>Job No.1061       | STEAM   | 173550                 | 27.4                   | 450            | 1          | 85                           | 53/90565/P1/<br>2097E0/<br>9825842<br>Dt.14.09.2010                                         | 2010               |
|            |                                                                         | STEAM   | 116773                 | 27.4                   | 82             | 1          | 90                           | 53/90565/P1/<br>2097E0/                                                                     | 2010               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                                                  |         | REFERENCE LIST           |                        |                |            |                              | 165 OF 380                                                        |                    |
|----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------------------------|--------------------|
| PRAE                                                                 |                                                                                                  |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                                   |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                                                 | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                | YEAR<br>OF<br>MFR. |
|                                                                      |                                                                                                  | STEAM   | 54729                    | 88                     | 121            | 1          | 90                           | 9825842<br>Dt.14.09.2010                                          |                    |
| 1089                                                                 | M/s.Bharat Oman Refineries Limited<br>Bina Refinery Project<br>Job No.1062/16-SP-1901            | STEAM   | 19896                    | 3.5                    | 350            | 1          | 85                           | 53/90565/P1/<br>2097E0/<br>9825842<br>Dt.14.09.2010               | 2010               |
| 1090                                                                 | M/s.Greenesol Power Systems p Ltd<br>IND-Bharath Thermal Power Limited<br>Project<br>Job No.1063 | STEAM   | 20000                    | 2                      | 400            | 2          | 85                           | BRP/MECH/<br>789/6743/101/<br>437<br>Dt.05.02.2009                | 2010               |
|                                                                      |                                                                                                  | STEAM   | 30000                    | 2                      | 400            | 2          | 85                           | GPSPL/<br>PRAEWL/<br>1099-01/SIL/<br>PO-008/1011<br>Dt.16.09.2010 | 2010               |
| 1091                                                                 | M/s.Thermal Systems (HYD) P Ltd.<br>Job No.1064                                                  | STEAM   | 60880                    | 48                     | 280            | 2          | 85                           | FOA NO:<br>2010001021/<br>W-00948.50.50<br>Dt.28.09.2010          | 2010               |
| 1092                                                                 | M/s.Ultratech Cement Ltd.                                                                        | STEAM   | 36000                    | 1.5                    | 545            | 2          | 85                           | LOI NO:                                                           | 2010               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                             |                | REFERENCE LIST           |                        |                |            |                              | 166 OF 380                             |                    |
|----------------------------------------------------------------------|-----------------------------------------------------------------------------|----------------|--------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------|--------------------|
| PRAE                                                                 |                                                                             |                | NOISE CONTROL - SILENCER |                        |                |            |                              |                                        |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                            | SERVICE        | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                     | YEAR<br>OF<br>MFR. |
| 1093                                                                 | Aditya Cement Works Project<br>Job No.1065                                  |                |                          |                        |                |            |                              | AC/PNM/<br>2600503341<br>Dt.04.10.2010 |                    |
|                                                                      | M/s.L & T ,TOYO INDIAN OIL<br>Job No.1066                                   | STEAM<br>/ Air | 40000                    | 1.2                    | 575            | 1          | 95                           |                                        |                    |
|                                                                      |                                                                             | STEAM          | 8000                     | 1.3                    | 575            | 1          | 95                           |                                        |                    |
|                                                                      |                                                                             | STEAM          | 29642                    | 1.4                    | 350            | 1          | 95                           |                                        |                    |
| 1094                                                                 |                                                                             | STEAM          | 4860                     | 3                      | 524            | 1          | 95                           |                                        |                    |
|                                                                      | M/s.Thermax Ltd<br>Ultra Tech Cement Ltd Awarpur<br>Project.<br>Job No.1067 | STEAM          | 8                        | 45                     | 450            | 1          | 110                          | 1000007913<br>Dt.09.10.10              | 2010               |
| 1095                                                                 | M/s.Thermax Ltd<br>IOT Infrastrcture Project<br>Job No.1068                 | STEAM          | 13200                    | 1.5                    | 185            | 4          | 85                           | 4000 4890<br>Dt.14.10.2010             | 2010               |
| 1096                                                                 | M/s.Uhde India<br>Job No.1069                                               | STEAM          | 20000                    | 6                      | 252            | 1          | 85                           |                                        |                    |
|                                                                      |                                                                             | STEAM          | 2000                     | 55                     | 405            | 1          | 85                           |                                        |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

167 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                          | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE             | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------|--------------------|
| 1097       | M/s.Isgec John Thompson<br>Sukothai Bio Energy Ltd Project<br>Job No.1070 | STEAM   | 8500                   | 6                      | 252            | 1          | 85                           |                                |                    |
|            |                                                                           | STEAM   | 22500                  | 6                      | 405            | 1          | 85                           |                                |                    |
|            |                                                                           | STEAM   | 1000                   | 55                     | 405            | 1          | 85                           |                                |                    |
|            |                                                                           | STEAM   | 56263                  | 42.8                   | 440            | 1          | 110                          | 116066/JB0787<br>Dt.15.10.2010 | 2010               |
|            |                                                                           | STEAM   | 45000                  | 2                      | 440            | 1          | 110                          | 116066/JB0787<br>Dt.15.10.2010 | 2010               |
| 1098       | M/s.Isgec John Thompson<br>Sukothai Bio Energy Ltd Project<br>Job No.1071 | STEAM   | 61875                  | 2                      | 269            | 2          | 110                          | 116066/JB0787<br>Dt.15.10.2010 | 2010               |
|            |                                                                           | STEAM   | 56263                  | 42.8                   | 440            | 1          | 110                          | 116068/JB0786<br>Dt.15.10.2010 | 2010               |
|            |                                                                           | STEAM   | 45000                  | 2                      | 440            | 1          | 110                          | 116068/JB0786<br>Dt.15.10.2010 | 2010               |
| 1099       | M/s.Isgec John Thompson<br>Sukothai Bio Energy Ltd Project<br>Job No.1072 | STEAM   | 61875                  | 2                      | 269            | 2          | 110                          | 116068/JB0786<br>Dt.15.10.2010 | 2010               |
|            |                                                                           | STEAM   | 56263                  | 42.8                   | 440            | 1          | 110                          | 116069/JB0785<br>Dt.15.10.2010 | 2010               |
|            |                                                                           | STEAM   | 45000                  | 2                      | 440            | 1          | 110                          | 116069/JB0785                  | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

168 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                   | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------------------------|--------------------|
| 1100       | M/s.Thermax Ltd<br>Ankit Metal & Power Ltd Project<br>Job No: 1073                 | STEAM   | 61875                  | 2                      | 269            | 2          | 110                          | Dt.15.10.2010<br>116069/JB0785<br>Dt.15.10.2010                   | 2010               |
|            |                                                                                    | STEAM   | 9500                   | 3                      | 460            | 1          | 90                           | 521033/<br>Dt:14.10.2010                                          | 2010               |
|            |                                                                                    | STEAM   | 11400                  | 3                      | 460            | 1          | 90                           | 521033/<br>Dt:14.10.2010                                          | 2010               |
| 1101       | M/s.Greenesol Power Systems P Ltd<br>BMM Ispat/ Avant Garde Project<br>Job No.1074 | STEAM   | 42000                  | 2                      | 400            | 2          | 85                           | GPSPL/<br>PRAEWL/<br>3001B-1/SIL/<br>PO-003/1011<br>Dt:25.10.2010 | 2010               |
| 1102       | M/s.Thermax Limited<br>Abhijeet Projects (PL 0711)<br>Job No.1075                  | STEAM   | 17418                  | 3                      | 540+5          | 1          | 85                           | 521060 /<br>Dt:26.10.2010                                         | 2010               |
|            |                                                                                    | STEAM   | 19200                  | 3                      | 540+5          | 1          | 85                           | 521060 /<br>Dt:26.10.2010                                         | 2010               |
| 1103       | M/s.Thermax Limited<br>Abhijeet Projects (PL 0712)<br>Job No.1076                  | STEAM   | 17418                  | 3                      | 540+5          | 1          | 85                           | 521061 /<br>Dt:26.10.2010                                         | 2010               |
|            |                                                                                    | STEAM   | 19200                  | 3                      | 540+5          | 1          | 85                           | 521061 /<br>Dt:26.10.2010                                         | 2010               |
| 1104       | M/s.Thermal Systems (HYD) P Ltd<br>Job No.1077                                     | STEAM   | 11250                  | 1.5                    | 305            | 2          | 85                           | 2011000406/<br>Dt:11.06.2011                                      | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

169 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                  | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                        | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------------------------------------|--------------------|
| 1105       | M/s.Thermal Systems (HYD) P Ltd<br>Job No.1078                                                    | STEAM   | 30000                  | 3                      | 515            | 1          | 85                           | 2011000406/<br>Dt:11.06.2011                                              | 2011               |
|            |                                                                                                   | STEAM   | 12000                  | 88                     | 515            | 1          | 85                           | 2011000406/<br>Dt:11.06.2011                                              | 2011               |
|            |                                                                                                   | STEAM   | 20750                  | 42.8                   | 256            | 2          | 85                           | 2011000384 /<br>W - 00988<br>Dt:09.06.2011                                | 2011               |
|            |                                                                                                   | STEAM   | 55027                  | 41.3                   | 378            | 1          | 85                           | 2011000384 /<br>W - 00988<br>Dt:09.06.2011                                | 2011               |
|            |                                                                                                   | STEAM   | 14000                  | 41.3                   | 384            | 1          | 85                           | 2011000384 /<br>W - 00988<br>Dt:09.06.2011                                | 2011               |
| 1106       | M/s.Bharat Heavy Plate&Vessels Ltd<br>JSPL-ANGUL ORISSA Project<br>Job No.1079                    | STEAM   |                        | 2                      | 540            | 2          | 85                           | MM/4/7350/<br>M & E-91/<br>1331352/<br>Dt:01.11.2010                      | 2010               |
| 1107       | M/s.Bharat Petroleum Corporation<br>Limited - Kochi<br>Engineers India Ltd Project<br>Job No.1080 | STEAM   | 6900                   | 18                     | 210            | 2          | 85                           | 10/KP/CS/<br>CEMP-II-6767-<br>MR-6951/248/<br>FOA-001203<br>DT:04.11.2010 | 2010               |
| 1108       | M/s.Hindustan Petroleum<br>Corporation Limited                                                    | STEAM   | 5800                   | 17                     | 262.2          | 4          | 85                           | 10000517-WO-<br>48009/VSK                                                 | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

170 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                               | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                   | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------|--------------------|
|            | NFCCU Mumbai Project.<br>Consultant - EIL<br>Job No.1081                                                       |         |                        |                        |                |            |                              | DT: 11.11.2010                                       |                    |
| 1109       | M/s.Kirlokar Ebara Pumps Limited<br>PH-III Refinery Project<br>Clint - MRPL<br>Consultant - EIL<br>Job No.1082 | STEAM   | 5691/<br>7161          | 39                     | 390            | 1          | 88                           | 1110014618<br>DT:03.11.2010                          | 2010               |
| 1110       | M/s.Kirlokar Ebara Pumps Limited<br>N2 Project<br>Clint - MRPL<br>Consultant - BOC/EIL<br>Job No.1083          | STEAM   | 23850                  | 5.2                    | 361            | 1          | 88                           | 1110014821<br>DT:18.11.2010                          | 2010               |
| 1111       | M/s.Enmas GB Power Systems<br>Project Limited<br>Kamachi Sponge & Power Corp. Ltd<br>Project<br>Job No.1084    | STEAM   | 10000                  | 89                     | 520+5          | 1          | 88                           | KSPCL/SILR-<br>SUPPLY/<br>FB010M081<br>DT:19.11.2010 | 2010               |
| 1112       | M/s.Isgec John Thompson<br>Bhushan Energy Ltd Project<br>Job No.1085                                           | STEAM   | 176000                 | 2                      | 331            | 3          | 110                          | 116220/JB0773<br>DT:18.11.2010                       | 2010               |
|            |                                                                                                                | STEAM   | 52800                  | 2                      | 545            | 1          | 110                          | 116220/JB0773<br>DT:18.11.2010                       | 2010               |
|            |                                                                                                                | STEAM   | 212500                 | 2                      | 550            | 1          | 110                          | 116220/JB0773<br>DT:18.11.2010                       | 2010               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                                                |         | REFERENCE LIST           |                        |                |            |                              | 171 OF 380                                             |                    |
|----------------------------------------------------------------------|------------------------------------------------------------------------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------|--------------------|
| PRAE                                                                 |                                                                                                |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                        |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                                               | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                     | YEAR<br>OF<br>MFR. |
| 1113                                                                 | M/s.Isgec John Thompson<br>Bhushan Energy Ltd Project<br>Job No.1086                           | STEAM   | 132000                   | 2                      | 545            | 1          | 164.92                       | 116220/JB0773<br>DT:18.11.2010                         | 2010               |
|                                                                      |                                                                                                | STEAM   | 16700                    | 2                      | 351            | 2          | 110                          | 116221/JB0774<br>DT:18.11.2010                         | 2010               |
|                                                                      |                                                                                                | STEAM   | 52800                    | 2                      | 545            | 1          | 110                          | 116221/JB0774<br>DT:18.11.2010                         | 2010               |
|                                                                      |                                                                                                | STEAM   | 212500                   | 2                      | 550            | 1          | 110                          | 116221/JB0774<br>DT:18.11.2010                         | 2010               |
|                                                                      |                                                                                                | STEAM   | 132000                   | 2                      | 545            | 1          | 110                          | 116221/JB0774<br>DT:18.11.2010                         | 2010               |
| 1114                                                                 | M/s.Kirlokar Ebara Pumps Limited<br>Job No.1087                                                | STEAM   | 14930                    | 4.6                    | 232            | 1          | 85                           | 1110015018<br>DT:27.11.2010                            | 2010               |
| 1115                                                                 | M/s.Indian Oil Corporation Ltd<br>Paradip Refinery Project<br>Job No.1088                      | STEAM   | 43990                    | 6.33                   | 350            | 4          | 85                           | 5201 / 62 /<br>23296712<br>DT:17.01.2011               | 2011               |
| 1116                                                                 | M/s.Air Liquide Engineering India<br>Pvt. Ltd.<br>IKRA Project<br>Job No.1089                  | STEAM   | 9153                     | 1.026                  | 30.4           | 1          | 85                           | ALEI/9028/<br>1108/BS/<br>373001/1875<br>DT:03.12.2010 | 2010               |
| 1117                                                                 | M/s.Hindustan Petroleum<br>Corporation Ltd.<br>Cat Cooler Facilities Project<br>Consultant EIL | STEAM   | 40575                    | 2.5                    | 245            | 1          | 85                           | 10000585-00-<br>48009/DBW<br>DT:08.12.2010             | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

172 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                         | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                      | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------|--------------------|
| 1118       | Job No.1090<br>M/s.Vijayanagar Sugar Pvt Ltd.<br>Job No.1091             | STEAM   | 20000                  | 2                      | 300            | 1          | 85                           | VSPL/PUR/<br>10-11/847<br>DT:09.12.2010 | 2010               |
| 1119       | M/s.Cethar Vessels Limited<br>Vandana Vidhyut Ltd Project<br>Job No.1092 | STEAM   | 181319                 | 3.75                   | 348.74         | 1          | 85                           | MBJ013/0064/S<br>DT:09.12.2010          | 2010               |
|            |                                                                          | STEAM   | 186780                 | 3.82                   | 351.17         | 1          | 85                           | MBJ013/0064/S<br>DT:09.12.2010          | 2010               |
|            |                                                                          | STEAM   | 94347                  | 4.23                   | 545            | 2          | 85                           | MBJ013/0064/S<br>DT:09.12.2010          | 2010               |
|            |                                                                          | STEAM   | 50230                  | 4.02                   | 545            | 1          | 85                           | MBJ013/0064/S<br>DT:09.12.2010          | 2010               |
|            |                                                                          | STEAM   | 4600                   | 5                      | 350.66         | 2          | 85                           | MBJ013/0064/S<br>DT:09.12.2010          | 2010               |
|            |                                                                          | STEAM   | 12000                  | 5                      | 395            | 1          | 85                           | MBJ013/0064/S<br>DT:09.12.2010          | 2010               |
| 1120       | M/s.Cethar Vessels Limited<br>Vandana Vidhyut Ltd Project<br>Job No.1093 | STEAM   | 181319                 | 3.75                   | 348.74         | 1          | 85                           | MBJ014/0065/S<br>DT:09.12.2010          | 2010               |
|            |                                                                          | STEAM   | 186780                 | 3.82                   | 351.17         | 1          | 85                           | MBJ014/0065/S<br>DT:09.12.2010          | 2010               |
|            |                                                                          | STEAM   | 94347                  | 4.23                   | 545            | 2          | 85                           | MBJ014/0065/S<br>DT:09.12.2010          | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

173 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE             | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------|--------------------|
| 1121       | M/s.Walchandnagar Industries Ltd<br>TNEB Project<br>Job No.1094 | STEAM   | 50230                  | 4.02                   | 545            | 1          | 85                           | MBJ014/0065/S<br>DT:09.12.2010 | 2010               |
|            |                                                                 | STEAM   | 4600                   | 5                      | 350.66         | 2          | 85                           | MBJ014/0065/S<br>DT:09.12.2010 | 2010               |
|            |                                                                 | STEAM   | 12000                  | 5                      | 395            | 1          | 85                           | MBJ014/0065/S<br>DT:09.12.2010 | 2010               |
|            |                                                                 | STEAM   | 24750                  | 117                    | 540            | 1          | 85                           | 4500009591<br>DT:08.12.2010    | 2010               |
|            |                                                                 | STEAM   | 27000                  | 110                    | 540            | 1          | 85                           | 4500009591<br>DT:08.12.2010    | 2010               |
| 1122       | M/s.Walchandnagar Industries Ltd<br>TNEB Project<br>Job No.1095 | STEAM   | 16500                  | 92.5                   | 515            | 1          | 85                           | 4500009594<br>DT:08.12.2010    | 2010               |
|            |                                                                 | STEAM   | 18000                  | 86                     | 515            | 1          | 85                           | 4500009594<br>DT:08.12.2010    | 2010               |
| 1123       | M/s.Walchandnagar Industries Ltd<br>TNEB Project<br>Job No.1096 | STEAM   | 24750                  | 117                    | 540            | 1          | 85                           | 4500009595<br>DT:08.12.2010    | 2010               |
|            |                                                                 | STEAM   | 2700                   | 110                    | 540            | 1          | 85                           | 4500009595<br>DT:08.12.2010    | 2010               |
| 1124       | M/s.Walchandnagar Industries Ltd<br>TNEB Project<br>Job No.1097 | STEAM   | 22000                  | 92.5                   | 515            | 1          | 85                           | 4500009596<br>DT:08.12.2010    | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

174 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                | SERVICE | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE          | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------|---------|-------------------------|-------------------------|----------------|------------|------------------------------|-----------------------------|--------------------|
| 1125       | M/s.Walchandnagar Industries Ltd<br>TNEB Project<br>Job No.1098 | STEAM   | 24000                   | 86                      | 515            | 1          | 85                           | 4500009596<br>DT:08.12.2010 | 2010               |
|            |                                                                 | STEAM   | 22000                   | 92.5                    | 515            | 1          | 85                           | 4500009598<br>DT:08.12.2010 | 2010               |
|            |                                                                 | STEAM   | 24000                   | 86                      | 515            | 1          | 85                           | 4500009598<br>DT:08.12.2010 | 2010               |
| 1126       | M/s.Walchandnagar Industries Ltd<br>TNEB Project<br>Job No.1099 | STEAM   | 22000                   | 92.5                    | 515            | 1          | 85                           | 4500009600<br>DT:08.12.2010 | 2010               |
|            |                                                                 | STEAM   | 24000                   | 86                      | 515            | 1          | 85                           | 4500009600<br>DT:08.12.2010 | 2010               |
| 1127       | M/s.Walchandnagar Industries Ltd<br>TNEB Project<br>Job No.1100 | STEAM   | 22000                   | 92.5                    | 515            | 1          | 85                           | 4500009601<br>DT:08.12.2010 | 2010               |
|            |                                                                 | STEAM   | 24000                   | 86                      | 515            | 1          | 85                           | 4500009601<br>DT:08.12.2010 | 2010               |
| 1128       | M/s.Walchandnagar Industries Ltd<br>TNEB Project<br>Job No.1101 | STEAM   | 22000                   | 92.5                    | 515            | 1          | 85                           | 4500009602<br>DT:08.12.2010 | 2010               |
|            |                                                                 | STEAM   | 24000                   | 86                      | 515            | 1          | 85                           | 4500009602<br>DT:08.12.2010 | 2010               |
| 1129       | M/s.Walchandnagar Industries Ltd<br>TNEB Project<br>Job No.1102 | STEAM   | 22000                   | 92.5                    | 515            | 1          | 85                           | 4500009603<br>DT:08.12.2010 | 2010               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                                     |         | REFERENCE LIST           |                         |                |            |                              | 175 OF 380                                    |                    |
|----------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------|--------------------------|-------------------------|----------------|------------|------------------------------|-----------------------------------------------|--------------------|
| PRAE                                                                 |                                                                                     |         | NOISE CONTROL - SILENCER |                         |                |            |                              |                                               |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                                    | SERVICE | FLOW<br>RATE<br>KG./Hr.  | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                            | YEAR<br>OF<br>MFR. |
| 1130                                                                 | M/s.Walchandnagar Industries Ltd<br>TNEB Project<br>Job No.1103                     | STEAM   | 24000                    | 86                      | 515            | 1          | 85                           | 4500009603<br>DT:08.12.2010                   | 2010               |
|                                                                      |                                                                                     | STEAM   | 22000                    | 92.5                    | 515            | 1          | 85                           | 4500009607<br>DT:08.12.2010                   | 2010               |
|                                                                      |                                                                                     | STEAM   | 24000                    | 86                      | 515            | 1          | 85                           | 4500009607<br>DT:08.12.2010                   | 2010               |
| 1131                                                                 | M/s.Walchandnagar Industries Ltd<br>TNEB Project<br>Job No.1104                     | STEAM   | 22000                    | 92.5                    | 515            | 1          | 85                           | 4500009608<br>DT:08.12.2010                   | 2010               |
|                                                                      |                                                                                     | STEAM   | 24000                    | 86                      | 515            | 1          | 85                           | 4500009608<br>DT:08.12.2010                   | 2010               |
| 1132                                                                 | M/s.Walchandnagar Industries Ltd<br>TNEB Project<br>Job No.1105                     | STEAM   | 22000                    | 92.5                    | 515            | 1          | 85                           | 4500009609<br>DT:08.12.2010                   | 2010               |
|                                                                      |                                                                                     | STEAM   | 24000                    | 86                      | 515            | 1          | 85                           | 4500009609<br>DT:08.12.2010                   | 2010               |
| 1133                                                                 | M/s.Isgec John Thompson<br>BLA Power Pvt Ltd Project<br>Job No.1106                 | STEAM   | 19000                    | 5                       | 500            | 1          | 110                          | 431381/JB0772<br>DT:24.12.2010                | 2010               |
| 1134                                                                 | M/s.Thermal Systems (HYD) P Ltd<br>Jai Balaji Industries Ltd Project<br>Job No.1107 | STEAM   | 16000                    | 96                      | 307            | 4          | 85                           | 2010001408/<br>W-00992.50.14<br>DT:23.12.2010 | 2010               |
|                                                                      |                                                                                     | STEAM   | 10500                    | 92                      | 520            | 2          | 85                           | 2010001408/                                   | 2010               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

176 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                          | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                                  | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------------------------------------------|--------------------|
| 1135       | M/s.Thermax Limited<br>Lurge Project<br>Job No.1108                       | STEAM                 | 42000                  | 92                     | 520            | 2          | 85                           | W-00992.50.14<br>DT:23.12.2010<br><br>2010001408/<br>W-00992.50.14<br>DT:23.12.2010 | 2010               |
|            |                                                                           | STEAM                 | 63400                  | 6                      | 385            | 1          | 85                           | 521218<br>DT:30.12.2010                                                             | 2010               |
|            |                                                                           | STEAM                 | 100000                 | 6                      | 385            | 1          | 85                           | 521218<br>DT:30.12.2010                                                             | 2010               |
| 1136       | M/s.Kirlokar Ebara Pumps Limited<br>Mather & Platt Project<br>Job No.1109 | STEAM                 | 7392                   | 4.5                    | 327            | 1          | 85                           | 1110015634<br>DT:10.01.2011                                                         | 2011               |
| 1137       | M/s.Thermax Limited<br>OMPL-I/II Project<br>Job No.1110                   | SATURATED STEAM       | 47140                  | 0.5                    | 275.454        | 1          | 85                           | 521278<br>DT:20.01.2011                                                             | 2011               |
| a          | STEAM DRUM SAFETY VALVE EXHAUST SILENCER<br>50-BF03-A-FG1-A               | SATURATED STEAM       | 47913                  | 0.5                    | 276.515        | 1          | 85                           | 521278<br>DT:20.01.2011                                                             | 2011               |
| b          | STEAM DRUM SAFETY VALVE EXHAUST SILENCER<br>50-BF03-A-FG1-B               | SUPER HEATED<br>STEAM | 33357                  | 0.5                    | 405            | 1          | 85                           | 521278<br>DT:20.01.2011                                                             | 2011               |
| c          | S.H SAFETY VALVE EXHAUST SILENCER<br>50-BF03-A-FG3-A                      |                       |                        |                        |                |            |                              |                                                                                     |                    |
| 1138       | M/s.Thermax Limited<br>OMPL-I/II Project<br>Job No.1111                   | SATURATED STEAM       | 47140                  | 0.5                    | 275.454        | 1          | 85                           | 521279<br>DT:20.01.2011                                                             | 2011               |
| a          | STEAM DRUM SAFETY VALVE EXHAUST SILENCER                                  | SATURATED STEAM       | 47913                  | 0.5                    | 276.515        | 1          | 85                           | 521279                                                                              | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

177 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                      | SERVICE                   | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE      | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------|---------------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------|--------------------|
| b          | 50-BF04-A-FG1-A<br>STEAM DRUM SAFETY VALVE EXHAUST SILENCER           |                           |                        |                        |                |            |                              | DT:20.01.2011           |                    |
| c          | 50-BF04-A-FG1-B<br>S.H SAFETY VALVE EXHAUST SILENCER                  | SUPER HEATED<br>STEAM     | 33357                  | 0.5                    | 405            | 1          | 85                           | 521279<br>DT:20.01.2011 | 2011               |
| 1139       | 50-BF04-A-FG3-A<br>M/s.Thermax Limited<br>MRPL Project<br>Job No.1112 | SATURATED STEAM           | 2310                   | 3                      | 290            | 1          | 85                           | 521307<br>DT:31.01.2011 | 2011               |
| a          | STARTUP VENT VALVE SILENCER<br>FG-61408                               | SUPERHEATED<br>STEAM      | 24700                  | 3                      | 400            | 1          | 85                           | 521307<br>DT:31.01.2011 | 2011               |
| b          | SUPER HEATE SAFETY VALVE SILENCER<br>FG-61410                         | SUPERHEATED<br>STEAM      | 24700                  | 3                      | 400            | 1          | 85                           | 521307<br>DT:31.01.2011 | 2011               |
| c          | SUPER HEATE SAFETY VALVE SILENCER<br>FG-61411                         | SUPERHEATED<br>STEAM      | 24700                  | 3                      | 400            | 1          | 85                           | 521307<br>DT:31.01.2011 | 2011               |
| d          | STARTUP VENT VALVE SILENCER<br>FG-61409                               | STESUPERHEATED<br>STEAMAM | 7410                   | 3                      | 400            | 1          | 85                           | 521307<br>DT:31.01.2011 | 2011               |
| 1140       | M/s.Thermax Limited<br>MRPL Project<br>Job No.1113                    | SATURATED STEAM           | 2310                   | 3                      | 290            | 1          | 85                           | 521312<br>DT:31.01.2011 | 2011               |
| a          | STARTUP VENT VALVE SILENCER<br>FG-71408                               | SUPERHEATED<br>STEAM      | 24700                  | 3                      | 400            | 1          | 85                           | 521312<br>DT:31.01.2011 | 2011               |
| b          | SUPER HEATE SAFETY VALVE SILENCER<br>FG-71410                         | SUPERHEATED<br>STEAM      | 24700                  | 3                      | 400            | 1          | 85                           | 521312<br>DT:31.01.2011 | 2011               |
| c          | SUPER HEATE SAFETY VALVE SILENCER<br>FG-71411                         | SUPERHEATED<br>STEAM      | 24700                  | 3                      | 400            | 1          | 85                           | 521312<br>DT:31.01.2011 | 2011               |
| d          | STARTUP VENT VALVE SILENCER<br>FG-71409                               | STESUPERHEATED<br>STEAMAM | 7410                   | 3                      | 400            | 1          | 85                           | 521312<br>DT:31.01.2011 | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

178 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                         | SERVICE                   | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C  | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE      | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------|---------------------------|------------------------|------------------------|-----------------|------------|------------------------------|-------------------------|--------------------|
| 1141       | M/s.Thermax Limited<br>MRPL Project<br>Job No.1114       | SATURATED STEAM           | 2310                   | 3                      | 290             | 1          | 85                           | 521313<br>DT:31.01.2011 | 2011               |
| a          | STARTUP VENT VALVE SILENCER<br>FG-81408                  | SUPERHEATED<br>STEAM      | 24700                  | 3                      | 400             | 1          | 85                           | 521313<br>DT:31.01.2011 | 2011               |
| b          | SUPER HEATE SAFETY VALVE SILENCER<br>FG-81410            | SUPERHEATED<br>STEAM      | 24700                  | 3                      | 400             | 1          | 85                           | 521313<br>DT:31.01.2011 | 2011               |
| c          | SUPER HEATE SAFETY VALVE SILENCER<br>FG-81411            | SUPERHEATED<br>STEAM      | 24700                  | 3                      | 400             | 1          | 85                           | 521313<br>DT:31.01.2011 | 2011               |
| d          | STARTUP VENT VALVE SILENCER<br>FG-81409                  | STESUPERHEATED<br>STEAMAM | 7410                   | 3                      | 400             | 1          | 85                           | 521313<br>DT:31.01.2011 | 2011               |
| 1142       | M/s.Thermax Limited<br>HPCL MAHUL Project<br>Job No.1115 | SATURATED STEAM           | 126830                 | 0.5                    | SATUR-<br>ATION | 1          | 85                           | 521339<br>DT:09.02.2011 | 2011               |
| a          | COMMON SILENCER DRUM SAFETY VALVE 1+2                    | SH STEAM                  | 32194                  | 0.5                    | 365             | 1          | 85                           | 521339<br>DT:09.02.2011 | 2011               |
| b          | SH SAFETY VALVE SILENCER                                 |                           |                        |                        |                 |            |                              |                         |                    |
| 1143       | M/s.Thermax Limited<br>PF1171 Project<br>Job No.1116     | SATURATED STEAM           | 58866                  | 1.7                    | 272.06          | 1          | 85                           | 521340<br>DT:09.02.2011 | 2011               |
| a          | COMMON FOR STEAM DRUM SAFETY VALVE EXHAUST<br>SILENCER   | SH STEAM                  | 33193                  | 0.5                    | 405             | 1          | 85                           | 521340<br>DT:09.02.2011 | 2011               |
| b          | SH SAFETY VALVE EXHAUST SILENCER                         |                           |                        |                        |                 |            |                              |                         |                    |
| 1144       | M/s.Thermax Limited<br>PF1172 Project<br>Job No.1117     | SATURATED STEAM           | 58866                  | 1.7                    | 272.06          | 1          | 85                           | 521341<br>DT:09.02.2011 | 2011               |
| a          | COMMON FOR STEAM DRUM SAFETY VALVE EXHAUST<br>SILENCER   | SH STEAM                  | 33193                  | 0.5                    | 405             | 1          | 85                           | 521341<br>DT:09.02.2011 | 2011               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                                                                                                                         |                       | REFERENCE LIST           |                         |                |            |                              | 179 OF 380                  |                    |
|----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------------|-------------------------|----------------|------------|------------------------------|-----------------------------|--------------------|
| PRAE                                                                 |                                                                                                                                                                         |                       | NOISE CONTROL - SILENCER |                         |                |            |                              |                             |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                                                                                                                        | SERVICE               | FLOW<br>RATE<br>KG./Hr.  | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE          | YEAR<br>OF<br>MFR. |
| b                                                                    | SH SAFETY VALVE EXHAUST SILENCER                                                                                                                                        |                       |                          |                         |                |            |                              |                             |                    |
| 1145                                                                 | M/s.Engineers India Limited<br>Brahmaputra cracker And Polymer<br>Ltd.(BCPL) Project.<br>Job No.1118<br>VENT SILENCER<br>113-LZ-101,113-LZ-102,113-LZ-103<br>113-LZ-104 | SHP STEAM             | 37830                    | 5                       | 538            | 4          | 85                           |                             |                    |
| 1146                                                                 | M/s.Reliance Industries Limited<br>Jamnagar Project<br>Job No.1119<br>DRUM SAFETY VALVE SILENCER                                                                        | STEAM                 | 58588                    | 131                     | 358            | 2          | 85                           | JM1/7298911<br>03.02.2011   | 2011               |
| 1147                                                                 | M/s.Thermax Limited<br>Abhijeet Project Ltd.(PL 0781)<br>Job No: 1120<br>SUPER HEATER SAFETY VALVE SILENCER                                                             | SUPER HEATED<br>STEAM | 17418                    | 3                       | 540 <u>±</u> 5 | 1          | 85                           | 521360<br>DT:16.02.2011     | 2011               |
|                                                                      |                                                                                                                                                                         | STEAM                 | 19200                    | 3                       | 540 <u>±</u> 5 | 1          | 85                           | 521360<br>DT:16.02.2011     | 2011               |
| 1148                                                                 | M/s.Thermax Limited<br>Abhijeet Project Ltd.(PL 0782)<br>Job No: 1121                                                                                                   | STEAM                 | 17418                    | 3                       | 540 <u>±</u> 5 | 1          | 85                           | 521361<br>DT:16.02.2011     | 2011               |
|                                                                      |                                                                                                                                                                         | STEAM                 | 19200                    | 3                       | 540 <u>±</u> 5 | 1          | 85                           | 521361<br>DT:16.02.2011     | 2011               |
| 1149                                                                 | M/s.Fives Cail KCP Ltd<br>Rajshree Sugars Project<br>Job No: 1122                                                                                                       | STEAM                 | 12000                    | 2                       | 300            | 1          | 85                           | 4500004284<br>DT:21.02.2011 | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

180 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                    | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                  | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------|--------------------|
| 1150       | M/s.Cethar Vessels Ltd<br>Ind-Bharath Energy (UTKAL)<br>LTD Project<br>Job No: 1123 | STEAM   | 12158                  | 2                      | 300            | 1          | 85                           | 4500004284<br>DT:21.02.2011         | 2011               |
|            |                                                                                     | STEAM   | 158627                 | 5.08                   | 545            | 2          | 85                           | MBJ057/0062/S<br>DT:24.02.2011      | 2011               |
|            |                                                                                     | STEAM   | 208747                 | 3.86                   | 366.6          | 1          | 85                           | MBJ057/0062/S<br>DT:24.02.2011      | 2011               |
|            |                                                                                     | STEAM   | 118073                 | 5.56                   | 545            | 1          | 85                           | MBJ057/0062/S<br>DT:24.02.2011      | 2011               |
|            |                                                                                     | STEAM   | 23600                  | 5                      | 545            | 1          | 85                           | MBJ057/0062/S<br>DT:24.02.2011      | 2011               |
| 1151       | M/s.Cethar Vessels Ltd<br>Ind-Bharath Energy (UTKAL)<br>LTD Project<br>Job No: 1124 | STEAM   | 158627                 | 5.08                   | 545            | 2          | 85                           | MBJ058/0054/S<br>DT:24.02.2011      | 2011               |
|            |                                                                                     | STEAM   | 208747                 | 3.86                   | 366.6          | 1          | 85                           | MBJ058/0054/S<br>DT:24.02.2011      | 2011               |
|            |                                                                                     | STEAM   | 118073                 | 5.56                   | 545            | 1          | 85                           | MBJ058/0054/S<br>DT:24.02.2011      | 2011               |
|            |                                                                                     | STEAM   | 23600                  | 5                      | 545            | 1          | 85                           | MBJ058/0054/S<br>DT:24.02.2011      | 2011               |
| 1152       | M/s.Enmas GB Power Systems<br>Projects Limited<br>Job No: 1125                      | STEAM   | 10000                  | 105                    | 535            | 1          | 85                           | EGB/PUR/<br>10-11/B/WB<br>083M/0207 | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

181 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                    | SERVICE | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                     | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------------------|---------|-------------------------|-------------------------|----------------|------------|------------------------------|--------------------------------------------------------|--------------------|
| 1153       | M/s.Larsen & Toubro Ltd<br>Tata Steel Jamshedpur Project<br>Job No: 1126            | Fan     | 500000                  | 22.2                    | 80             | 3          | 84                           | DT: 24.02.2011<br><br>C03260 /<br>EPR00845             |                    |
| 1154       | M/s.Larsen & Toubro Ltd<br>Vemagiri II Project<br>Job No: 1127                      | STEAM   | 200                     | 7                       | 478            | 1          | 110                          | EPC / E07 /<br>21000 - 04203 /<br>PVP<br>DT:05.04.2011 | 2011               |
|            |                                                                                     | STEAM   | 200                     | 9                       | 478            | 1          | 110                          | EPC / E07 /<br>21000 - 04203 /<br>PVP<br>DT:05.04.2011 | 2011               |
| 1155       | M/s.Essar Projects (India) Ltd<br>Matix Fertilizer Durgapur Project<br>Job No: 1128 | STEAM   | 72000                   | 3                       | 150            | 1          | 85                           | CS01/M07/<br>2700001227<br>DT:15.03.2011               | 2011               |
|            |                                                                                     | STEAM   | 148000                  | 3                       | 400            | 1          | 85                           | CS01/M07/<br>2700001227<br>DT:15.03.2011               | 2011               |
|            |                                                                                     | STEAM   | 32500                   | 0.8                     | 130            | 1          | 85                           | CS01/M07/<br>2700001227<br>DT:15.03.2011               | 2011               |
|            |                                                                                     | STEAM   | 50000                   | 1                       | 140            | 1          | 85                           | CS01/M07/<br>2700001227<br>DT:15.03.2011               | 2011               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                                       |         | REFERENCE LIST           |                        |                |            |                              | 182 OF 380                                             |                    |
|----------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------|--------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------|--------------------|
| PRAE                                                                 |                                                                                       |         | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                        |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                                      | SERVICE | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                     | YEAR<br>OF<br>MFR. |
| 1156                                                                 | M/s.Walchandnagar Industries Ltd.<br>Tendaho Sugar , Ethiopia Project<br>Job No: 1129 | STEAM   | 41250                    | 70.8                   | 515            | 3          | 85                           | 4500012733<br>DT:02.04.2011                            | 2011               |
|                                                                      |                                                                                       | STEAM   | 45000                    | 67                     | 515            | 3          | 85                           | 4500012733<br>DT:02.04.2011                            | 2011               |
| 1157                                                                 | M/s.Thermodyne Technologies P Ltd<br>SNS Starch Ltd Project<br>Job No: 1130           | STEAM   | 1815                     | 0.2                    | 500            | 1          | 110                          | MB/03/741011<br>1025<br>DT:17.03.2011                  | 2011               |
|                                                                      |                                                                                       | STEAM   | 7565                     | 72                     | 500            | 1          | 110                          | MB/03/741011<br>1025<br>DT:17.03.2011                  | 2011               |
|                                                                      |                                                                                       | STEAM   | 9075                     | 57                     | 500            | 1          | 110                          | MB/03/741011<br>1025<br>DT:17.03.2011                  | 2011               |
| 1158                                                                 | M/s.Air Liquide Engineering India<br>(P) Ltd. Lilo India Project<br>Job No:1131       | STEAM   | 12019                    | 1                      | 36             | 1          | 85                           | ALEI/1079<br>/2108/BS/<br>502005/0004<br>DT:05.04.2011 | 2011               |
| 1159                                                                 | M/s.Isgec John Thompson<br>Swastic Power & Minerals Project<br>Job No:1132            | STEAM   | 28875                    | 2                      | 545            | 1          | 110                          | 412670/JB0788<br>DT:08.04.2011                         | 2011               |
|                                                                      |                                                                                       | STEAM   | 12600                    | 2                      | 545            | 1          | 110                          | 412670/JB0788<br>DT:08.04.2011                         | 2011               |
|                                                                      |                                                                                       | STEAM   | 31500                    | 2                      | 545            | 1          | 110                          | 412670/JB0788<br>DT:08.04.2011                         | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

183 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                               | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                            | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------|--------------------|
| 1160       | M/s.Indo Rama Synthetics (I) Ltd<br>Job No:1133                                | STEAM   | 12727                  | 2.1                    | 520            | 2          | 85                           | 4810000355<br>DT:01.04.2011                   | 2011               |
| 1161       | M/s.Vinayak Enterprises<br>Job No: 1134                                        | STEAM   | 30.8<br>(TPH)          | 5.1                    | 505            | 1          | 85                           | VE/SP-02/2011<br>DT:07.04.2011                | 2011               |
|            |                                                                                | STEAM   | 50<br>(TPH)            | 73                     | 505            | 1          | 85                           | VE/SP-02/2011<br>DT:07.04.2011                | 2011               |
| 1162       | M/s.Subburaj Papers Limited<br>Job No:1135                                     | STEAM   | 14<br>(T/HR)           | 36                     | 440            | 1          | 85                           | SP/CAP/0018/<br>BR/20110<br>DT:11.04.2011     | 2011               |
| 1163       | M.s.Thermal Systems (HYD) Pvt .Ltd<br>SPPL2X36 TPH WHRB Project<br>Job No:1136 | STEAM   | 9000                   | 1.5                    | 515            | 2          | 85                           | 2011000117/<br>W-00999.50.21<br>DT:20.04.2011 | 2011               |
|            |                                                                                | STEAM   | 36000                  | 3                      | 515            | 2          | 85                           | 2011000117/<br>W-00999.50.21<br>DT:20.04.2011 | 2011               |
| 1164       | M/s.Seshasayee Paper And<br>Bords Ltd<br>Job No:1137                           | STEAM   | 55<br>(T/HR)           | 35                     | 450            | 1          | 85                           | PROJ/C0491/<br>18550<br>DT:22.04.2011         | 2011               |
| 1165       | M/s.Heurtey Petrochem SA<br>IOCL Project<br>Job No;1138                        | STEAM   | 15510                  | 2.8                    | 432            | 1          | 82                           | NI 10004M/039<br>DT:26.04.2011                | 2011               |
|            |                                                                                | STEAM   | 18104                  | 15.6                   | 350            | 1          | 82                           | NI 10004M/039<br>DT:26.04.2011                | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

184 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                              | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------------------------|--------------------|
| 1166       | M/s.Thermal Systems (HYD) Pvt.Ltd<br>JIFCO Project<br>Job No:1139                             | STEAM   | 8021                   | 4.9                    | 240            | 1          | 82                           | NI 10004M/039<br>DT:26.04.2011                                    | 2011               |
| 1167       | M/s.Greenesol Power Systems P Ltd<br>Nirma Limited/Jacobs Project<br>Job No: 1140             | STEAM   | 140000                 | 4.5                    | 258            | 1          | 85                           | 2011000154/<br>B-00111.50.07<br>DT:24.04.2011                     | 2011               |
| 1168       | M/s.Isgec Heavy Engineering Ltd<br>Chincholi Sugar & Bio Ind Ltd Project<br>Job No:1141       | STEAM   | 10000                  | 2                      | 400            | 1          | 85                           | GPSPL/<br>PRAEWL/1116-<br>01/SIL/PO-017<br>/1112<br>DT:24.04.2011 | 2011               |
|            |                                                                                               | STEAM   | 33000                  | 2                      | 543            | 1          | 110                          | 412856/JB0790<br>DT:06.05.2011                                    | 2011               |
|            |                                                                                               | STEAM   | 36000                  | 2                      | 543            | 1          | 110                          | 412856/JB0790<br>DT:06.05.2011                                    | 2011               |
|            |                                                                                               | STEAM   | 15000                  | 2                      | 543            | 1          | 110                          | 412856/JB0790<br>DT:06.05.2011                                    | 2011               |
| 1169       | M/s.Isgec Heavy Engineering Ltd<br>Magdalena Sugar Mill , Guatemala<br>Project<br>Job No:1142 | STEAM   | 60500                  | ATM                    | 540            | 1          | 110                          | 116636/JB0795<br>DT:04.05.2011                                    | 2011               |
|            |                                                                                               | STEAM   | 66000                  | 2                      | 540            | 1          | 110                          | 116636/JB0795<br>DT:04.05.2011                                    | 2011               |
| 1170       | M/s.Isgec Heavy Engineering Ltd<br>Palo Gordo Sugar Mill , Guatemala                          | STEAM   | 45375                  | 2                      | 545            | 1          | 110                          | 116637/JB0797<br>DT:04.05.2011                                    | 2011               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                                          |          | REFERENCE LIST           |                        |                |            |                              | 185 OF 380                                                                                        |                    |
|----------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------|--------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------------------------------------------------------------|--------------------|
| PRAE                                                                 |                                                                                          |          | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                                                                   |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                                         | SERVICE  | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                                                | YEAR<br>OF<br>MFR. |
|                                                                      | Project<br>Job No:1143                                                                   | STEAM    | 49500                    | 1                      | 545            | 1          | 110                          | 116637/JB0797<br>DT:04.05.2011                                                                    | 2011               |
| 1171                                                                 | M/s.CICB-Chemicon Pvt. Ltd.<br>Job No:1144 & 1145                                        | AIR      | 7030                     | 10.5                   | 109.3          | 4          | 85                           | CICB/P404/BPO1000031/31/21/511<br>DT:16.05.2011 &<br>CICB/P405/BPO1000032/17/511<br>DT:16.05.2011 | 2011               |
| 1172                                                                 | M/s.Thermax Ltd.<br>L & T LTD A/C. IOCL - PARADIP<br>Project<br>Job No:1146              | SH STEAM | 28814                    | 46.75                  | 400            | 1          | 82                           | 251000246<br>DT:18.05.2011                                                                        | 2011               |
| 1173                                                                 | M/s.Walchandnagar Industries Ltd.<br>HARINAGAR SUGAR MILLS Ltd<br>Project<br>Job No:1147 | SH STEAM | 23375                    | 77                     | 525±5          | 1          | 85                           | 4500014463<br>DT:25.05.2011                                                                       | 2011               |
|                                                                      |                                                                                          | STEAM    | 25500                    | 0 TO 72                | 525±5          | 1          | 85                           | 4500014463<br>DT:25.05.2011                                                                       | 2011               |
|                                                                      |                                                                                          | STEAM    | 23375                    | 77                     | 525±5          | 1          | 85                           | 4500014463<br>DT:25.05.2011                                                                       | 2011               |
| 1174                                                                 | M/s.Kirloskar Ebara Pumps Ltd.<br>BCPL - Project<br>Job No:1148                          | STEAM    | 16472                    | 21                     | 360            | 2          | 85                           | 1110017874<br>DT:19.05.2011                                                                       | 2011               |
| 1175                                                                 | M/s.Thermax Ltd.<br>OMPL(PH-0411/0412) - Project<br>Job No:1149                          | STEAM    | 42000                    | 10                     | 405            | 2          | 85                           | 251000704<br>Dt.01.07.2011<br>251000705<br>Dt.01.07.2011                                          | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

186 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                 | SERVICE        | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                         | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------------------------|----------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------------|--------------------|
| 1176       | M/s. Subburaj Papers Ltd.<br>Job No:1150                                         | STEAM          | 25000                  | 3                      | 200            | 1          | 85                           | SP/CAP/037/<br>BR/20267<br>DT:15.06.2011                   | 2011               |
| 1177       | M/s.Essar Steels Ltd.<br>Job No:1151                                             | AIR            | 300000<br>(Nm3/Hr)     | 7                      | 130            | 2          | 85                           | ESTIL-DTA/UTY/<br>5300034931<br>Dt.20.06.11                | 2011               |
| 1178       | M/s.Thermax Ltd.<br>ALEXANDRIA SUGAR (PF 1191 & 92)<br>Project<br>Job No:1152    | SAT .<br>STEAM | 43665                  | 0.5                    | Saturated      | 2          | 115                          | 251000685<br>Dt.28.06.11<br>251000689<br>Dt.29.06.11       | 2011               |
|            |                                                                                  | SH STEAM       | 87951                  | 0.5                    | 410            | 2          | 115                          | 251000685<br>Dt.28.06.11<br>251000689<br>Dt.29.06.11       | 2011               |
|            |                                                                                  | SH STEAM       | 33835                  | 0.5                    | 410            | 2          | 85                           | 251000685<br>Dt.28.06.11<br>251000689<br>Dt.29.06.11       | 2011               |
| 1179       | M/s.Greensol Power Systems (P) Ltd.<br>BMM CEMENT LTD.<br>Project<br>Job No:1153 | STEAM          | 10000                  | 3                      | 400            | 1          | 85                           | GPSPL/PRAEWL/<br>3002T-01/<br>PO-036/1112<br>DT:18.06.2011 | 2011               |
| 1180       | M/s.Greensol Power Systems (P) Ltd.<br>BMM CEMENT LTD/ AVANT - GARDE<br>Project  | AIR            | 20000                  | 2                      | 400            | 1          | 85                           | GPSPL/PRAEWL/<br>3002B-01/SIL/<br>PO-003/1112              | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

187 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                      | SERVICE       | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                 | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------------------------------------|---------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------|--------------------|
| 1181       | Job No:1154<br>M/s.BWE Energy (P) Ltd.<br>ESSAR PROJECTS (INDIA)Ltd,HAZIRA.<br>Project<br>Job No:1155 | SAT.<br>STEAM | 204.3<br>(IPH)         | 2.8<br>(Bar(g))        | 350            | 2          | 85                           | BWE-200037-075-11<br>DT:24.06.2011 | 2011               |
|            |                                                                                                       | SAT.<br>STEAM | 203.1<br>(IPH)         | 2.8<br>(Bar(g))        | 350            | 2          | 85                           | BWE-200037-075-11<br>DT:24.06.2011 | 2011               |
|            |                                                                                                       | SH<br>STEAM   | 126.5<br>(IPH)         | 1.5<br>(Bar(g))        | 540            | 2          | 85                           | BWE-200037-075-11<br>DT:24.06.2011 | 2011               |
|            |                                                                                                       | SH<br>STEAM   | 146.1<br>(IPH)         | 118.9<br>(Bar(a))      | 540            | 2          | 85                           | BWE-200037-075-11<br>DT:24.06.2011 | 2011               |
|            |                                                                                                       | SH<br>STEAM   | 50.7<br>(IPH)          | 1.5<br>(Bar(g))        | 540            | 2          | 85                           | BWE-200037-075-11<br>DT:24.06.2011 | 2011               |
|            |                                                                                                       | SH<br>STEAM   | 193.1<br>(IPH)         | 3.1<br>(Bar(g))        | 354            | 2          | 85                           | BWE-200037-075-11<br>DT:24.06.2011 | 2011               |
|            |                                                                                                       | SH<br>STEAM   | 185.9<br>(IPH)         | 3<br>(Bar(g))          | 354            | 2          | 85                           | BWE-200037-075-11<br>DT:24.06.2011 | 2011               |
|            |                                                                                                       | SH<br>STEAM   | 135.9<br>(IPH)         | 32.5<br>(Bar(g))       | 540            | 2          | 85                           | BWE-200037-075-11<br>DT:24.06.2011 | 2011               |
|            |                                                                                                       | SH<br>STEAM   | 140.7<br>(IPH)         | 1.5<br>(Bar(g))        | 540            | 2          | 85                           | BWE-200037-075-11<br>DT:24.06.2011 | 2011               |
|            |                                                                                                       | SH<br>STEAM   | 23.8<br>(IPH)          | 1.5<br>(Bar(g))        | 415            | 2          | 85                           | BWE-200037-075-11<br>DT:24.06.2011 | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

188 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                           | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                            | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------|--------------------|
| 1182       | M/s.Isgec John Thompson<br>BLA POWER PVT LTD - II<br>Project<br>Job No:1156                | STEAM   | 57000                  | 3                      | 545            | 1          | 110 (3M)                     | 602611/JB0800<br>DT:21.06.2011                | 2011               |
| 1183       | M/s.The Tata Power Company Ltd.<br>JAMSHEDPUR<br>Project<br>Job No:1157                    | STEAM   | 40<br>(IPH)            | 88<br>(Kg/cm2(a))      | 510            | 1          | 85                           | 5100099156<br>DT:21.06.2011                   | 2011               |
| 1184       | M/s.Bharat Heavy Plate & Vessels Ltd.<br>JSPL-ANGUL - 3 - ORISSA<br>Project<br>Job No:1158 | STEAM   | 18000 TO<br>108000     | 2                      | 540            | 1          | 85                           | MM/4/7421/<br>M&E-91/2331118<br>DT:04.07.2011 | 2011               |
| 1185       | M/s.Bharat Heavy Plate & Vessels Ltd.<br>JSPL-ANGUL-3-ORISSA<br>Project<br>Job No:1159     | STEAM   | 92247                  | 2                      | 321            | 1          | 85                           | MM/4/7421/<br>M&E-91/2331106<br>DT:26.06.2011 | 2011               |
|            |                                                                                            | STEAM   | 92247                  | 2                      | 321            | 1          | 85                           | MM/4/7421/<br>M&E-91/2331106<br>DT:26.06.2011 | 2011               |
|            |                                                                                            | STEAM   | 29700                  | 2                      | 540            | 1          | 85                           | MM/4/7421/<br>M&E-91/2331106<br>DT:26.06.2011 | 2011               |
|            |                                                                                            | STEAM   | 39600                  | 2                      | 540            | 1          | 85                           | MM/4/7421/<br>M&E-91/2331106<br>DT:26.06.2011 | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

189 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                   | SERVICE  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                             | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------------------|----------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------------|--------------------|
| 1186       | M/s.Thermax Ltd.<br>SAIL - Project<br>Job No:1160                                  | STEAM    | 15<br>(TPH)            | 12                     | 400            | 3          | 110                          | 1000011495<br>DT:15.07.2011                                    | 2011               |
| 1187       | M/s.Fives Cail - KCP Ltd.<br>JAI MAHESH SUGAR- Project<br>Job No:1161              | STEAM    | 37125                  | 2                      | 540            | 1          | 85                           | 4500002264<br>DT:24.09.2008<br>Amend No.1 Dt:23.07.2011        | 2011               |
|            |                                                                                    | STEAM    | 20250                  | 2                      | 540            | 1          | 85                           | 4500002264<br>DT:24.09.2008<br>Amend No.1 Dt:23.07.2011        | 2011               |
|            |                                                                                    | STEAM    | 40500                  | 2                      | 540            | 1          | 85                           | 4500002264<br>DT:24.09.2008<br>Amend No.1 Dt:23.07.2011        | 2011               |
| 1188       | M/s.Air Liquide Engg. (I) Pvt. Ltd.<br>RINL-VIZAG - Project<br>Job No:1162         | AIR      | 84730<br>(Nm3/hr)      | 1.058<br>(Bar (a))     | 34.7           | 2          | 85                           | ALEI/1078/2133/<br>BS/193001/0986<br>DT:08.08.2011             | 2011               |
|            |                                                                                    | AIR      | 89300<br>(Nm3/hr)      | 1.063<br>(bar(abs))    | 39             | 2          | 85                           | ALEI/1078/2133/<br>BS/193001/0986<br>DT:08.08.2011             | 2011               |
| 1189       | M/s.Thermax Ltd.<br>ESSAR MATIX - Project<br>Job No:1163                           | GAS      | 363131                 | 500<br>(mm H2O)        | 575            | 1          | 85                           | 251001010<br>DT:28.07.2011                                     | 2011               |
| 1190       | M/s.Larson & Toubro Ltd.<br>NFL-PANIPAT & BATHINDA - Project<br>Job No:1164 & 1165 | HP STEAM | 56141                  | 5                      | 530            | 2          | 91                           | 75000-03988<br>DT:24.08.2011 &<br>75000-03990<br>DT:24.08.2011 | 2011               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                                    |          | REFERENCE LIST           |                        |                |            |                              | 190 OF 380                                                     |                    |
|----------------------------------------------------------------------|------------------------------------------------------------------------------------|----------|--------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------------|--------------------|
| PRAE                                                                 |                                                                                    |          | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                                |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                                   | SERVICE  | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                             | YEAR<br>OF<br>MFR. |
| 1191                                                                 | M/s.Larson & Toubro Ltd.<br>NFL-PANIPAT & BATHINDA - Project<br>Job No:1166 & 1167 | MP STEAM | 9185                     | 2                      | 470            | 2          | 91                           | 75000-03988<br>DT:24.08.2011 &<br>75000-03990<br>DT:24.08.2011 | 2011               |
|                                                                      |                                                                                    | MP STEAM | 15000                    | 1                      | 470            | 2          | 91                           | 75000-04017<br>DT:26.08.2011 &<br>75000-04018<br>DT:26.08.2011 | 2011               |
|                                                                      |                                                                                    | HP STEAM | 15000                    | 1                      | 530            | 2          | 91                           | 75000-04017<br>DT:26.08.2011 &<br>75000-04018<br>DT:26.08.2011 | 2011               |
|                                                                      |                                                                                    | AIR      | 19000                    | 2.7                    | 75             | 2          | 91                           | 75000-04017<br>DT:26.08.2011 &<br>75000-04018<br>DT:26.08.2011 | 2011               |
|                                                                      |                                                                                    | HP STEAM | 75000                    | 1                      | 530            | 2          | 91                           | 75000-04017<br>DT:26.08.2011 &<br>75000-04018<br>DT:26.08.2011 | 2011               |
|                                                                      |                                                                                    | MP STEAM | 55000                    | 1                      | 470            | 2          | 91                           | 75000-04017<br>DT:26.08.2011 &<br>75000-04018<br>DT:26.08.2011 | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

191 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                    | SERVICE       | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                             | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------------------|---------------|-------------------------|-------------------------|----------------|------------|------------------------------|----------------------------------------------------------------|--------------------|
| 1192       | M/s.Greensol Power Systems (P) Ltd.<br>VIATON ENERGY - Project<br>Job No:1168       | STEAM         | 10000                   | 2                       | 400            | 1          | 85                           | GPSPL/PRAEWL/<br>2002T-01/SIL/<br>PO-007/1112<br>DT:25.08.2011 | 2011               |
| 1193       | M/s.Walchandnagar Industries Ltd.<br>INDRESWAR SUGARS LTD.- Project<br>Job No:1169  | STEAM         | 19250                   | 1.4                     | 510±5          | 1          | 85                           | 4500017071<br>DT:05.09.2011                                    | 2011               |
|            |                                                                                     | STEAM         | 21000                   | 72                      | 510±5          | 1          | 85                           | 4500017071<br>DT:05.09.2011                                    | 2011               |
| 1194       | M/s.Walchandnagar Industries Ltd.<br>BHAIKVNATH SUGARS LTD.- Project<br>Job No:1170 | STEAM         | 19250                   | 1.4                     | 510±5          | 1          | 85                           | 4500017072<br>DT:05.09.2011                                    | 2011               |
|            |                                                                                     | STEAM         | 21000                   | 72                      | 510±5          | 1          | 85                           | 4500017072<br>DT:05.09.2011                                    | 2011               |
| 1195       | M/s.Ansaldo Caldaie Boilers (I) (P) Ltd.<br>OPG POWER -III- Project<br>Job No:1171  | SAT.<br>STEAM | 139114                  | 114.21                  | 320            | 1          | 115                          | ACB-174-BOC<br>-043-11<br>DT:08.09.2011                        | 2011               |
|            |                                                                                     | SAT.<br>STEAM | 142820                  | 117.28                  | 322            | 1          | 115                          | ACB-174-BOC<br>-043-11<br>DT:08.09.2011                        | 2011               |
|            |                                                                                     | SH<br>STEAM   | 128000                  | 101.46                  | 494            | 1          | 115                          | ACB-174-BOC<br>-043-11<br>DT:08.09.2011                        | 2011               |
|            |                                                                                     | SH            | 99337                   | 103.5                   | 494            | 1          | 115                          | ACB-174-BOC                                                    | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

192 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                              | SERVICE                                     | FLOW<br>RATE<br>KG/Hr.       | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C        | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                                                                                       | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------|------------------------------|------------------------|-----------------------|------------|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| 1196       | M/s.Enmas GB Power Systems Proj.Ltd.<br>TULSYAN NEC LTD. 35MW CFBC<br>Boiler, Unit-I - Project<br>Job No:1172 | STEAM<br><br>SH<br>STEAM<br><br>SH<br>STEAM | 35000/<br>35839<br><br>75000 | 2.6<br><br>3           | 525<br><br>525        | 1<br><br>1 | 85<br><br>85                 | -043-11<br>DT:08.09.2011<br><br>EGB/PUR/11-12/<br>B/WB093A/0157<br>DT:12.09.2011<br><br>EGB/PUR/11-12/<br>B/WB093A/0157<br>DT:12.09.2011 | 2011<br><br>2011   |
| 1197       | M/s.Enmas GB Power Systems Proj.Ltd.<br>TULSYAN NEC LTD. 35MW CFBC<br>Boiler, Unit-I - Project<br>Job No:1173 | SH<br>STEAM<br><br>SH<br>STEAM              | 35000/<br>35839<br><br>75000 | 2.6<br><br>3           | 525<br><br>525        | 1<br><br>1 | 85<br><br>85                 | EGB/PUR/11-12/<br>B/WB104A/0158<br>DT:12.09.2011<br><br>EGB/PUR/11-12/<br>B/WB104A/0158<br>DT:12.09.2011                                 | 2011<br><br>2011   |
| 1198       | M/s.Krishak Bharathi Co-Operative Ltd.<br>Job No:1174                                                         | STEAM                                       | 80<br>(TONS/HR)              | 50                     | 485                   | 2          | 85 (3M)                      | HP/22/2800/<br>9300321/PO35047<br>DT:17.09.2011                                                                                          | 2011               |
| 1199       | M/s.Thermax Ltd.<br>OMPL-II (PF 1171 & PF 1172)- Project<br>Job No:1175 & 1176                                | SH STEAM                                    | 79420                        | 10                     | 373                   | 2          | 85                           | 251001612 &<br>251001613<br>DT:05.10.2011                                                                                                | 2011               |
| 1199       | M/s.Thermax Ltd.<br>L&T-ONGC URAN- Project<br>Job No:1177                                                     | SAT<br>STEAM<br><br>SH STEAM                | 144415<br><br>33280          | 0.5<br><br>0.5         | Saturation<br><br>220 | 1<br><br>1 | 115<br><br>115               | 251001129<br>Dt.11.08.11<br><br>251001129                                                                                                | 2011<br><br>2011   |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                                         |              | REFERENCE LIST           |                        |                |            |                              | 193 OF 380                                                 |                    |
|----------------------------------------------------------------------|-----------------------------------------------------------------------------------------|--------------|--------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------------|--------------------|
| PRAE                                                                 |                                                                                         |              | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                            |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                                        | SERVICE      | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                         | YEAR<br>OF<br>MFR. |
| 1200                                                                 | M/s.Linde Engg. India Ltd.<br>HPCL-MAHUL - Project<br>Job No:1178                       | SH STEAM     | 37800                    | 1.5                    | 220            | 1          | 115                          | Dt.11.08.11<br>251001129<br>Dt.11.08.11                    | 2011               |
|                                                                      |                                                                                         | SAT<br>STEAM | 1335                     | 0.5                    | Saturation     | 1          | 115                          | 251001129<br>Dt.11.08.11                                   | 2011               |
|                                                                      |                                                                                         | SAT<br>STEAM | 20580                    | 0.5                    | Saturation     | 1          | 115                          | 251001129<br>Dt.11.08.11                                   | 2011               |
|                                                                      |                                                                                         | GAS          | 5144.9<br>(m3/h)         | 1.048                  | 90             | 1          | 85                           | 002 2DA8120<br>SUP.000<br>DT.11.10.2011                    | 2011               |
|                                                                      |                                                                                         | STEAM        | 18600                    | 1.6                    | 390/10         | 1          | 85                           | 002 2DA8120<br>SUP.000<br>DT.11.10.2011                    | 2011               |
| 1201                                                                 | M/s.Thermax Ltd.<br>LUNA (PF 0441 & PF 0442) - Project<br>Job No:1179 & 1180            | STEAM        | 34500                    | 11.8<br>(BAR(g))       | 545            | 2          | 95                           | 251001728<br>DT.13.10.2011 &<br>251001731<br>DT.13.10.2011 | 2011               |
| 1202                                                                 | M/s.Johnson Matthey Chemicals (P)Ltd.<br>AKER POWERGAS PVT LTD - Project<br>Job No:1181 | GAS          | 1404                     | 1.16<br>(bar(abs))     | 150            | 1          | 75                           | 4500083010<br>DT.13.10.2011                                | 2011               |
| 1203                                                                 | M/s.Thermodyne Technologies (P)Ltd.<br>SNS STARCH LTD.- Project<br>Job No:1182          | STEAM        | 2000                     | 67                     | 500            | 1          | 110                          | MB/11/171112/1025<br>DT.09.11.2011                         | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

194 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                             | SERVICE       | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                        | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------------|---------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------|--------------------|
| 1204       | M/s.Thermax Ltd.<br>BETA (0451) & BETA (0452)- Project<br>Job No:1183 & 1184 | SAT.<br>STEAM | 49977                  | 0.5                    | 320            | 2          | 95                           | 251001728 &<br>251001749<br>DT.14.10.2011 | 2011               |
|            |                                                                              | SAT.<br>STEAM | 50412                  | 0.5                    | 320            | 2          | 95                           | 251001728 &<br>251001749<br>DT.14.10.2011 | 2011               |
|            |                                                                              | SH STEAM      | 25863                  | 0.5                    | 545            | 2          | 95                           | 251001728 &<br>251001749<br>DT.14.10.2011 | 2011               |
|            |                                                                              | STEAM         | 34500                  | 11.8<br>(BAR(G))       | 545            | 2          | 95                           | 251001728 &<br>251001749<br>DT.14.10.2011 | 2011               |
| 1205       | M/s.Thermax Ltd.<br>HPCL (PF1181).- Project<br>Job No:1185                   | SH STEAM      | 37500                  | 0.5                    | 375            | 1          | 85                           | 251001940<br>DT.07.11.2011                | 2011               |
| 1205       | M/s.Thermax Ltd.<br>ESSAR MATIX- Project<br>Job No:1186                      | SH STEAM      | 4500                   | 3                      | 270            | 1          | <85                          | 251001941<br>Dt.07.11.2011                | 2011               |
|            |                                                                              | SH STEAM      | 24000                  | 3                      | 515            | 1          | <85                          | 251001941<br>Dt.07.11.2011                | 2011               |
| 1206       | M/s.Thermax Ltd.<br>ESSAR MATIX- Project<br>Job No:1187                      | SH STEAM      | 42300                  | 1                      | 515±5          | 1          | 85                           | 251001955<br>Dt.07.11.2011                | 2011               |
| 1207       | M/s.Triveni Turbine Ltd.                                                     | STEAM         | 51.5                   | 10                     | 400            | 1          | <85                          | 200001128                                 | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

195 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                               | SERVICE       | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                       | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------------|---------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------|--------------------|
| 1208       | HINDUSTAN ZINC LTD.- Project<br>Job No:1188                                    | STEAM         | (TPH)                  | (BAR(A))               |                |            |                              | Dt.22.11.2011                            |                    |
|            |                                                                                |               | 15.5<br>(TPH)          | 10<br>(BAR(A))         | 400            | 1          | <85                          | 2000011128<br>Dt.22.11.2011              | 2011               |
|            |                                                                                |               | 86255                  | 2<br>(BAR(g))          | 291.7          | 2          | 80 (3M)                      | JKPM/NP/117/<br>2011-12<br>DT.08.12.2011 | 2011               |
|            |                                                                                |               | 62886                  | 2<br>(BAR(g))          | 450+10/-0      | 1          | 80 (3M)                      | JKPM/NP/117/<br>2011-12<br>DT.08.12.2011 | 2011               |
| 1209       | M/s.JK Paper Ltd.<br>ENMAS- Project<br>Job No:1189                             | SAT.<br>STEAM | 76,000                 | 2<br>(BAR(g))          | 450            | 1          | 80 (3M)                      | JKPM/NP/117/<br>2011-12<br>DT.08.12.2011 | 2011               |
|            |                                                                                |               | 198<br>(TPH)           | 7                      | 427            | 3          | 110                          | LOI Email<br>Dt.09.12.2011               | 2011               |
|            |                                                                                |               | 48.8<br>(TPH)          | 6                      | 400            | 1          | 110                          | LOI Email<br>Dt.09.12.2011               | 2011               |
|            |                                                                                |               | 46.2<br>(TPH)          | 3                      | 310            | 1          | 110                          | LOI Email<br>Dt.09.12.2011               | 2011               |
|            |                                                                                |               | 8<br>(TPH)             | 45                     | 427            | 1          | 85                           | LOI Email<br>Dt.09.12.2011               | 2011               |
|            |                                                                                |               | 140<br>(TPH)           | 45                     | 427            | 1          | 85                           | LOI Email<br>Dt.09.12.2011               | 2011               |
| 1209       | M/s.THERMAX LTD.<br>ONGC Mangalore Petrochemical Ltd<br>PROJECT<br>Job No:1190 | STEAM         | 198<br>(TPH)           | 7                      | 427            | 3          | 110                          | LOI Email<br>Dt.09.12.2011               | 2011               |
|            |                                                                                |               | 48.8<br>(TPH)          | 6                      | 400            | 1          | 110                          | LOI Email<br>Dt.09.12.2011               | 2011               |
|            |                                                                                |               | 46.2<br>(TPH)          | 3                      | 310            | 1          | 110                          | LOI Email<br>Dt.09.12.2011               | 2011               |
|            |                                                                                |               | 8<br>(TPH)             | 45                     | 427            | 1          | 85                           | LOI Email<br>Dt.09.12.2011               | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

196 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                    | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                   | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------|--------------------|
| 1210       | M/s.PONNI SUGARS (ERODE) LTD,<br>ERODE - PROJECT<br>Job No:1191     | STEAM   | 20<br>(TPH)            | 2.3                    | 140            | 1          | 85                           | PONNI/CGP/<br>SILENCER/47<br>Dt.14.12.2011           | 2011               |
| 1211       | M/s kirloskar ebara pumps ltd<br>50109 - PROJECT<br>Job No:1192     | STEAM   | 1270-1500              | 4.5                    | 297            | 1          | 85                           | 1110020298<br>Dt.22/10/2011<br>(Email Dt.28/12/2011) | 2011               |
|            |                                                                     | STEAM   | 1421-1500              | 4.5                    | 297            | 1          | 85                           | 1110020298<br>Dt.22/10/2011<br>(Email Dt.28/12/2011) | 2011               |
|            |                                                                     | STEAM   | 2370-2650              | 4.5                    | 297            | 1          | 85                           | 1110020298<br>Dt.22/10/2011<br>(Email Dt.28/12/2011) | 2011               |
| 1212       | M/s.kirloskar ebara pumps ltd.,<br>50113 - PROJECT<br>Job No:1193   | STEAM   | 7332                   | 4.5                    | 350            | 1          | 85                           | 1110020299<br>Dt:22.10.2011<br>(EMAIL DT.28.12.2011) | 2011               |
| 1213       | M/sIndian oil corporation ltd,<br>vadodara,- PROJECT<br>Job No:1194 | STEAM   | 10<br>(TPH)            | 34                     | 345            | 3          | 85                           | JRMM111280/<br>23518850 Dt.26.12.2011                | 2011               |
| 1214       | M/s.NIRMA LIMITED<br>PROJECT<br>Job No:1195                         | STEAM   | 60<br>(TPH)            | 2.5<br>(BAR(ABS))      | 150 -180       | 1          | 85                           | K/8001003PO120100085<br>DT.05.01.2012                | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

197 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                 | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                 | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------|--------------------|
| 1215       | M/S.Walchandnagar industries ltd<br>M/S GREEN PLANT ENERGY, BINJO.<br>PROJECT<br>Job No:1196     | STEAM   | 9000                   | 0.6                    | 465            | 1          | 85                           | 4500018874<br>Dt.08.12.2011<br>(Email Dt.11.01.12) | 2011               |
|            |                                                                                                  | STEAM   | 9900                   | 0 to 47                | 465            | 1          | 85                           | 4500018874<br>Dt.08.12.2011<br>(Email Dt.11.01.12) | 2011               |
| 1216       | M/S.Walchandnagar industries ltd<br>M/S Green Plant Energy, BIRPIND.<br>PROJECT<br>Job No:1197   | STEAM   | 9000                   | 0.6                    | 465            | 1          | 85                           | 4500018875<br>Dt.08.12.2011<br>(Email Dt.11.01.12) | 2011               |
|            |                                                                                                  | STEAM   | 9900                   | 0 to 47                | 465            | 1          | 85                           | 4500018875<br>Dt.08.12.2011<br>(Email Dt.11.01.12) | 2011               |
| 1217       | M/S.Walchandnagar industries ltd<br>M/S Green plant energy, manukegil.<br>PROJECT<br>Job No:1198 | STEAM   | 9000                   | 0.6                    | 465            | 1          | 85                           | 4500019494<br>Dt.03.01.2012<br>(Email Dt.11.01.12) | 2011               |
|            |                                                                                                  | STEAM   | 9900                   | 0 to 47                | 465            | 1          | 85                           | 4500019494<br>Dt.03.01.2012<br>(Email Dt.11.01.12) | 2011               |
| 1218       | M/s.Samay project services (p) ltd.<br>M/s.Concast steel & power ltd.<br>PROJECT<br>Job No:1199  | STEAM   | 15,000                 | 60                     | 400            | 1          | 85                           | SPL/CSPL/PRAE/<br>12/213 Dt.10.01.2012             | 2011               |
|            |                                                                                                  | STEAM   | 15,000                 | 60                     | 400            | 1          | 85                           | SPL/CSPL/PRAE/                                     | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

198 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                              | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                          | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------------------|--------------------|
| 1219       | M/s.Indian farmers fertilisers<br>cooperative ltd,phulpur,allahabad<br>PROJECT<br>Job No:1200 | High press.<br>steam | 108988                 | 11.3                   | 515            | 1          | 80<br>(2m)                   | 12/213 Dt.10.01.2012<br>6540/203004120306<br>DT.09.01.2011  | 2011               |
|            |                                                                                               | High press.<br>steam | 59456                  | 11.3                   | 515            | 2          | 80<br>(2m)                   | 6540/203004120306<br>DT.09.01.2011                          | 2011               |
| 1220       | M/s.Indian farmers fertilisers<br>cooperative ltd,phulpur,allahabad<br>PROJECT<br>Job No:1201 | steam<br>vapour&air  | 300                    | 0.3                    | 100            | 1          | 85                           | 5515/202004121170<br>DT.19.01.2011                          | 2011               |
| 1221       | M/s Greenesol power systems pvt.<br>INLAND POWER LTD.<br>PROJECT<br>Job No:1202               | STEAM                | 10000                  | 2                      | 400            | 1          | 85                           | GPSPL/PRAEWL/2004T-<br>01/SIL/PO-033/1112/<br>DT.04.02.2012 | 2012               |
| 1222       | M/S.Essar projects (india)limited<br>IOCL - PARADIP, ORISSA UNIT-42<br>PROJECT<br>Job No:1203 | HP STEAM             | 19438                  | 104                    | 515            | 1          | <=85                         | CS01/M07/2700003899<br>Dt.07.02.2012                        | 2011               |
| 1223       | M/s.PUNJ LLOYD LTD.<br>M/s.PTT PUBLIC COMPANY LTD.<br>PROJECT<br>Job No:1204                  | GAS                  | 325<br>(MMSCFD)        | 8.265<br>(psi(g))      | 200            | 19         | 90                           | PLL-PTT-FTP-<br>P.R Acoustical-124<br>Dt:31.01.2012         | 2011               |
| 1224       | M/s.Enmas gb power systems                                                                    | STEAM                | 63000                  | 2                      | 295            | 2          | 85                           | EGB/PUR/11-12/B/                                            | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

199 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                    | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                 | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------|--------------------|
|            | projects ltd,Itc limited PROJECT<br>Job No:1205                     | STEAM                 | 25000                  | 2                      | 485            | 1          | 85                           | WBAA1300/0348<br>DT.04.02.2012                     |                    |
|            |                                                                     | STEAM                 | 57200                  | 2                      | 485            | 1          | 85                           | EGB/PUR/11-12/B/<br>WBAA1300/0348<br>DT.04.02.2012 | 2011               |
|            |                                                                     | STEAM                 | 13500                  | 2                      | 485            | 1          | 85                           | EGB/PUR/11-12/B/<br>WBAA1300/0348<br>DT.04.02.2012 | 2011               |
| 1225       | M/S. Heurtey petrochem S.A<br>BPCL - MUMBAI PROJECT<br>Job No:1206  | Superheated<br>outlet | 75024                  | 3.22                   | 400            | 1          | 90                           | EF 11006M/055<br>Dt.09.02.2012                     | 2011               |
| 1226       | M/s.TD POWER SYSTEMS LTD.<br>M/s.ITC LIMITED PROJECT<br>Job No:1207 | STEAM                 | 5<br>(TPH)             | 35                     | 490            | 1          | 75                           | 3111100326<br>DT.07.02.2012                        | 2011               |
|            |                                                                     | STEAM                 | 39/40<br>(TPH)         | 1                      | 150            | 2          | 75                           | 3111100326<br>DT.07.02.2012                        | 2011               |
|            |                                                                     | STEAM                 | 23.5<br>(TPH)          | 3                      | 360            | 1          | 75                           | 3111100326<br>DT.07.02.2012                        | 2011               |
| 1227       | M/S.J.K PAPERS LIMITED, ORISSA.                                     | AIR                   | 42000                  | 2000                   | 45             | 1          | 85                           | JKPM/NP/223/2011-12                                | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

200 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                 | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                  | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------------|--------------------|
|            | PROJECT<br>Job No:1208                                                           |         | (m3/hr)                | (dpa)                  |                |            |                              | Dt.17/02/12                                         |                    |
|            |                                                                                  | AIR     | 25000<br>(m3/hr)       | 800<br>(dpa)           | 45             | 1          | 85                           | JKPM/NP/223/2011-12<br>Dt.17/02/12                  | 2011               |
|            |                                                                                  | AIR     | 54000<br>(m3/hr)       | 1800<br>(dpa)          | 80             | 1          | 85                           | JKPM/NP/223/2011-12<br>Dt.17/02/12                  | 2011               |
|            |                                                                                  | AIR     | 188000<br>(m3/hr)      | 1800<br>(dpa)          | 80             | 1          | 85                           | JKPM/NP/223/2011-12<br>Dt.17/02/12                  | 2011               |
| 1228       | M/s Air liquide engineering india<br>(p) ltd.,LILO MEXICO PROJECT<br>Job No:1209 | AIR     | 12019<br>(Nm3/hr)      | 22 / 25<br>(Bar(g))    | 36/-20+65      | 1          | 85                           | ALEI/9045/1114/BS/<br>019101/2385 Dt: 22.02.2012    | 2012               |
| 1229       | M/S Larsen & Toubro Limited.<br>GGSRP-HMEL PROJECT<br>Job No:1210                | STEAM   | -/11100/-              | 48                     | 420            | 1          | <85                          | HCP/NRO/MTRLS/<br>SILENCER/01/2012<br>DT.13.03.2012 | 2012               |
| 1230       | M/s kirloskar ebara pumps ltd<br>50125 PROJECT<br>Job No:1211                    | STEAM   | 12530                  | 6                      | 289            | 2          | 85                           | 1110022157 Dt.16.03.2012                            | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

201 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                         | SERVICE              | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                        | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------|----------------------|-------------------------|-------------------------|----------------|------------|------------------------------|-------------------------------------------|--------------------|
| 1231       | M/s.Thermal systems (hyderabad)<br>pvt. Ltd,B-147,PROJECT<br>Job No:1212 | SATURATED<br>STEAM   | 24000                   | ATMOSPHERI<br>C         | 317            | 4          | <85                          | 2011001586/B-00147.50.18<br>DT.15.03.2012 | 2011               |
|            |                                                                          | SATURATED<br>STEAM   | 16000                   | ATMOSPHERI<br>C         | 530            | 2          | <85                          | 2011001586/B-00147.50.18<br>DT.15.03.2012 | 2011               |
|            |                                                                          | SATURATED<br>STEAM   | 64,000                  | 3                       | 530            | 2          | <85                          | 2011001586/B-00147.50.18<br>DT.15.03.2012 | 2011               |
|            |                                                                          | SATURATED<br>STEAM   | 42,000                  | ATMOSPHERI<br>C         | 530            | 1          | <85                          | 2011001586/B-00147.50.18<br>DT.15.03.2012 | 2011               |
|            |                                                                          | SATURATED<br>STEAM   | 42,000                  | ATMOSPHERI<br>C         | 530            | 1          | <85                          | 2011001586/B-00147.50.18<br>DT.15.03.2012 | 2011               |
| 1232       | M/s.THERMAX LTD.<br>TECHNIP-ALGERIA,project<br>Job No:1213               | Superheated<br>steam | 27600                   | 42                      | 410±5          | 1          | 80                           | 251003425 DT.20.03.2012                   | 2011               |
|            |                                                                          | Superheated<br>steam | 9900                    | 46                      | 251            | 2          | 115                          | 251003425 DT.20.03.2012                   | 2011               |
|            |                                                                          | Superheated<br>steam | 34,400                  | 42                      | 410±5          | 2          | 115                          | 251003425 DT.20.03.2012                   | 2011               |
| 1233       | M/s.THERMAX LTD.<br>L & T POWER, project<br>Job No:1214                  | SATURATION<br>STEAM  | 58174                   | 29                      | SATURA<br>TON  | 2          | 115                          | 251003436 DT.20.03.2012                   | 2011               |
|            |                                                                          | SH STEAM             | 28901                   | 23.5<br>(BAR(g))        | 315            | 1          | 115                          | 251003436 DT.20.03.2012                   | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

202 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                              | SERVICE             | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE              | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------------|---------------------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------|--------------------|
| 1234       | M/s.CETHAR VESSELS LTD<br>MEENAKSHI ENERGY PVT. LTD<br>PROJECT<br>Job No:1215 | SATURATION<br>STEAM | 22675                  | 3.5<br>(BAR(g))        | 300            | 1          | 115                          | 251003436 DT.20.03.2012         | 2011               |
|            |                                                                               | SH STEAM            | 53200                  | 1.47<br>(BAR(g))       | 310            | 1          | 85                           | 251003436 DT.20.03.2012         | 2011               |
|            |                                                                               | STEAM               | 1102                   | 3<br>(BAR(g))          | 146            | 1          | 115                          | 251003436 DT.20.03.2012         | 2011               |
|            |                                                                               | STEAM               | 1437                   | 12.5<br>(BAR(g))       | 230            | 1          | 115                          | 251003436 DT.20.03.2012         | 2011               |
|            |                                                                               | SH STEAM            | 158514                 | 4.84                   | 548            | 2          | 85                           | MBJ088/0098/'S<br>Dt.02.04.2012 | 2011               |
|            |                                                                               | SAT. STEAM          | 225002                 | 3.97                   | 366.6          | 1          | 85                           | MBJ088/0098/'S<br>Dt.02.04.2012 | 2011               |
|            |                                                                               | SH STEAM            | 117434                 | 5.5                    | 548            | 1          | 85                           | MBJ088/0098/'S<br>Dt.02.04.2012 | 2011               |
| 1235       | M/s.CETHAR VESSELS LTD<br>MEENAKSHI ENERGY PVT. LTD<br>PROJECT<br>Job No:1216 | SH STEAM            | 23300                  | 5                      | 553            | 1          | 85                           | MBJ088/0098/'S<br>Dt.02.04.2012 | 2011               |
|            |                                                                               | SH STEAM            | 158514                 | 4.84                   | 548            | 2          | 85                           | MBJ087/0109/S<br>Dt.02.04.2012  | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

203 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                            | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                 | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------|--------------------|
| 1236       | M/s.kazstroysevice infrastructure<br>india pvt. ltd. IOCL-PARADIP<br>PROJECT<br>Job No:1217 | SAT. STEAM           | 225002                 | 3.97                   | 366.6          | 1          | 85                           | MBJ087/0109/S<br>Dt.02.04.2012                     | 2011               |
|            |                                                                                             | SH STEAM             | 117434                 | 5.5                    | 548            | 1          | 85                           | MBJ087/0109/S<br>Dt.02.04.2012                     | 2011               |
|            |                                                                                             | SH STEAM             | 23300                  | 5                      | 553            | 1          | 85                           | MBJ087/0109/S<br>Dt.02.04.2012                     | 2011               |
|            |                                                                                             | LP STEAM             | 360<br>(TONS/HR)       | 0.5                    | 240            | 1          | < 82                         | 29000148 DT.03.04.2012                             | 2011               |
| 1237       | M/S.THERMAX LTD<br>Rashtriya ispat nigam ltd<br>(pi0091) PROJECT<br>Job No:1218             | Superheated<br>steam | 88819                  | 5                      | 490            | 1          | 85                           | 251003594 DT.04.04.2012                            | 2012               |
| 1238       | M/S.THERMAX LTD<br>Rashtriya ispat nigam ltd<br>(pi0092) PROJECT<br>Job No:1219             | Superheated<br>steam | 88819                  | 5                      | 490            | 1          | 85                           | 251003595 DT.04.04.2012                            | 2012               |
| 1239       | M/s.Air liquide engineering<br>india pvt. ltd. AL-CHILE PROJECT<br>Job No:1220              | WN2+AIR              | 18993<br>(Nm3/hr)      | 1.014<br>(bar(abs))    | 37             | 1          | 85                           | ALEI/51-9042/1127/BS/<br>373001/0112 Dt.16.04.2012 | 2011               |
|            |                                                                                             | GAN                  | 3740                   | 1.094                  | 36.9           | 1          | 85                           | ALEI/51-9042/1127/BS/                              | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

204 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                               | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2            | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                   | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------------------------------|----------------------|------------------------|-----------------------------------|----------------|------------|------------------------------|--------------------------------------|--------------------|
| 1240       | M/s.THERMAX LTD.<br>LNT MHI PROJECT<br>Job No:1221                                             | Superheated<br>steam | (Nm3/hr)<br><br>49000  | (bar(abs))<br><br>1.5<br>(Bar(g)) | 315            | 1          | 85                           | 373001/0112 Dt.16.04.2012<br><br>-   | 2012               |
| 1241       | M/s.RASHTRIYA ISPAT NIGAM LTD<br>PROJECT<br>Job No:1222                                        | Superheated<br>steam | 60<br>(Tons/hr)        | 40                                | 440            | 2          | 90                           | 2.96.0001/50/P/2024<br>Dt.15.05.2012 | 2012               |
|            |                                                                                                | Superheated<br>steam | 60<br>(Tons/hr)        | 7                                 | 250            | 1          | 90                           | 2.96.0001/50/P/2024<br>Dt.15.05.2012 | 2012               |
| 1242       | M/s.Essar projects (India) Ltd<br>HMU -II for Essar refinery,Vadinar<br>Project<br>Job No:1223 | STEAM                | 59,000                 | 3.5                               | 470            | 1          | 85                           | CS01/M07/2700004529<br>Dt.15.05.2012 | 2012               |
|            |                                                                                                | STEAM                | 35,000                 | 3.5                               | 470            | 1          | 85                           | CS01/M07/2700004529<br>Dt.15.05.2012 | 2012               |
|            |                                                                                                | STEAM                | 55,000                 | 3.5                               | 470            | 1          | 85                           | CS01/M07/2700004529<br>Dt.15.05.2012 | 2012               |
|            |                                                                                                | STEAM                | 2,000                  | 3.5                               | 470            | 1          | 85                           | CS01/M07/2700004529<br>Dt.15.05.2012 | 2012               |
| 1243       | M/s.SUN FLAG IRON & STEEL<br>CO.LTD, BHANDARA PROJECT<br>Job No:1224                           | OXYGEN GAS           | 2500<br>(NM3/hr)       | 2.5                               | 25             | 1          | 75                           | 4700074469 Dt.10.05.2012             | 2012               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                                                                                   |                    | REFERENCE LIST           |                        |                |            |                              | 205 OF 380                                           |                    |
|----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|--------------------|--------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------|--------------------|
| PRAE                                                                 |                                                                                                                                   |                    | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                      |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                                                                                  | SERVICE            | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                   | YEAR<br>OF<br>MFR. |
|                                                                      |                                                                                                                                   |                    |                          |                        |                |            |                              |                                                      |                    |
| 1244                                                                 | M/s.SIEMENS LIMITED<br>HYDERABAD 1 MACHINE : STC GC 16-4<br>PROJECT<br>Job No:1225                                                | AIR                | 5.21<br>(Kg/s)           | 1.5<br>(BAR(a))        | 128.29         | 1          | 85                           | SIEMENS DOC. NO. 620P. 41404A 71.002                 | 2012               |
| 1245                                                                 | M/S.INDIAN OIL CORPORATION LTD.<br>GUJARAT REFINERY, VADODARA<br>PROJECT<br>Job No:1226                                           | HP STEAM           | 20000                    | 35                     | 470            | 1          | 85                           | JRMM111591/23632144 Dt.01.06.2012                    | 2012               |
| 1246                                                                 | M/s ENGINEERS INDIA LTD.<br>MRPL, MANGALORE<br>PROJECT<br>Job No:1227                                                             | LP STEAM           | 19522                    | 10/FV                  | 285            | 1          | <85                          | OBE/6994/5022<br>Dt.05.06.2012                       | 2012               |
|                                                                      |                                                                                                                                   | LP STEAM           | 19522                    | 10/FV                  | 285            | 1          | <85                          | OBE/6994/5022<br>Dt.05.06.2012                       | 2012               |
|                                                                      |                                                                                                                                   | LP STEAM           | 19522                    | 10/FV                  | 285            | 1          | <85                          | OBE/6994/5022<br>Dt.05.06.2012                       | 2012               |
| 1247                                                                 | M/s. GREENS POWER EQUIPMENT<br>INDIA PVT. LTD.<br>FLSMIDTH PRIVATE LTD C/o.<br>GULBARGA POWER PVT. LTD.<br>PROJECT<br>Job No:1228 | SATURATED<br>STEAM | 5200                     | 3                      | 211.4          | 1          | 110                          | R-120-2010/GPPL/<br>GP1789/PM/BO/29<br>Dt.13.06.2012 | 2012               |
|                                                                      |                                                                                                                                   | SATURATED<br>STEAM | 5200                     | 3                      | 211.4          | 1          | 110                          | R-120-2010/GPPL/<br>GP1789/PM/BO/29<br>Dt.13.06.2012 | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

206 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                 | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                   | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------|--------------------|
| 1248       | M/s.ITC LIMITED,SECUNDERABAD<br>DHURVA POWER BLOCK<br>PROJECT<br>Job No:1229     | SUPERHEATED<br>STEAM | 15400                  | 3                      | 388            | 1          | 110                          | R-120-2010/GPPL/<br>GP1789/PM/BO/29<br>Dt.13.06.2012 | 2012               |
|            |                                                                                  | SUPERHEATED<br>STEAM | 1900                   | 3                      | 214            | 1          | 110                          | R-120-2010/GPPL/<br>GP1789/PM/BO/29<br>Dt.13.06.2012 | 2012               |
|            |                                                                                  | STEAM                | 25<br>(IPH)            | 4.5                    | 155            | 1          | 85                           | 451100408<br>Dt.15.06.2012                           | 2012               |
| 1249       | M/s. THE INDIA CEMENTS LIMITED<br>PROJECT :-<br>Job No:1230                      | SH FLASH<br>STEAM    | 20                     | 1.37                   | 545            | 1          | 85                           | HO/SKN/106<br>DT.21.06.2012                          | 2012               |
| 1250       | M/s ESSAR PROJECTS (INDIA) LIMITED<br>MATIX FERTILIZER<br>PROJECT<br>Job No:1231 | AIR                  | 239000                 | 15.21                  | 538            | 1          | 85                           | CS01/M07/2700004669<br>Dt.27.06.2012                 | 2012               |
|            |                                                                                  | HP STEAM             | 6869                   | 121                    | 515            | 1          | 85                           | CS01/M07/2700004669<br>Dt.27.06.2012                 | 2012               |
|            |                                                                                  | MP STEAM             | 241992                 | 5.4                    | 412            | 1          | 85                           | CS01/M07/2700004669<br>Dt.27.06.2012                 | 2012               |
|            |                                                                                  | LP STEAM             | 23417                  | 2                      | 280            | 1          | 85                           | CS01/M07/2700004669<br>Dt.27.06.2012                 | 2012               |
|            |                                                                                  | HP STEAM             | 306000                 | 5.1                    | 515            | 1          | 85                           | CS01/M07/2700004669<br>Dt.27.06.2012                 | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

207 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                          | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                   | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------|--------------------|
| 1251       | M/s.THERMAX LTD.<br>GAIL INDIA LTD,VIJAYPUR, GUNA DIST<br>PROJECT<br>Job No:1232          | CO2 RICH GAS         | 217350                 | 1.03                   | 112            | 1          | 85                           | CS01/M07/2700004669<br>Dt.27.06.2012 | 2012               |
|            |                                                                                           | SAT. STEAM           | 56494                  | 0.5                    | 330            | 1          | 85                           | 251004098 Dt.08.06.12<br>(PR0211)    | 2012               |
|            |                                                                                           | SAT. STEAM           | 56928                  | 0.5                    | 330            | 1          | 85                           | 251004098 Dt.08.06.12<br>(PR0211)    | 2012               |
|            |                                                                                           | SH STEAM             | 40652                  | 0.5                    | 515            | 1          | 85                           | 251004098 Dt.08.06.12<br>(PR0211)    | 2012               |
|            |                                                                                           | SUPERHEATED<br>STEAM | 78680                  | 1.5                    | 510            | 1          | 85                           | 251004098 Dt.08.06.12<br>(PR0211)    | 2012               |
|            |                                                                                           | SUPERHEATED<br>STEAM | 48090                  | 1.5                    | 370            | 1          | 85                           | 251004098 Dt.08.06.12<br>(PR0211)    | 2012               |
|            |                                                                                           | SUPERHEATED<br>STEAM | 5500                   | 1.5                    | 270            | 1          | 85                           | 251004098 Dt.08.06.12<br>(PR0211)    | 2012               |
|            |                                                                                           | SUPERHEATED<br>STEAM | 60050                  | 1.5                    | 175            | 1          | 85                           | 251004098 Dt.08.06.12<br>(PR0211)    | 2012               |
| 1252       | M/s THERMAX LTD.<br>GAIL INDIA LTD, VIJAYPUR,<br>GUNA DISTRICT.<br>PROJECT<br>Job No:1233 | SAT. STEAM           | 36224                  | 0.5                    | 324            | 1          | 85                           | 251004099<br>DT. 08.06.2012 (PH0501) | 2012               |
|            |                                                                                           | SAT. STEAM           | 36526                  | 0.5                    | 324            | 1          | 85                           | 251004099<br>DT. 08.06.2012 (PH0501) | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

208 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                          | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                   | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------|--------------------|
| 1253       | M/s THERMAX LTD.<br>GAIL INDIA LTD, VIJAYPUR,<br>GUNA DISTRICT.<br>PROJECT<br>Job No:1234 | SH STEAM             | 22383                  | 0.5                    | 525            | 1          | 85                           | 251004099<br>DT. 08.06.2012 (PH0501) | 2012               |
|            |                                                                                           | SUPERHEATED<br>STEAM | 37500                  | 0.5                    | 525            | 1          | 85                           | 251004099<br>DT. 08.06.2012 (PH0501) | 2012               |
|            |                                                                                           | SAT. STEAM           | 36224                  | 0.5                    | 324            | 1          | 85                           | 251004099<br>DT. 08.06.2012 (PH0501) | 2012               |
|            |                                                                                           | SAT. STEAM           | 36526                  | 0.5                    | 324            | 1          | 85                           | 251004099<br>DT. 08.06.2012 (PH0501) | 2012               |
|            |                                                                                           | SH STEAM             | 22383                  | 0.5                    | 525            | 1          | 85                           | 251004099<br>DT. 08.06.2012 (PH0501) | 2012               |
|            |                                                                                           | SUPERHEATED<br>STEAM | 37500                  | 0.5                    | 525            | 1          | 85                           | 251004099<br>DT. 08.06.2012 (PH0501) | 2012               |
| 1254       | M/s THERMAX LTD.<br>GAIL INDIA LTD, VIJAYPUR,<br>GUNA DISTRICT.<br>PROJECT<br>Job No:1235 | SAT. STEAM           | 36224                  | 0.5                    | 324            | 1          | 85                           | 251004099<br>DT. 08.06.2012 (PH0501) | 2012               |
|            |                                                                                           | SAT. STEAM           | 36526                  | 0.5                    | 324            | 1          | 85                           | 251004099<br>DT. 08.06.2012 (PH0501) | 2012               |
|            |                                                                                           | SH STEAM             | 22383                  | 0.5                    | 525            | 1          | 85                           | 251004099<br>DT. 08.06.2012 (PH0501) | 2012               |
|            |                                                                                           | SUPERHEATED<br>STEAM | 37500                  | 0.5                    | 525            | 1          | 85                           | 251004099<br>DT. 08.06.2012 (PH0501) | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

209 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                            | SERVICE              | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                               | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------------------------------------------|----------------------|-------------------------|-------------------------|----------------|------------|------------------------------|--------------------------------------------------|--------------------|
| 1255       | M/S RELIANCE INDUSTRIES LTD.<br>PTA REACTOR SYSTEM AT PMD,<br>MAHARASHTRA,PROJECT<br>Job No:1236            | STEAM                | 43500                   | 3.5<br>(BAR(g))         | 185            | 1          | 85                           | PPTA/MX6/7394361<br>DATED 11.07.2012             | 2012               |
| 1256       | M/s.THERMAL SYSTEMS<br>(HYDERABAD) PVT. LTD.<br>B-150 (IMOURAREN URANIUM PROJECT)<br>PROJECT<br>Job No:1237 | SUPERHEATED<br>STEAM | 9,350                   | 72<br>(BAR(g))          | 415            | 1          | <85                          | 2012000370/B-00150<br>DT.04.07.2012              | 2011               |
|            |                                                                                                             | SUPERHEATED<br>STEAM | 37,000                  | 71.2<br>(BAR(g))        | 480            | 1          | <85                          | 2012000370/B-00150<br>DT.04.07.2012              | 2011               |
|            |                                                                                                             | SATURATED STEAM      | 4,700                   | 11<br>(BAR(g))          | 358            | 1          | <85                          | 2012000370/B-00150<br>DT.04.07.2012              | 2011               |
| 1257       | M/S.ENMAS GB POWER SYSTEMS<br>PROJECTS LTD.<br>KAMACHI SPONGE & POWER CORP. LTD.<br>PROJECT<br>Job No:1238  | SUPERHEATED<br>STEAM | 61571                   | 1.5                     | 510            | 1          | 85                           | EGB/EPC/12-13/P/<br>FB010M/0159<br>DT.17.07.2012 | 2012               |
| 1258       | M/s KIRLOSKAR EBARA PUMPS LIMITED<br>50122,Project<br>Job No:1239                                           | STEAM                | 10220                   | 7.5/F.V                 | 337            | 3          | 85                           | 1110023368<br>Dt.10.07.2012                      | 2011               |
| 1259       | M/s KIRLOSKAR EBARA PUMPS LIMITED<br>50135<br>PROJECT<br>Job No:1240                                        | STEAM                | 23051                   | 4                       | 212.2          | 1          | 85                           | 1110023369<br>Dt.10.07.2012                      | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

210 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                  | SERVICE  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                      | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------------------|----------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------------------|--------------------|
| 1260       | M/s.THERMAX LTD<br>CPRG, Project<br>Job No:1241                                   | STEAM    | 3500                   | 1.5                    | 213            | 2          | 85                           | 1175353 Dt.25.07.2012                                   | 2012               |
|            |                                                                                   | STEAM    | 2000                   | 2                      | 216            | 1          | 85                           | 1175353 Dt.25.07.2012                                   | 2012               |
| 1261       | M/s.HARINAGAR SUGAR MILLS LIMITED<br>HARINAGAR,Project<br>Job No:1242             | STEAM    | 25500                  | 0 TO 72                | 525            | 1          | 85                           | PC/00049(PC-36/12-13)<br>Dt.26.07.2012                  | 2012               |
| 1262       | M/s.WALCHANDNAGAR INDUSTRIES LTD.<br>WARANA PROJECT<br>PROJECT<br>Job No:1243     | STEAM    | 12000                  | 2                      | 400            | 1          | 85                           | 4500024739<br>DT.30.07.2012                             | 2012               |
| 1263       | M/s. SHRI PRABHULINGESHWAR<br>SUGARS AND CHEMICALS LTD.<br>PROJECT<br>Job No:1244 | STEAM    | 8000                   | 20                     | 420            | 1          | 85                           | 234 DT.31.07.2012                                       | 2012               |
| 1264       | M/s GREENESOL POWER SYSTEMS<br>PVT. LTD.<br>DELHI MSW LTD,Project<br>Job No:1245  | STEAM    | 10000                  | 2                      | 400            | 1          | 85                           | GPSPL/PRAEWL/1125<br>01/SIL/PO-12/1213<br>DT.04.08.2012 | 2012               |
| 1265       | M/s.THERMAX LTD.<br>GMR CHHATTISGARH ENERGY LTD. (PF 1291)<br>PROJECT             | SH STEAM | 36243                  | 1                      | 270            | 1          | 85                           | 251004483 DT.02.08.12<br>(Email Dt.07.08.2012)          | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

211 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                    | SERVICE   | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                                        | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------------------|-----------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------------------------------------------------|--------------------|
| 1267       | Job No:1246<br>M/s.KANPUR FERTILIZERS AND<br>CEMENT LIMITED.,Project<br>Job No:1247 | MP STEAM  | 6500                   | 1.35                   | 240            | 1          | 85                           | KFCL/CASALE/PO/<br>VENT SILENCER/PRA<br>EWPL/2012/01 dt.07.08.12<br>(EMAIL dt.07.08.2012) | 2012               |
| 1268       | M/s.KIRLOSKAR EBARA PUMPS LTD.<br>50128, Project<br>Job No:1248                     | STEAM     | 32823                  | 37.5                   | 390            | 1          | 85                           | 1110023667<br>DT.06.08.2012                                                               | 2011               |
| 1269       | M/s. United phosphorus ltd. bharuch<br>PROJECT :- -<br>Job No:1249                  | MP STEAM  | 10000                  | 1                      | 300            | 1          | 85                           | LOI EMAIL<br>DATED 08.08.2012                                                             | 2012               |
| 1270       | M/s.INDIAN OIL CORPORATION LTD,<br>PANIPAT REFINERY,Project<br>Job No:1250          | STEAM     | 18150                  | 2.5                    | 525            | 1          | 85                           | NCM1213017/23678394<br>Dt.08.08.2012                                                      | 2012               |
| 1271       | M/s. THERMAX LTD.<br>M/s. THE INDIA CEMENTS LTD.<br>PROJECT<br>Job No:1251          | STEAM     | 15<br>(TPH)            | 40                     | 510            | 1          | 110                          | 1000016936<br>Dt.10.08.2012                                                               | 2012               |
| 1272       | M/s.Reliance industries ltd,jamnagar<br>PROJECT<br>Job No:1252                      | STEAM     | 15000                  | 10.7                   | 390            | 1          | 85                           | JM1/7399839 Dt.06.08.12<br>(Email dt.16.08.2012)                                          | 2012               |
|            |                                                                                     | STEAM     | 28000                  | 5.88                   | 290            | 1          | 85                           | JM1/7399839 Dt.06.08.12<br>(Email dt.16.08.2012)                                          | 2012               |
| 1273       | M/s ENGINEERS INDIA LTD.                                                            | VHP STEAM | 26000                  | 104                    | 513            | 1          | <85                          | 6907-113-U-PO-6522/                                                                       | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

212 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                                         | SERVICE                          | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                               | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------------------------------------------------------|----------------------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------------------------------|--------------------|
| 1274       | BRAHMAPUTRA CRACKER AND<br>POLYMER LTD. (BCPL),Project<br>Job No:1253                                                    |                                  |                        |                        |                |            |                              | 0166/0832 Dt.16.08.2012                                                          |                    |
|            | M/s.Cethar vessels ltd-Ars metals ltd<br>ARSMETAL,Project<br>Job No:1254                                                 | SAT.STEAM                        | 104296                 | 2.8                    | 332.5          | 1          | 85                           | MBK069/0332/<br>S Dt.16.08.2012                                                  | 2012               |
|            |                                                                                                                          | SAT.STEAM                        | 107385                 | 2.95                   | 332.5          | 1          | 85                           | MBK069/0332/<br>S Dt.16.08.2012                                                  | 2012               |
|            |                                                                                                                          | SH.STEAM                         | 90360                  | 2.7                    | 545            | 1          | 85                           | MBK069/0332/<br>S Dt.16.08.2012                                                  | 2012               |
| 1275       | M/s.LARSEN & TOUBRO LTD.<br>375 MW GUJARAT STATE ELECTRICITY<br>CORP. LTD (GSECL)-DHUVARAN-III<br>PROJECT<br>Job No:1255 | LOW PRESSURE<br>BLOWING<br>STEAM | 200<br>(TPH)           | 7<br>(BAR(a))          | 430            | 1          | 90                           | LOI NO.DHUVARAN-III/<br>CMM/PUR/ ABS/LOI/<br>SILENCER_SB/PRA/32<br>Dt.28.08.2012 | 2012               |
|            |                                                                                                                          | LOW PRESSURE<br>BLOWING<br>STEAM | 200<br>(TPH)           | 9<br>(BAR(a))          | 430            | 1          | 90                           | LOI NO.DHUVARAN-III/<br>CMM/PUR/ ABS/LOI/<br>SILENCER_SB/PRA/32<br>Dt.28.08.2012 | 2012               |
| 1276       | M/S THERMAX LIMITED.<br>RENOVATION,PROJECT<br>Job No:1256                                                                | STEAM                            | 55<br>(TPH)            | 5<br>(Bar)             | 505            | 1          | <85                          | 451000870 Dt.03.09.2012                                                          | 2012               |
| 1277       | M/s.THERMAX LIMITED.<br>125MW SOLAR THERMAL, RELIANCE,<br>RAJASTHAN,PROJECT                                              | VENT STEAM                       | 45<br>(kg/s)           | 2<br>(Bar(a))          | 418            | 1          | 85                           | 1000017240 DT.31.08.2012                                                         | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

213 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                               | SERVICE     | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE       | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------|-------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------|--------------------|
|            | Job No:1257                                                    | VENT STEAM  | 3<br>(kg/s)            | 2<br>(Bar(a))          | 250            | 1          | 85                           | 1000017240 Dt.31.08.2012 | 2012               |
|            |                                                                | FLASH STEAM | 3<br>(kg/s)            | 2<br>(Bar(a))          | 220            | 1          | 85                           | 1000017240 Dt.31.08.2012 | 2012               |
| 1278       | M/s.KIRLOSKAR EBARA PUMPS LTD.<br>50129,Project<br>Job No:1258 | STEAM       | 3056                   | 5                      | 278            | 1          | 85                           | 1110023920 Dt.03.09.2012 | 2012               |
|            |                                                                | STEAM       | 3056                   | 40.6                   | 370            | 1          | 85                           | 1110023920 Dt.03.09.2012 | 2012               |
|            |                                                                | STEAM       | 9033                   | 5                      | 291.7          | 1          | 85                           | 1110023920 Dt.03.09.2012 | 2012               |
|            |                                                                | STEAM       | 9033                   | 40.5                   | 370            | 1          | 85                           | 1110023920 Dt.03.09.2012 | 2012               |
| 1279       | M/s KIRLOSKAR EBARA PUMPS LTD<br>50131,Project<br>Job No:1259  | STEAM       | 11638                  | 46                     | 370            | 1          | 85                           | 1110023921 Dt.03.09.2012 | 2012               |
|            |                                                                | STEAM       | 11638                  | 6.5                    | 326            | 1          | 85                           | 1110023921 Dt.03.09.2012 | 2012               |
| 1280       | M/s KIRLOSKAR EBARA PUMPS LTD<br>50132,Project<br>Job No:1260  | STEAM       | 17910                  | 46                     | 370            | 1          | 85                           | 1110023922 Dt.03.09.2012 | 2012               |
|            |                                                                | STEAM       | 17910                  | 6.5                    | 326            | 1          | 85                           | 1110023922 Dt.03.09.2012 | 2012               |
| 1281       | M/s.ENMAS GB POWER SYSTEMS                                     | SUPERHEATED | 63266                  | 0.45                   | 313            | 1          | <100@3m                      | EGB/PUR/12-13/B/         | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

214 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                   | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2  | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                 | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------------------|----------------------|------------------------|-------------------------|----------------|------------|------------------------------|----------------------------------------------------|--------------------|
|            | PROJECTS LTD.<br>ITC LIMITED.,Project<br>Job No:1261                               | SUPERHEATED<br>STEAM |                        |                         |                |            |                              | WBAA1500/0215<br>Dt.20.08.2012                     |                    |
|            |                                                                                    | SUPERHEATED<br>STEAM | 22370                  | 0.32                    | 500            | 1          | <100@3m                      | EGB/PUR/12-13/B/<br>WBAA1500/0215<br>Dt.20.08.2012 | 2012               |
|            |                                                                                    | SUPERHEATED<br>STEAM | 21630                  | 2.75                    | 500            | 1          | <85@1m                       | EGB/PUR/12-13/B/<br>WBAA1500/0215<br>Dt.20.08.2012 | 2012               |
|            |                                                                                    | SUPERHEATED<br>STEAM | 15000                  | 2.9                     | 500            | 1          | <85@1m                       | EGB/PUR/12-13/B/<br>WBAA1500/0215<br>Dt.20.08.2012 | 2012               |
| 1282       | M/s. INDIAN OIL CORPORATION LTD.<br>BARAUNI REFINERY, BIHAR,Project<br>Job No:1262 | -                    | 15,000                 | 14                      | 194            | 1          | 70                           | RBR/MT/11W152<br>DT.25.09.2012                     | 2012               |
|            |                                                                                    | -                    | 15,000                 | 14                      | 250            | 1          | 70                           | RBR/MT/11W152<br>DT.25.09.2012                     | 2012               |
| 1283       | M/S.Thermodyne technologies pvt. ltd.<br>B1210,Project<br>Job No:1263              | STEAM                | 7,700                  | 71<br>(SET<br>PRESSURE) | 490            | 1          | 110                          | MB/09/681213/1210<br>Dt.24.09.2012                 | 2012               |
|            |                                                                                    | STEAM                | 8,400                  | 61                      | 490            | 1          | 110                          | MB/09/681213/1210<br>Dt.24.09.2012                 | 2012               |
| 1284       | M/s Ntpc bhel power projects pvt. ltd.                                             | STEAM/               | 5                      | 42                      | 470            | 1          | 80                           |                                                    | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

215 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                              | SERVICE  | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                  | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------------------------------|----------|-------------------------|-------------------------|----------------|------------|------------------------------|-------------------------------------|--------------------|
|            | North eastern electric power corporation ltd.<br>Job No:1264                                  | AIR      | (TPH)                   |                         |                |            |                              |                                     |                    |
| 1285       | M/s. Walchand nagar industries ltd.<br>136 TPH boiler linasu holding, columbia<br>Job No:1265 | -        | 55900                   | 2.3                     | 510            | 1          | 75                           | 4500027103 Dt.18.10.2012            | 2011               |
|            |                                                                                               | -        | 55900                   | 2.3                     | 400            | 1          | 75                           | 4500027103 Dt.18.10.2012            | 2011               |
|            |                                                                                               | -        | 55900                   | 73                      | 510            | 1          | 75                           | 4500027103 Dt.18.10.2012            | 2011               |
| 1286       | M/s THERMAX LTD.<br>GAIL INDIA LTD, VIJAYPUR, GUNA<br>DIST-PR0211,project<br>Job No:1266      | SH STEAM | 179406                  | 4.6                     | 390            | 1          | 85                           | 251005193 DT.17.10.2012<br>(PR0211) | 2012               |
|            |                                                                                               | SH STEAM | 179406                  | 4.6                     | 390            | 1          | 85                           | 251005193 DT.17.10.2012<br>(PR0211) | 2012               |
|            |                                                                                               | SH STEAM | 27798                   | 2.1                     | 290            | 1          | 85                           | 251005193 DT.17.10.2012<br>(PR0211) | 2012               |
|            |                                                                                               | SH STEAM | 27798                   | 2.1                     | 290            | 1          | 85                           | 251005193 DT.17.10.2012<br>(PR0211) | 2012               |
|            |                                                                                               | SH STEAM | 72197                   | 0.65                    | 220            | 1          | 85                           | 251005193 DT.17.10.2012<br>(PR0211) | 2012               |
|            |                                                                                               | SH STEAM | 72197                   | 0.65                    | 220            | 1          | 85                           | 251005193 DT.17.10.2012<br>(PR0211) | 2012               |
|            |                                                                                               | SH STEAM | 72197                   | 0.65                    | 220            | 1          | 85                           | 251005193 DT.17.10.2012             | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

216 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                          | SERVICE                | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                  | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------|------------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------|--------------------|
| 1287       | M/S.THERMAX LTD<br>TURBOMACH/RIL-DAHEJ (PR0521)<br>Job No:1267            | SH STEAM               | 38000                  | 1                      | 515            | 1          | 85                           | (PR0211)<br>251005229 DT.22.10.2012 | 2012               |
|            |                                                                           | SH STEAM               | 62500                  | 1                      | 515            | 1          | 85                           | 251005229 DT.22.10.2012             | 2012               |
| 1288       | M/S.THERMAX LTD<br>METAPOW ENGG/RIL-DAHEJ (PR0522)<br>Job No:1268         | SH STEAM               | 38000                  | 1                      | 515            | 1          | 85                           | 251005232 DT.22.10.2012             | 2012               |
|            |                                                                           | SH STEAM               | 62500                  | 1                      | 515            | 1          | 85                           | 251005232 DT.22.10.2012             | 2012               |
| 1289       | M/S.THERMAX LTD<br>RIL-DAHEJ (PR0221)<br>Job No:1269                      | SH STEAM               | 45000                  | 1                      | 515            | 1          | 85                           | 251005230 DT.22.10.2012             | 2012               |
|            |                                                                           | SH STEAM               | 75000                  | 1                      | 515            | 1          | 85                           | 251005230 DT.22.10.2012             | 2012               |
| 1290       | M/S.THERMAX LTD<br>RIL-DAHEJ (PR0222)<br>Job No:1270                      | SH STEAM               | 45000                  | 1                      | 515            | 1          | 85                           | 251005231 DT.22.10.2012             | 2012               |
|            |                                                                           | SH STEAM               | 75000                  | 1                      | 515            | 1          | 85                           | 251005231 DT.22.10.2012             | 2012               |
| 1291       | M/s.THERMAL SYSTEMS (HYDERABAD)<br>PVT. LTD.,B-168 PROJECT<br>Job No:1271 | SATU<br>RATED<br>STEAM | 31500                  | 1.5                    | 238            | 2          | <85                          | 2012000851/B-00168<br>DT.27.10.2012 | 2012               |
| 1292       | M/s Kirloskar ebara pumps limited                                         | STEAM                  | 4204.3                 | 5.9                    | 339.32         | 4          | 85                           | 1110024536 Dt.26.10.2012            | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

217 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                              | SERVICE            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                            | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------------------------------|--------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------|--------------------|
| 1293       | 50127, Project<br>Job No:1272<br>M/s.CICB-CHEMICON PRIVATE Ltd<br>P416,project<br>Job No:1273 | -                  | 580                    | 1.1<br>(Bar(a))        | 115            | 1          | <85                          | CICB/P416/BPO3000171<br>/47/012 Dt.26.10.2012 | 2012               |
|            |                                                                                               | -                  | 220                    | 1.1<br>(Bar(a))        | 100            | 1          | <85                          | CICB/P416/BPO3000171<br>/47/012 Dt.26.10.2012 | 2012               |
| 1294       | M/s.THERMAX LTD.<br>DCW LTD.,project<br>Job No:1274                                           | Saturated<br>steam | 19600                  | 0.1-1                  | 205.6+5        | 1          | <85                          | 151006148 Dt.19.10.2012                       | 2012               |
| 1295       | M/s.Isgec heavy engineering limited.<br>TECHNOPROME EXPORT A/c.NTPC<br>Job No:1275            | -                  | 34444                  | 1                      | 220.7          | 1          | 110                          | 123292/JB0843<br>Dt.30.10.2012                | 2012               |
|            |                                                                                               | -                  | 34444                  | 1                      | 221.7          | 1          | 110                          | 123292/JB0843<br>Dt.30.10.2012                | 2012               |
|            |                                                                                               | -                  | 22963                  | 0.7                    | 215            | 1          | 110                          | 123292/JB0843<br>Dt.30.10.2012                | 2012               |
|            |                                                                                               | -                  | 19000                  | 2                      | 215            | 1          | 110                          | 123292/JB0843<br>Dt.30.10.2012                | 2012               |
| 1296       | M/s.Isgec heavy engineering limited.<br>GAIL,project<br>Job No:1276                           | -                  | 55768                  | 3                      | 329            | 1          | 110                          | 103441/JB0833                                 | 2012               |
|            |                                                                                               | -                  | 99643                  | 3                      | 329            | 1          | 110                          | 103441/JB0833                                 | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

218 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                    | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------|--------------------|
| 1297       | M/s.Isgec heavy engineering limited.<br>GAIL,project<br>Job No:1277 | -       | 41404                  | 3                      | 515            | 1          | 110                          | 103441/JB0833      | 2012               |
|            |                                                                     | -       | 85000                  | 3                      | 515            | 1          | 110                          | 103441/JB0833      | 2012               |
|            |                                                                     | -       | 22009                  | 1                      | 225            | 4          | 110                          | 103441/JB0833      | 2012               |
|            |                                                                     | -       | 66424                  | 1                      | 175            | 4          | 110                          | 103441/JB0833      | 2012               |
|            |                                                                     | -       | 26733                  | 1                      | 270            | 4          | 110                          | 103441/JB0833      | 2012               |
|            |                                                                     | -       | 63764                  | 1                      | 370            | 6          | 110                          | 103441/JB0833      | 2012               |
|            |                                                                     | -       | 32441                  | 1                      | 210            | 4          | 110                          | 103441/JB0833      | 2012               |
|            |                                                                     | -       | 55768                  | 3                      | 329            | 1          | 110                          | 103443/JB0834      | 2012               |
|            |                                                                     | -       | 99643                  | 3                      | 329            | 1          | 110                          | 103443/JB0834      | 2012               |
|            |                                                                     | -       | 41404                  | 3                      | 515            | 1          | 110                          | 103443/JB0834      | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

219 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                 | SERVICE            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------------------------|--------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------------------------|--------------------|
|            |                                                                                  | -                  | 85000                  | 3                      | 515            | 1          | 110                          | 103443/JB0834                                                     | 2012               |
| 1298       | M/s.Reliance industries ltd, mumbai.<br>CPT RII, DMD SITE,PROJECT<br>Job No:1278 | PROCESS<br>AIR GAS | 31000                  | 0.25<br>(Bar(G))       | 475            | 2          | 85                           | PTA5/MXC/7419382<br>Dt.09.11.2012                                 | 2012               |
|            |                                                                                  | PROCESS<br>AIR     | 39000                  | 0.25<br>(Bar(G))       | 175            | 2          | 85                           | PTA5/MXC/7419382<br>Dt.09.11.2012                                 | 2012               |
| 1299       | M/s.Air liquide engineering india pvt. ltd.<br>RIL-DAHEJ,PROJECT<br>Job No:1279  | Oxygen             | 7033<br>(Nm3/h)        | 1.094<br>(bar(abs))    | 17.1           | 1          | 85                           | LOA NO.ALEI/50-1085/<br>LOA/PR ACOUSTICAL/<br>12-13 Dt.09.11.2012 | 2012               |
|            |                                                                                  | Nitrogen           | 18410<br>(Nm3/h)       | 1.094<br>(bar(abs))    | 19             | 1          | 85                           | LOA NO.ALEI/50-1085/<br>LOA/PR ACOUSTICAL/<br>12-13 Dt.09.11.2012 | 2012               |
|            |                                                                                  | WN2+AIR            | 15720<br>(Nm3/h)       | 1.049<br>(bar(abs))    | 18.9           | 1          | 85                           | LOA NO.ALEI/50-1085/<br>LOA/PR ACOUSTICAL/<br>12-13 Dt.09.11.2012 | 2012               |
|            |                                                                                  | Nitrogen           | 19150<br>(Nm3/h)       | 7<br>(bar(abs))        | 40             | 1          | 85                           | LOA NO.ALEI/50-1085/<br>LOA/PR ACOUSTICAL/<br>12-13 Dt.09.11.2012 | 2012               |
|            |                                                                                  | Nitrogen           | 34920<br>(Nm3/h)       | 25<br>(bar(abs))       | 41             | 1          | 85                           | LOA NO.ALEI/50-1085/<br>LOA/PR ACOUSTICAL/<br>12-13 Dt.09.11.2012 | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

220 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                               | SERVICE                  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE            | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------------|--------------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------|--------------------|
| 1300       | M/s.Bhilai engineering corporation ltd.<br>Job No:1280                         | SUPER<br>HEATED<br>STEAM | 6300                   | 8                      | 504            | 4          | 85                           | PRJ/MAT/2328<br>DT.29.11.2012 | 2012               |
|            |                                                                                | SUPER<br>HEATED<br>STEAM | 6300                   | 8                      | 504            | 4          | 85                           | PRJ/MAT/2328<br>DT.29.11.2012 | 2012               |
|            |                                                                                | SUPER<br>HEATED<br>STEAM | 50340                  | 65                     | 504            | 1          | 85                           | PRJ/MAT/2328<br>DT.29.11.2012 | 2012               |
|            |                                                                                | Saturated<br>steam       | 9500                   | 7.5                    | 284            | 4          | 85                           | PRJ/MAT/2328<br>DT.29.11.2012 | 2012               |
|            |                                                                                | Saturated<br>steam       | 9500                   | 7.5                    | 284            | 4          | 85                           | PRJ/MAT/2328<br>DT.29.11.2012 | 2012               |
| 1301       | M/s.Sterling and wilson co-gen<br>solutions pvt ltd<br>Job No:1281             | GAS                      | 80000                  |                        | 550            | 3          | -                            |                               | 2012               |
| 1302       | M/s.THERMAX LTD.<br>M/s.QATAR SOLAR TECHNOLOGIES-<br>PUNJ LLOYD<br>Job No:1282 | Saturated<br>steam       | 24200                  | 1.5                    | 185            | 2          | 85                           | 40010870 DT.12/12/2012        | 2012               |
|            |                                                                                | Saturated<br>steam       | 35000                  | 0.6                    | 185            | 1          | 85                           | 40010870 DT.12/12/2012        | 2012               |
|            |                                                                                | Saturated<br>steam       | 42000                  | 0.6                    | 185            | 1          | 85                           | 40010870 DT.12/12/2012        | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

221 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                             | SERVICE                  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C         | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE             | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------------|--------------------------|------------------------|------------------------|------------------------|------------|------------------------------|--------------------------------|--------------------|
|            |                                                                              | Saturated<br>steam       | 6000                   | 1.5                    | 185                    | 2          | 85                           | 40010870 DT.12/12/2012         | 2012               |
| 1303       | M/s.KIRLOSKAR EBARA PUMPS LTD<br>50139<br>Job No:1283                        | STEAM                    | 8318.2                 | 4.7                    | 321.4                  | 1          | 85                           | 1110025074 DT.14.12.2012       | 2012               |
|            |                                                                              | STEAM                    | 1663.64                | 39.5                   | 390                    | 1          | 85                           | 1110025074 DT.14.12.2012       | 2012               |
| 1304       | M/s. ITC LIMITED, SECUNDERABAD<br>UNIT - BHADRACHALAM<br>Job No:1284         | STEAM                    | 53680                  | 2                      | 460                    | 1          | <80                          | 4502042586<br>DT.14/12/2012    | 2012               |
| 1305       | M/S.NAGARJUNA FERTILIZERS AND<br>CHEMICALS LIMITED, KAKINADA.<br>Job No:1285 |                          | 2389<br>(m3/min)       | ambient<br>pressure    | ambient<br>temperature | 1          | 85                           | 100025361<br>DATE 26.12.2012   | 2012               |
| 1306       | M/s.CICB CHEMICON PVT LTD<br>P 423 project<br>Job No:1286                    |                          | 15920                  | 10.4                   | 60                     | 2          | 85                           | MBL037/0156/S<br>DT.03.01.2013 | 2012               |
| 1307       | M/s.CETHAR VESSELS LTD.<br>PROMAC ENGG INDUSTRIES LTD.<br>Job No:1287        | SUPER<br>HEATER<br>STEAM | 12439                  | 2.1                    | 460                    | 1          | 85                           | MBL037/0156/S<br>DT.03.01.2013 | 2012               |
|            |                                                                              | SUPER<br>HEATER<br>STEAM | 15525                  | 4.5                    | 460                    | 1          | 85                           | MBL037/0156/S<br>DT.03.01.2013 | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

222 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                 | SERVICE                  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                           | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------------------------|--------------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------|--------------------|
| 1308       | M/s.Cicb-chemicon private ltd.<br>P435,project<br>Job No:1288                    | SUPER<br>HEATER<br>STEAM | 10350                  | 4.5                    | 400            | 1          | 85                           | MBL037/0156/S<br>DT.03.01.2013               | 2012               |
|            |                                                                                  |                          | 19526                  | 10<br>(Bar(a))         | 110            | 1          | <85                          | CICB/P435/BPO3000240<br>/2/113 DT.02.01.2013 | 2012               |
|            |                                                                                  |                          | 19526                  | 10<br>(Bar(a))         | 110            | 1          | <85                          | CICB/P435/BPO3000240<br>/2/113 DT.02.01.2013 | 2012               |
|            |                                                                                  |                          | 19526                  | 10<br>(Bar(a))         | 110            | 1          | <85                          | CICB/P435/BPO3000240<br>/2/113 DT.02.01.2013 | 2012               |
|            |                                                                                  |                          | 16595                  | 12<br>(Bar(a))         | 120            | 1          | <85                          | CICB/P435/BPO3000240<br>/2/113 DT.02.01.2013 | 2012               |
| 1309       | M/s.THERMAX LIMITED.<br>M/s.Cairn energy india pvt. ltd. (pf1311)<br>Job No:1289 | SAT.<br>STEAM            | 110631                 | 0.5                    | 275            | 1          | <115                         | 251006002 DT.09.01.2013                      | 2012               |
|            |                                                                                  | SH STEAM                 | 32377                  | 0.5                    | 380            | 1          | <115                         | 251006002 DT.09.01.2013                      | 2012               |
|            |                                                                                  | SH STEAM                 | 58432                  | 2                      | 380            | 1          | <85                          | 251006002 DT.09.01.2013                      | 2012               |
| 1310       | M/s.THERMAX LIMITED.<br>M/s.Cairn energy india pvt. ltd. (pf1311)<br>Job No:1290 | SAT.<br>STEAM            | 110631                 | 0.5                    | 275            | 1          | <115                         | 251006003 DT.09.01.2013                      | 2012               |
|            |                                                                                  | SH STEAM                 | 32377                  | 0.5                    | 380            | 1          | <115                         | 251006003 DT.09.01.2013                      | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

223 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                    | SERVICE  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                         | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------------------|----------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------------------------|--------------------|
| 1311       | M/s.Kanpur fertilizers & cement limited.<br>Job No:1291                             | SH STEAM | 58432                  | 2                      | 380            | 1          | <85                          | 251006003 DT.09.01.2013                                                    | 2012               |
|            |                                                                                     | MP STEAM | 6500                   | 1.35                   | 240            | 1          | 85                           | KFCL/CASALE/PO/<br>VENT SILENCER/PRA&<br>EWPL/2012/01 Amndt<br>dt.07.01.13 | 2012               |
| 1312       | M/s.OFFSHORE INFRASTRUCTURE LTD.<br>GAIL, LLDPE - HDPE COMPLEX, PATA<br>Job No:1292 | NITROGEN | 1000                   | 0.704                  | 230            | 1          | 85                           | OIL/3062/12-13/PP/046<br>DT.11/01/2013                                     | 2012               |
|            |                                                                                     | NITROGEN | 1000                   | 0.704                  | 325            | 1          | 85                           | OIL/3062/12-13/PP/046<br>DT.11/01/2013                                     | 2012               |
|            |                                                                                     | NITROGEN | 6000                   | 0.703                  | 340            | 1          | 85                           | OIL/3062/12-13/PP/046<br>DT.11/01/2013                                     | 2012               |
|            |                                                                                     | NITROGEN | 970                    | 1.05                   | 55             | 2          | 85                           | OIL/3062/12-13/PP/046<br>DT.11/01/2013                                     | 2012               |
| 1313       | M/S.TECHNIMONT<br>EIL-ONGC,PROJECT<br>Job No:1293                                   |          | 100000                 | 20                     | 130            | 1          | 85                           | 3669-CD-MR-027<br>DATE 15.01.2013                                          | 2012               |
|            |                                                                                     |          | 100000                 | 20                     | 130            | 1          | 85                           | 3669-CD-MR-027<br>DATE 15.01.2013                                          | 2012               |
|            |                                                                                     | HP STEAM | 600                    | 0.1                    | 427            | 1          | 85                           | 3669-CD-MR-027<br>DATE 15.01.2013                                          | 2012               |
|            |                                                                                     | NITROGEN | 140                    | 0.2                    | 325            | 1          | 85                           | 3669-CD-MR-027                                                             | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

224 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                   | SERVICE   | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                   | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------------------|-----------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------|--------------------|
|            |                                                                                    | NITROGEN  | 75                     | 0.2                    | 325            | 1          | 85                           | DATE 15.01.2013<br>3669-CD-MR-027<br>DATE 15.01.2013 | 2012               |
|            |                                                                                    | NITROGEN  | 25                     | 0.2                    | 325            | 1          | 85                           | 3669-CD-MR-027<br>DATE 15.01.2013                    | 2012               |
|            |                                                                                    | NITROGEN  | 2540                   | 0.2                    | 325            | 1          | 85                           | 3669-CD-MR-027<br>DATE 15.01.2013                    | 2012               |
| 1314       | M/s.KIRLOSKAR EBARA PUMPS LTD<br>50144,PROJECT<br>Job No:1294                      | STEAM     | 32793                  | 4                      | 326            | 1          | 85                           | 1110025450<br>DT.18/01/2013                          | 2012               |
| 1315       | M/s.CETHAR VESSELS LTD<br>Sks power generation (chhattishgarh) ltd.<br>Job No:1295 | Satuarted | 225002                 | 4.16                   | 366.6          | 1          | 110                          | MBK073/0180/S<br>DATE 19.01.2013                     | 2011               |
|            |                                                                                    | Satuarted | 227186                 | 4.14                   | 367.4          | 1          | 115                          | MBK073/0180/S<br>DATE 19.01.2013                     | 2011               |
|            |                                                                                    | Satuarted | 229370                 | 4.56                   | 368.2          | 1          | 115                          | MBK073/0180/S<br>DATE 19.01.2013                     | 2011               |
|            |                                                                                    | Satuarted | 231554                 | 4.53                   | 369            | 1          | 115                          | MBK073/0180/S<br>DATE 19.01.2013                     | 2011               |
|            |                                                                                    | SH STEAM  | 159021                 | 5.07                   | 546            | 1          | 110                          | MBK073/0180/S<br>DATE 19.01.2013                     | 2011               |
|            |                                                                                    | SH STEAM  | 111377                 | 5.05                   | 546            | 1          | 110                          | MBK073/0180/S                                        | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

225 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT | SERVICE  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                  | YEAR<br>OF<br>MFR. |
|------------|------------------|----------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------------|--------------------|
|            |                  | SH STEAM | 159021                 | 5.07                   | 546            | 1          | 110                          | DATE 19.01.2013<br>MBK073/0180/S<br>DATE 19.01.2013 | 2011               |
|            |                  | SH STEAM | 111377                 | 5.05                   | 546            | 1          | 110                          | MBK073/0180/S<br>DATE 19.01.2013                    | 2011               |
|            |                  | SH STEAM | 10300                  | 5                      | 546            | 2          | 115                          | MBK073/0180/S<br>DATE 19.01.2013                    | 2011               |
|            |                  | SH STEAM | 167442                 | 3.87                   | 340            | 1          | 115                          | MBK073/0180/S<br>DATE 19.01.2013                    | 2011               |
|            |                  | SH STEAM | 172870                 | 4.6                    | 340            | 1          | 115                          | MBK073/0180/S<br>DATE 19.01.2013                    | 2011               |
|            |                  | SH STEAM | 167442                 | 3.87                   | 340            | 1          | 115                          | MBK073/0180/S<br>DATE 19.01.2013                    | 2011               |
|            |                  | SH STEAM | 172870                 | 4.6                    | 340            | 1          | 115                          | MBK073/0180/S<br>DATE 19.01.2013                    | 2011               |
|            |                  | SH STEAM | 134203                 | 3.71                   | 546            | 1          | 115                          | MBK073/0180/S<br>DATE 19.01.2013                    | 2011               |
|            |                  | SH STEAM | 134203                 | 3.71                   | 546            | 1          | 115                          | MBK073/0180/S<br>DATE 19.01.2013                    | 2011               |
|            |                  | SH STEAM | 10120                  | 2.83                   | 383            | 1          | 115                          | MBK073/0180/S<br>DATE 19.01.2013                    | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

226 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                   | SERVICE   | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE               | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------------------|-----------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------|--------------------|
| 1316       | M/s.CETHAR VESSELS LTD<br>Sks power generation (chhattishgarh) ltd.<br>Job No:1296 | Satuarted | 225002                 | 4.16                   | 366.6          | 1          | 110                          | MBK074/0098/S<br>DATE 19.01.2013 | 2011               |
|            |                                                                                    | Satuarted | 227186                 | 4.14                   | 367.4          | 1          | 115                          | MBK074/0098/S<br>DATE 19.01.2013 | 2011               |
|            |                                                                                    | Satuarted | 229370                 | 4.56                   | 368.2          | 1          | 115                          | MBK074/0098/S<br>DATE 19.01.2013 | 2011               |
|            |                                                                                    | Satuarted | 231554                 | 4.53                   | 369            | 1          | 115                          | MBK074/0098/S<br>DATE 19.01.2013 | 2011               |
|            |                                                                                    | SH STEAM  | 159021                 | 5.07                   | 546            | 1          | 110                          | MBK074/0098/S<br>DATE 19.01.2013 | 2011               |
|            |                                                                                    | SH STEAM  | 111377                 | 5.05                   | 546            | 1          | 110                          | MBK074/0098/S<br>DATE 19.01.2013 | 2011               |
|            |                                                                                    | SH STEAM  | 159021                 | 5.07                   | 546            | 1          | 110                          | MBK074/0098/S<br>DATE 19.01.2013 | 2011               |
|            |                                                                                    | SH STEAM  | 111377                 | 5.05                   | 546            | 1          | 110                          | MBK074/0098/S<br>DATE 19.01.2013 | 2011               |
|            |                                                                                    | SH STEAM  | 10300                  | 5                      | 546            | 2          | 115                          | MBK074/0098/S<br>DATE 19.01.2013 | 2011               |
|            |                                                                                    | SH STEAM  | 167442                 | 3.87                   | 340            | 1          | 115                          | MBK074/0098/S<br>DATE 19.01.2013 | 2011               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

227 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                            | SERVICE  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                   | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------------|----------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------------------|--------------------|
|            |                                                                             | SH STEAM | 172870                 | 4.6                    | 340            | 1          | 115                          | MBK074/0098/S<br>DATE 19.01.2013                                     | 2011               |
|            |                                                                             | SH STEAM | 167442                 | 3.87                   | 340            | 1          | 115                          | MBK074/0098/S<br>DATE 19.01.2013                                     | 2011               |
|            |                                                                             | SH STEAM | 172870                 | 4.6                    | 340            | 1          | 115                          | MBK074/0098/S<br>DATE 19.01.2013                                     | 2011               |
|            |                                                                             | SH STEAM | 134203                 | 3.71                   | 546            | 1          | 115                          | MBK074/0098/S<br>DATE 19.01.2013                                     | 2011               |
|            |                                                                             | SH STEAM | 134203                 | 3.71                   | 546            | 1          | 115                          | MBK074/0098/S<br>DATE 19.01.2013                                     | 2011               |
|            |                                                                             | SH STEAM | 10120                  | 2.83                   | 383            | 1          | 115                          | MBK074/0098/S<br>DATE 19.01.2013                                     | 2011               |
| 1317       | M/s.Indian farmers fertilisers<br>cooperative ltd.-paradeep.<br>Job No:1297 | STAEM    | 70.6<br>(Tons/hr)      | 62                     | 480            | 2          | 85                           | 6525/252004131565<br>Dt. 09.12.2012                                  | 2012               |
| 1318       | M/s.KIRLOSKAR EBARA PUMPS LTD<br>50145,PROJECT<br>Job No:1298               | STEAM    | 23051                  | 18                     | 348            | 1          | 85                           | 1110025497<br>Date 23.01.2013                                        | 2013               |
| 1319       | M/s.LARSEN & TOUBRO LIMITED.<br>DHUVARAN-III 375 MW<br>Job No:1299          |          | 4647                   | 1.5<br>(bar(a))        | 400            | 1          | 85                           | DHUVARAN-III/COMM/<br>PUR/PVP/LOI/SILENCER<br>_SRV/PRA DT.04.02.2013 | 2013               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

228 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                    | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                  | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------|--------------------|
| 1320       | M/s.GAMMON INDIA LTD<br>OPAL DAHEJ,PROJECT<br>Job No:1300           | LP STEAM              | 15000                  | 7.5                    | 200            | 1          | 85                           | 8934/L/65 Dt.05.02.2013             | 2012               |
|            |                                                                     | HP STEAM              | 10300                  | 44                     | 427            | 3          | 85                           | 8934/L/65 Dt.05.02.2013             | 2012               |
| 1321       | M/s.Nagarjuna fertilizers&chemicals ltd,<br>KAKINADA<br>Job No:1301 |                       | 75000                  | 1.5                    | 350            | 1          | 80                           | 1000025612 Dt.08.12.2013            | 2012               |
| 1322       | M/s.THERMAX LTD.<br>TATA PROJECTS LIMITED (PI0101)<br>Job No:1303   | SH STEAM              | 150000                 | 10                     | 495            | 1          | 85                           | 251006438 Dt.23/02/2013             | 2012               |
| 1323       | M/s.THERMAX LTD.<br>TATA PROJECTS LIMITED (PI0102)<br>Job No:1304   | SH STEAM              | 150000                 | 10                     | 495            | 1          | 85                           | 251006439 Dt.23/02/2013             | 2012               |
| 1324       | M/s.THERMAX LTD.<br>TATA PROJECTS LIMITED (PI0103)<br>Job No:1305   | SH STEAM              | 150000                 | 10                     | 495            | 1          | 85                           | 251006440 Dt.23/02/2013             | 2012               |
| 1325       | M/s.Thermal systems (hyderabad) pvt. ltd<br>B-176<br>Job No:1306    | Saturated<br>Steam    | 1000                   | 1.5<br>(bar(g))        | 300            | 1          | <85                          | 2012001102/B-00176<br>Dt.23.02.2013 | 2013               |
|            |                                                                     | Saturated<br>Steam    | 500                    | 1.5<br>(bar(g))        | 300            | 1          | <85                          | 2012001102/B-00176<br>Dt.23.02.2013 | 2013               |
|            |                                                                     | Super heated<br>steam | 8250                   | 1.5<br>(bar(g))        | 500            | 1          | <85                          | 2012001102/B-00176<br>Dt.23.02.2013 | 2013               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

229 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                  | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                        | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------------------|--------------------|
| 1326       | M/s. APT power engineering limited.<br>USHA MARTIN LTD.<br>Job No:1307            | Super heated<br>steam | 36300                  | 3<br>(bar(g))          | 500            | 1          | <85                          | 2012001102/B-00176<br>Dt.23.02.2013                       | 2013               |
| 1327       | M/s.OFFSHORE INFRASTRUCTURES Ltd<br>EIL-GAIL PATA<br>Job No:1308                  | Super heated<br>steam | 1200                   | 1.15                   | 530            | 1          | <85                          | PO/APTPEL/UML-35/<br>PRA/2012-2013/M-043<br>DT.28.02.2013 | 2013               |
| 1328       | M/s.THERMAX LIMITED.<br>TOYO THAI (PF1321)<br>Job No:1309                         | steam                 | 1000                   | 3.5/F.V                | 290            | 1          | <85                          | OIL/3062/12-13/PP/069<br>dt.04.03.2013                    | 2013               |
| 1329       | M/s.RELIANCE INDUSTRIES LTD.<br>CPT RELIANCE SEZ SITE, JAMNAGAR.<br>Job No:1310   | steam                 | 510                    | 3.5/F.V                | 290            | 1          | <85                          | OIL/3062/12-13/PP/069<br>dt.04.03.2013                    | 2013               |
| 1330       | M/s.ISGEC HEAVY ENGINEERING LTD,<br>OPG POWER GENERATION PVT. LTD.<br>Job No:1311 | SAT. STEAM            | 33150                  | 0.5<br>(BAR(G))        | 299            | 1          | <115                         | 251006753 DT.20.03.13                                     | 2013               |
|            |                                                                                   | Super heated<br>steam | 28876                  | 2                      | 425            | 1          | <85                          | 251006753 DT.20.03.13                                     | 2013               |
|            |                                                                                   | STEAM                 | 5805.4                 | 3.5                    | 235            | 4          | 85                           | JM4/7442585 Dt.15/03/13                                   | 2013               |
|            |                                                                                   | STEAM                 | 5804.5                 | 3.5                    | 235            | 2          | 85                           | JM4/7442585 Dt.15/03/13                                   | 2013               |
|            |                                                                                   |                       | 132850                 | 1.5                    | 351.6          | 1          | 110                          | 104345/PS0001<br>DT.30.03.2013                            | 2012               |
|            |                                                                                   |                       | 155754                 | 1.5                    | 545            | 1          | 110                          | 104345/PS0001<br>DT.30.03.2013                            | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

230 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                    | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                   | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------|--------------------|
| 1331       | M/s.ESSAR PROJECTS (INDIA) LTD.<br>MATRIX FERTILIZER<br>Job No:1312 |                      | 58530                  | 1.5                    | 545            | 1          | 110                          | 104345/PS0001<br>DT.30.03.2013       | 2012               |
|            |                                                                     |                      | 139201                 | 1.5                    | 545            | 1          | 110                          | 104345/PS0001<br>DT.30.03.2013       | 2012               |
|            |                                                                     |                      | 61947                  | 3                      | 545            | 1          | 85                           | 104345/PS0001<br>DT.30.03.2013       | 2012               |
|            |                                                                     |                      | 0.37<br>(KG/S)         | 500<br>(mmWc(g))       | 400            | 1          | 85                           | CS01/M05/2700005427<br>DT.30.03.2013 | 2013               |
|            |                                                                     |                      | 0.32<br>(KG/S)         | 500<br>(mmWc(g))       | 400            | 1          | 85                           | CS01/M05/2700005427<br>DT.30.03.2013 | 2013               |
| 1332       | M/s.RELIANCE INDUSTRIES LIMITED<br>CPT RIL DMD SITE<br>Job No:1313  | MP STEAM             | 2500                   | 21                     | 360            | 2          | 85                           | DPVC/MXC/7445142<br>DT.29.03.2013    | 2012               |
| 1333       | M/s.THERMAX LIMITED.<br>NEEPCO<br>Job No:1314                       | SAT. STEAM           | 20800                  | 0.5                    | 293            | 1          | 115                          | 251006891 Dt.03/04/2013              | 2012               |
|            |                                                                     | SAT. STEAM           | 8000                   | 1                      | 179            | 1          | 115                          | 251006891 Dt.03/04/2013              | 2012               |
|            |                                                                     | Superheated<br>steam | 13500                  | 1.5                    | 485            | 1          | 115                          | 251006891 Dt.03/04/2013              | 2012               |
|            |                                                                     | STEAM                | 4500                   | 0.5                    | 235            | 1          | 115                          | 251006891 Dt.03/04/2013              | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

231 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                              | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE      | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------|--------------------|
| 1334       | M/s.THERMAX LIMITED.<br>NEEPCO<br>Job No:1315 | SAT. STEAM           | 20800                  | 0.5                    | 293            | 1          | 115                          | 251006892 Dt.03/04/2013 | 2012               |
|            |                                               | SAT. STEAM           | 8000                   | 1                      | 179            | 1          | 115                          | 251006892 Dt.03/04/2013 | 2012               |
|            |                                               | Superheated<br>steam | 13500                  | 1.5                    | 485            | 1          | 115                          | 251006892 Dt.03/04/2013 | 2012               |
|            |                                               | STEAM                | 4500                   | 0.5                    | 235            | 1          | 115                          | 251006892 Dt.03/04/2013 | 2012               |
| 1335       | M/s.THERMAX LIMITED.<br>NEEPCO<br>Job No:1316 | SAT. STEAM           | 20800                  | 0.5                    | 293            | 1          | 115                          | 251006893 Dt.03/04/2013 | 2012               |
|            |                                               | SAT. STEAM           | 8000                   | 1                      | 179            | 1          | 115                          | 251006893 Dt.03/04/2013 | 2012               |
|            |                                               | Superheated<br>steam | 13500                  | 1.5                    | 485            | 1          | 115                          | 251006893 Dt.03/04/2013 | 2012               |
|            |                                               | STEAM                | 4500                   | 0.5                    | 235            | 1          | 115                          | 251006893 Dt.03/04/2013 | 2012               |
| 1336       | M/s.THERMAX LIMITED.<br>NEEPCO<br>Job No:1317 | SAT. STEAM           | 20800                  | 0.5                    | 293            | 1          | 115                          | 251006894 Dt.03/04/2013 | 2012               |
|            |                                               | SAT. STEAM           | 8000                   | 1                      | 179            | 1          | 115                          | 251006894 Dt.03/04/2013 | 2012               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

232 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                           | SERVICE                | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                       | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------------------------|------------------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------|--------------------|
|            |                                                                                            | Superheated<br>steam   | 13500                  | 1.5                    | 485            | 1          | 115                          | 251006894 Dt.03/04/2013                  | 2012               |
|            |                                                                                            | STEAM                  | 4500                   | 0.5                    | 235            | 1          | 115                          | 251006894 Dt.03/04/2013                  | 2012               |
| 1337       | M/s.Leighton welspun contractors pvt. ltd.<br>CAIRN ENERGY BARMER, RAJASTAN<br>Job No:1318 | High pressure<br>steam | 30<br>(TPH)            | 4210<br>(KPaG)         | 425            | 1          | 85                           | 1165/PO/0031 Dt.04.04.13                 | 2013               |
| 1338       | M/s.ISGEC HEAVY ENGINEERING LTD,<br>ADITYA BIRLA CHEMICALS (I) LTD.<br>Job No:1319         |                        | 40834                  | 2                      | 545            | 1          | 110                          | 415772/JB0852 Dt.04.04.13                | 2013               |
|            |                                                                                            |                        | 59239                  | 2                      | 333.1          | 1          | 110                          | 415772/JB0852 Dt.04.04.13                | 2013               |
|            |                                                                                            |                        | 105821                 | 2                      | 333.4          | 1          | 110                          | 415772/JB0852 Dt.04.04.13                | 2013               |
|            |                                                                                            |                        | 45000                  | 2                      | 545            | 1          | 110                          | 415772/JB0852 Dt.04.04.13                | 2013               |
| 1339       | M/s.KUMBHI CHINI MILLS<br>AVANT GARDE<br>Job No:1320<br><br>1321                           |                        | 10000                  | 30                     | 400            | 1          | 85                           | BCML/KCM/SILENCER/<br>2270 Dt.02.04.2013 | 2013               |
| 1340       | M/s Air liquide engineering india                                                          | AIR                    | 16519                  | 22 / 25                | 36/-20+65      | 1          | 85                           | BO122510-501093                          | 2013               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

233 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                  | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                             | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------|--------------------|
|            | (p) Ltd.,LILO MEXICO PROJECT<br>Job No:1322                                       |         | (Nm3/hr)               | (Bar(g))               |                |            |                              | Dt:15.04.2013                                  |                    |
| 1341       | M/s.PARRY SUGAR INDUSTRIES LTD.<br>RAMDURG SITE<br>Job No:1323                    |         | 20000                  | 3.5                    | 445            | 2          | 85                           | PSILHO/RMD/NORMAL/<br>2013-14/07 Dt.17.04.2013 | 2013               |
|            |                                                                                   |         | 10000                  | 3.5                    | 400            | 1          | 85                           | PSILHO/RMD/NORMAL/<br>2013-14/07 Dt.17.04.2013 | 2013               |
| 1342       | M/s.PAUL WURTH INDIA PVT LTD.<br>RASHTRIYA ISPAT NIGAM LTD, VIZAG.<br>Job No:1324 | BF GAS  | 186000                 | 6<br>(abs))            | 250            | 1          | 80                           | 15101931 DATE 07.05.2013                       | 2012               |
| 1343       | M/s.Tamil nadu newsprint & papers ltd.<br>Job No:1325                             |         | 90<br>(IPH)            | 4                      | 460            | 1          | 85                           | FAC-MAT-PUR/1314501703<br>Dt.09/05/2013        | 2013               |
| 1344       | M/S.RELIANCE INDUSTRIES LIMITED.<br>NAGOTHANE.<br>Job No:1326                     |         | 68500                  | 1.033                  | 190            | 1          | 85@20m                       | MXB/7454255 Dt. 15.05.2013                     | 2013               |
| 1345       | M/S.RELIANCE INDUSTRIES LIMITED.<br>DAHEJ<br>Job No:1327                          | STEAM   | 134000                 | 2.8                    | 360            | 2          | 105                          | MXC/6237211 Dt.21.05.2013                      | 2013               |
|            |                                                                                   | STEAM   | 80000                  | 1.5                    | 240            | 2          | 105                          | MXC/6237211 Dt.21.05.2013                      | 2013               |
|            |                                                                                   | STEAM   | 16000                  | 3.2                    | 270            | 2          | 105                          | MXC/6237211 Dt.21.05.2013                      | 2013               |
|            |                                                                                   | STEAM   | 60000                  | 1.6                    | 330            | 1          | 105                          | MXC/6237211 Dt.21.05.2013                      | 2013               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

234 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                         | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                 | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------|--------------------|
| 1346       | M/s. SAIRAM BOILERS ENGG. PVT. LTD<br>GVG PAPER MILLS (P) LTD., UDUMALPET<br>Job No:1328 | STEAM                 | 80000                  | 1.5                    | 220            | 1          | 105                          | MXC/6237211 Dt.21.05.2013                          | 2013               |
|            |                                                                                          | STEAM                 | 50000                  | 11                     | 510            | 1          | 85                           | MXC/6237211 Dt.21.05.2013                          | 2013               |
|            |                                                                                          | STEAM                 | 7 to 8<br>(T/HR)       | 4<br>(bar)             | 200            | 1          | 85                           | SBEPL/GVG/PRAEW/PO/<br>2013-2014/036 DT.25.05.2013 | 2013               |
|            |                                                                                          |                       | 28<br>(IPH)            | 2<br>(bar)             | 450            | 1          | 85                           | SBEPL/GVG/PRAEW/PO/<br>2013-2014/036 DT.25.05.2013 | 2013               |
|            |                                                                                          |                       | 28<br>(TPH)            | 42<br>(bar)            | 450            | 1          | 85                           | SBEPL/GVG/PRAEW/PO/<br>2013-2014/036 DT.25.05.2013 | 2013               |
|            |                                                                                          |                       | 8<br>(TPH)             | 2<br>(bar)             | 175            | 1          | 85                           | SBEPL/GVG/PRAEW/PO/<br>2013-2014/036 DT.25.05.2013 | 2013               |
| 1347       | M/s.BASF INDIA LIMITED.<br>CETHAR LTD<br>Job No:1329                                     | Super heated<br>steam | 11924                  | 5                      | 205            | 1          | 85                           | G3IR-BIL-LOI-011<br>DT.04.06.2013                  | 2012               |
|            |                                                                                          | Super heated<br>steam | 12600                  | 5                      | 205            | 1          | 85                           | G3IR-BIL-LOI-011<br>DT.04.06.2013                  | 2012               |
|            |                                                                                          | Super heated<br>steam | 21453                  | 5                      | 205            | 2          | 85                           | G3IR-BIL-LOI-011<br>DT.04.06.2013                  | 2012               |
| 1340       | M/s Air liquide engineering india<br>(p) ltd.,LILO MEXICO PROJECT                        | AIR                   | 16519<br>(Nm3/hr)      | 22 / 25<br>(Bar(g))    | 36/-20+65      | 1          | 85                           | BO120210-501278<br>Dt:12.06.2013                   | 2013               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

235 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                        | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                     | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------|--------------------|
| 1341       | Job No:1330<br>M/s. SHREYANS INDUSTRIES LIMITED.<br>Job No:1331         | Super heated<br>steam | 16<br>(TPH)            | 3.4                    | 150            | 1          | 85                           | APO/072449/ AHM<br>Dt.14.06.2013       | 2013               |
| 1342       | M/s.THERMAL SYSTEMS (HYD) PVT. LTD.<br>B-178<br>Job No:1332             | Saturated<br>steam    | 67600                  | 1.5                    | 343            | 1          | <85                          | 2013000218/ B-00718<br>Dt.20.06.2013   | 2013               |
|            |                                                                         | Saturated<br>steam    | 67600                  | 1.5                    | 343            | 1          | <85                          | 2013000218/ B-00718<br>Dt.20.06.2013   | 2013               |
|            |                                                                         | Saturated<br>steam    | 37500                  | 1.5                    | 411            | 1          | <85                          | 2013000218/ B-00718<br>Dt.20.06.2013   | 2013               |
|            |                                                                         | Super heated<br>steam | 18700                  | 1.5                    | 400            | 1          | <85                          | 2013000218/ B-00718<br>Dt.20.06.2013   | 2013               |
|            |                                                                         | Super heated<br>steam | 98100                  | 1.5                    | 500            | 1          | <85                          | 2013000218/ B-00718<br>Dt.20.06.2013   | 2013               |
| 1343       | M/s.THERMAX LTD.<br>PUNJLLOYD / Qatar solar technologies<br>Job No:1333 | Saturated<br>steam    | 39000                  | 1.5                    | 185            | 1          | 85                           | EMAIL CONFIRMATION<br>DATED 26.06.2013 | 2013               |
|            |                                                                         | Super heated<br>steam | 6200                   | 0.6                    | 210            | 1          | 85                           | EMAIL CONFIRMATION<br>DATED 26.06.2013 | 2013               |
| 1344       | M/s.Reliance industries limited, jamnagar<br>Job No:1334                | STEAM                 | 15500                  | 1.45                   | 235            | 2          | 85                           | JM1/7460659 Dt.18.06.2013              | 2013               |
|            |                                                                         | STEAM                 | 15500                  | 1.45                   | 235            | 2          | 85                           | JM1/7460659 Dt.18.06.2013              | 2013               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

236 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                              | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                           | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------------|--------------------|
| 1345       | M/S.Jindal steel & power limited<br>Angul,orissa<br>Job No:1335                               |         | 24500<br>(Nm3/hr)      | 9.08<br>(Bar(a))       | 36             | 3          | 89                           | 4561019107 dT.29.06.2013                                     | 2013               |
| 1346       | M/s.OFFSHORE INFRASTRUCTURES LTD<br>EIL/GAIL VIJAIPUR<br>Job No:1336                          |         | 9600                   | 3.5                    | 250            | 1          | <85                          | OIL/3066/13-14/PP/0129/<br>AMD1 Dt.27.06.2013                | 2013               |
|            |                                                                                               |         | 2700                   | 3.5                    | 210            | 1          | <85                          | OIL/3066/13-14/PP/0129/<br>AMD1 Dt.27.06.2013                | 2013               |
|            |                                                                                               |         | 14600                  | 3.5                    | 250            | 1          | <85                          | OIL/3066/13-14/PP/0129/<br>AMD1 Dt.27.06.2013                | 2013               |
| 1347       | M/s. ISGEC HEAVY ENGINEERING LTD.<br>KUMBHI CHINI MILLS<br>Job No:1337                        |         | 18232                  | 0.5                    | 430            | 1          | 85                           | 105275/JB0865 Dt.06.07.2013                                  | 2013               |
|            |                                                                                               |         | 22280                  | 0.5                    | 430            | 1          | 85                           | 105275/JB0865 Dt.06.07.2013                                  | 2013               |
| 1348       | M/s.Uttam sucrotech international pvt. ltd.<br>RIOPAILA CASTILLA S.A.-COLOMBIA<br>Job No:1338 |         | 66000                  | 2<br>(Bar(g))          | 500            | 1          | 80                           | USI.CO/PUR/U15320/RC<br>SG-32/2013-14/12179<br>Dt.10.07.2013 | 2013               |
|            |                                                                                               |         | 52000                  | 2<br>(Bar(g))          | 400            | 1          | 80                           | USI.CO/PUR/U15320/RC<br>SG-32/2013-14/12179<br>Dt.10.07.2013 | 2013               |
| 1349       | M/s.THERMAX LIMITED<br>M/s.JK CEMENT (C102)<br>Job No:1339                                    | STEAM   | 20<br>(IPH)            | 40                     | 510            | 1          | 95                           | 1000021363 DT.16.07.2013                                     | 2013               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

237 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                            | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                            | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------|--------------------|
| 1350       | M/s.THERMAX LIMITED<br>M/s. JK CEMENT (C103)<br>Job No:1340                 | STEAM                 | 20<br>(TPH)            | 12                     | 325            | 1          | 95                           | 1000021364 Dt.16.07.2013                      | 2013               |
| 1351       | M/S. SHAGUN INDUSTRIAL LINES<br>ACB INDIA/ AQUATHERM<br>Job No:1341         | STEAM                 | 25<br>(TONES)          | 87                     | 520            | 1          | 85                           | 17 Dt.26.07.2013                              | 2013               |
| 1352       | M/S.METSO POWER INDIA PRIVATE LTD<br>P.T CIKARANG, INDONESIA<br>Job No:1342 | Saturated<br>steam    | 65<br>(Max.)(Kg/s)     | 1.5<br><b>(BAR G)</b>  | 347            | 2          | 85                           | CAISACY041/PO/SM/<br>13-14/0212 Dt.06.08.2013 | 2013               |
|            |                                                                             | SH STEAM              | 47/4.5/47              | 1.5/.6/40              | 543/396/543    | 2          | 85                           | CAISACY041/PO/SM/<br>13-14/0212 Dt.06.08.2013 | 2013               |
| 1353       | M/s.THERMAX LIMITED<br>AREAVA RENEWABLE<br>Job No:1343                      | Super heated<br>steam | 12404                  | 6                      | 490            | 1          | 110                          | 151008986 Dt.09.08.2013                       | 2013               |
|            |                                                                             | Super heated<br>steam | 15000                  | 1                      | 490            | 1          | 110                          | 151008986 Dt.09.08.2013                       | 2013               |
| 1354       | M/s.THERMAX LTD.<br>TAKREER Carbon Black & Delayed Coker<br>Job No:1344     | Super heated<br>steam | 24600                  | 5                      | 386            | 1          | 115                          | QP0081                                        | 2013               |
|            |                                                                             | Super heated<br>steam | 28800                  | 5                      | 386            | 1          | 115                          | QP0081                                        | 2013               |
|            |                                                                             | Saturated<br>steam    | 53971                  | 5.8                    | 273            | 1          | 115                          | QP0081                                        | 2013               |
|            |                                                                             | Super heated          | 2584                   | 4.8                    | 395            | 1          | 115                          | QP0081                                        | 2013               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

238 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                        | SERVICE                                                                                                                | FLOW<br>RATE<br>KG/Hr.                      | INLET<br>PR.<br>Kg/Cm2           | TEMP.<br>DEG.C                       | NO.<br>OFF                   | NOISE<br>LEVEL<br>dB(A)-Mtr.         | P.O. NO. &<br>DATE                               | YEAR<br>OF<br>MFR.                       |
|------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|----------------------------------|--------------------------------------|------------------------------|--------------------------------------|--------------------------------------------------|------------------------------------------|
| 1355       | M/s.THERMAX LTD.<br>TAKREER Carbon Black & Delayed Coker<br>Job No:1345 | steam<br><br>Super heated<br>steam<br><br>Super heated<br>steam<br><br>Saturated<br>steam<br><br>Super heated<br>steam | 24600<br><br>28800<br><br>53971<br><br>2584 | 5<br><br>5<br><br>5.8<br><br>4.8 | 386<br><br>386<br><br>273<br><br>395 | 1<br><br>1<br><br>1<br><br>1 | 115<br><br>115<br><br>115<br><br>115 | QP0082<br><br>QP0082<br><br>QP0082<br><br>QP0082 | 2013<br><br>2013<br><br>2013<br><br>2013 |
| 1356       | M/S. Kesoram cement prop. kesoram<br>industries ltd<br>Job No:1346      |                                                                                                                        | 70<br>(TPH)                                 | 80                               | 500                                  | 1                            | 85                                   | KC/HYD/VNR/PO/AU 343<br>Dt.07.08.2013            | 2013                                     |
| 1357       | M/S.KIRLOSKAR EBARA PUMPS Ltd<br>50152<br>Job No:1347                   |                                                                                                                        | 21757                                       | 5                                | 370                                  | 1                            | 85                                   | 1110027404 dt.26.08.2013                         | 2013                                     |
| 1358       | M/S.THERMAX LIMITED<br>PT 3101 EDFU<br>Job No:1348                      |                                                                                                                        | 40000                                       | 6                                | 417                                  | 1                            | 85                                   | 451001729 Dt.30.08.2013                          | 2013                                     |
| 1359       | M/S.BINDAL PAPER MILLS LIMITED<br>Job No:1349                           |                                                                                                                        | 15600                                       | 2 (bar (g))                      | 296                                  | 2                            | 80                                   | P.R.ACOUSTICAL/BINDALS/4592<br>DT.02.09.2013     | 2013                                     |
|            |                                                                         |                                                                                                                        | 9750                                        | 2 (bar (g))                      | 470                                  | 1                            | 80                                   | P.R.ACOUSTICAL/BINDALS/4592                      | 2013                                     |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

239 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                | SERVICE  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                            | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------------------------------|----------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------------------------|--------------------|
|            |                                                                                                 |          | 15.6(TPH)              | 2 (bar (g))            | 460            | 1          | 80                           | DT.02.09.2013<br>P.R.ACOUSTICAL/BINDALS/4592<br>DT.02.09.2013 | 2013               |
| 1360       | LIPI BOILERS LTD.<br>(UTTAM ENERGY SYSTEMS LTD.)<br>NIRA BHIMA SSK LTD., INDAPUR<br>Job No:1350 | STEAM    | 32313                  | 1                      | 520            | 1          | 85                           | PDD000126 DT.03.09.2013                                       | 2013               |
|            |                                                                                                 | STEAM    | 32313                  | 3.5                    | 520            | 1          | 85                           | PDD000126 DT.03.09.2013                                       | 2013               |
| 1361       | M/S.ITC LIMITED<br>Job No:1351                                                                  | STEAM    | 28000                  | 66                     | 485            | 1          | 83                           | 4502052770 DT.05.09.2013                                      | 2013               |
| 1362       | M/S.RELIANCE INDUSTRIES LTD.<br>JAMNAGAR<br>Job No:1352                                         | STEAM    | 15000                  | 9.7                    | 390            | 1          | 85                           | JM1/7476027 Dt.05.09.2013                                     | 2013               |
|            |                                                                                                 | STEAM    | 28000                  | 4.85                   | 290            | 1          | 85                           | JM1/7476027 Dt.05.09.2013                                     | 2013               |
| 1363       | M/S.AREVA RENEWABLE ENERGIES (I) PVT. LTD.<br>NAKHONPATHOM BIOMASS EXPORT<br>Job No:1353        | SH STEAM | 8 (TPH)                | 10 (ata)               | 490            | 1          | 85                           | 1013066714 DT.17.09.2013                                      | 2013               |
| 1364       | M/S.ISGEC HEAVY ENGINEERING LTD.<br>M/s. BHUBANESWAR POWER PVT. LTD.<br>Job No:1354             |          | 81438                  | 2                      | 545            | 1          | 110                          | 416502/JB0860 & 416503<br>/JB0861 DT.19.09.2013               | 2013               |
|            |                                                                                                 |          | 122262                 | 2                      | 324            | 1          | 110                          | 416502/JB0860 & 416503<br>/JB0861 DT.19.09.2013               | 2013               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

240 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                    | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                              | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------|--------------------|
| 1365       | M/S.ISGEC HEAVY ENGINEERING LTD.<br>M/s. BHUBANESWAR POWER PVT. LTD.<br>Job No:1355 |         | 122262                 | 2                      | 324            | 1          | 110                          | 416502/JB0860 & 416503<br>/JB0861 DT.19.09.2013 | 2013               |
|            |                                                                                     |         | 82500                  | 2                      | 545            | 1          | 110                          | 416502/JB0860 & 416503<br>/JB0861 DT.19.09.2013 | 2013               |
|            |                                                                                     |         | 35010                  | 2                      | 545            | 1          | 110                          | 416502/JB0860 & 416503<br>/JB0861 DT.19.09.2013 | 2013               |
|            |                                                                                     |         | 41250                  | 5                      | 545            | 1          | 110                          | 416502/JB0860 & 416503<br>/JB0861 DT.19.09.2013 | 2013               |
|            |                                                                                     |         | 81438                  | 2                      | 545            | 1          | 110                          | 416502/JB0860 & 416503<br>/JB0861 DT.19.09.2013 | 2013               |
|            |                                                                                     |         | 122262                 | 2                      | 324            | 1          | 110                          | 416502/JB0860 & 416503<br>/JB0861 DT.19.09.2013 | 2013               |
|            |                                                                                     |         | 122262                 | 2                      | 324            | 1          | 110                          | 416502/JB0860 & 416503<br>/JB0861 DT.19.09.2013 | 2013               |
|            |                                                                                     |         | 82500                  | 2                      | 545            | 1          | 110                          | 416502/JB0860 & 416503<br>/JB0861 DT.19.09.2013 | 2013               |
|            |                                                                                     |         | 35010                  | 2                      | 545            | 1          | 110                          | 416502/JB0860 & 416503<br>/JB0861 DT.19.09.2013 | 2013               |
|            |                                                                                     |         | 41250                  | 5                      | 545            | 1          | 110                          | 416502/JB0860 & 416503<br>/JB0861 DT.19.09.2013 | 2013               |
| 1366       | M/s.THERMAX LIMITED                                                                 | BLOWING | 86                     | 35                     | 350            | 1          | <85                          | 1000022423 dt.25.09.2013                        | 2013               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

241 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                  | SERVICE            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                           | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------------------|--------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------|--------------------|
|            | M/s.RELIANCE INFRA LIMITED<br>Job No:1356                                         | STEAM              | (Kg/s)                 |                        |                |            |                              |                                              |                    |
| 1367       | M/S.CICB CHEMICON PVT. LTD.<br>P438<br>Job No:1357                                |                    | 8<br>(Nm3/Min)         | 10.4                   | 60             | 3          | <85                          | CICB/P438/BPO4000047/17/013<br>DT.04.10.2013 | 2013               |
| 1368       | M/S.CICB CHEMICON PVT. LTD.<br>P438<br>Job No:1358                                |                    | 8<br>(Nm3/Min)         | 10.4                   | 60             | 3          | <85                          | CICB/P438/BPO4000047/17/013<br>DT.04.10.2013 | 2013               |
| 1369       | M/S. AGRAWAL VIDYUT (A DIVISION OF AGRAWAL OIL<br>EXTRACTIONS LTD)<br>Job No:1359 |                    | 12                     | 67                     | 495±5          | 1          | 85                           | AOE/PO/13514/2013-14 Dt.08.10.2013           | 2014               |
| 1370       | M/s. THERMAX LIMITED./M/s. NMDC-PI0121<br>Job No:1360                             | SH STEAM           | 63000                  | 5                      | 470±5          | 1          | 85                           | 151009464 DT.30.09.2013                      | 2013               |
| 1371       | M/s. THERMAX LIMITED./M/s. NMDC-PI0122<br>Job No:1361                             | SH STEAM           | 63000                  | 5                      | 470±5          | 1          | 85                           | 151009464 DT.30.09.2013                      | 2013               |
| 1372       | M/s. THERMAX LIMITED./M/s. NMDC-PI0123<br>Job No:1362                             | SH STEAM           | 63000                  | 5                      | 470±5          | 1          | 85                           | 151009464 DT.30.09.2013                      | 2013               |
| 1373       | M/S.THERMAX LIMITED/M/S BHUSHAN POWER- PL0383<br>Job No:1363                      | SATURATED<br>STEAM | 25,568                 | 120                    | 324            | 2          | 85                           | 151009467;DT:30.09.2013                      | 2013               |

| <b>P.R. ACOUSTICAL AND<br/>ENGINEERING WORKS<br/>(P) LIMITED - TRICHY-15.</b><br><br><div>PRAE</div> |                                                                                                         |                      | REFERENCE LIST           |                        |                |            |                              | 242 OF 380                                                  |                    |
|------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|----------------------|--------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------------------|--------------------|
|                                                                                                      |                                                                                                         |                      |                          |                        |                |            |                              |                                                             |                    |
|                                                                                                      |                                                                                                         |                      | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                             |                    |
| SL.<br>NO.                                                                                           | CUSTOMER/PROJECT                                                                                        | SERVICE              | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                          | YEAR<br>OF<br>MFR. |
| 1374                                                                                                 | M/S.THERMAX LIMITED/M/S BHUSHAN POWER- PL0384<br>Job No:1364A                                           | SUPERHEATED<br>STEAM | 19,424                   | 115                    | 540            | 1          | 85                           | 151009468;DT:30.09.2013                                     | 2013               |
| 1375                                                                                                 | M/S.THERMAX LIMITED/M/S BHUSHAN POWER- PL0384<br>Job No:1364B                                           | SUPERHEATED<br>STEAM | 18,600                   | 120                    | 540            | 1          | 85                           | 151009468;DT:30.09.2013                                     | 2013               |
| 1376                                                                                                 | M/s.RAI INDUSTRIAL POWER/TATA STEEL LTD ,PRIVATE LTD.<br>Job No:1365                                    |                      | 138990                   | 300                    | 390            | 5          | 105                          | RIPPL/TATA/13-14/118 DT.11.10.2013                          | 2013               |
| 1377                                                                                                 | M/S. SI GROUP INDIA LIMITED<br>Job No:1366                                                              | AIR                  | 8000                     | 3.5                    | 35             | 1          | 85                           | 1303968 DT.15.10.2013                                       | 2013               |
| 1378                                                                                                 | M/S.TATA PROJECTS LIMITED/1X388MW POINEER POWER<br>GAS LTD.<br>Job No:1367                              | STEAM                | 2                        | 10.2                   | 260            | 1          | 95                           | SBU-PG/POINEER 1X388MW GAS BASED<br>CCPP/6358 DT.15.10.2013 | 2013               |
| 1379                                                                                                 | M/S.JDW SUGAR MILLS LTD. (USM-UNIT-II)/BAGASSE BASED<br>COGENERATION PROJECT<br>Job No:1368A            |                      | 12000                    | 38                     | 400            | 1          | 85                           | IMP-CG-0024 Dt.23.10.2013                                   | 2013               |
| 1380                                                                                                 | M/S.JDW SUGAR MILLS LTD. (USM-UNIT-II)/BAGASSE BASED<br>COGENERATION PROJECT<br>Job No:1368B            |                      | 12000                    | 38                     | 400            | 1          | 85                           | IMP-CG-0024 Dt.23.10.2013                                   | 2013               |
| 1380                                                                                                 | 1X45MW,CPP AT<br>CHITTAPUR,GULBARGA,KARNATAKA/.THYSSENKRUPP<br>INDUSTRIES INDIA PVT.LTD<br>Job No:1369A | SAT.STEAM            | 39.5                     | 130                    | 325            | 2          | 85                           | LOI NO.BOHT-SMK-SILENCER Dt.23.10.2013                      | 2013               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

243 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                           | SERVICE              | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C               | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                     | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------------------------------------------|----------------------|-------------------------|-------------------------|------------------------------|------------|------------------------------|----------------------------------------|--------------------|
| 1381       | 1X45MW, CPP AT<br>CHITTAPUR, GULBARGA, KARNATAKA/.THYSSENKRUPP<br>INDUSTRIES INDIA PVT.LTD<br>Job No:1369B | SAT.STEAM            | 39.8                    | 131                     | 325                          | 2          | 85                           | LOI NO.BOHT-SMK-SILENCER Dt.23.10.2013 | 2013               |
| 1382       | 1X45MW, CPP AT<br>CHITTAPUR, GULBARGA, KARNATAKA/.THYSSENKRUPP<br>INDUSTRIES INDIA PVT.LTD<br>Job No:1369C | SH STEAM             | 20.4                    | 1                       | 540±5                        | 2          | 85                           | LOI NO.BOHT-SMK-SILENCER Dt.23.10.2013 | 2013               |
| 1383       | 1X45MW, CPP AT<br>CHITTAPUR, GULBARGA, KARNATAKA/.THYSSENKRUPP<br>INDUSTRIES INDIA PVT.LTD<br>Job No:1369E | SH STEAM             | 28.2                    | 120.5                   | MAX.540<br>±5 MIN<br>235-245 | 1          | 85                           | LOI NO.BOHT-SMK-SILENCER Dt.23.10.2013 | 2013               |
| 1384       | RELIANCE JAMNAGAR 3 PROGRAM/ROG CRACKER<br>Job No:1370-A-F                                                 | SUPERHEATED<br>STEAM | 44000                   | 9.7                     | 490                          | 6          | 150                          | 1J/MW4/7486273 DT.23.10.13             | 2013               |
| 1385       | RELIANCE JAMNAGAR 3 PROGRAM/ROG CRACKER<br>Job No:1370-G-L                                                 | SATURATED<br>STEAM   | 100000                  | 9.7                     | 210                          | 6          | 150                          | 1J/MW4/7486273 DT.23.10.13             | 2013               |
| 1386       | RELIANCE JAMNAGAR 3 PROGRAM/ROG CRACKER<br>Job No:1370-M-R                                                 | SATURATED<br>STEAM   | 89000                   | 9.7                     | 490                          | 6          | 150                          | 1J/MW4/7486273 DT.23.10.13             | 2013               |
| 1387       | M/S.THERMAX LIMITED./TECHNIP:BAPCO:PL1021                                                                  | SATURATED<br>STEAM   | 28398 (12881)           | 150 (10.55)             | 400<br>(204.5)               | 1          | 182.7                        | 251008345 Dt.31.10.2013                | 2013               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

244 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE      | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------|--------------------|
| 1388       | Job No:1371<br>M/S.THERMAX LIMITED./LINDE/RIL JAMNAGAR (PL1001) | SATURATED<br>STEAM   | 16450                  | 53.9                   | 272            | 1          | 154.8                        | 251008346 Dt.31.10.2013 | 2013               |
| 1389       | Job No:1372<br>M/S.THERMAX LIMITED./LINDE/RIL JAMNAGAR (PL1001) | SATURATED<br>STEAM   | 16450                  | 53.9                   | 272            | 1          | 154.8                        | 251008347 Dt.31.10.2013 | 2013               |
| 1390       | Job No:1373<br>M/S.THERMAX LIMITED./LINDE/RIL JAMNAGAR (PL1001) | SATURATED<br>STEAM   | 16450                  | 53.9                   | 272            | 1          | 154.8                        | 251008348 Dt.31.10.2013 | 2013               |
| 1390       | Job No:1374<br>M/S.THERMAX LIMITED./LINDE/RIL JAMNAGAR (PL1001) | SATURATED<br>STEAM   | 16450                  | 53.9                   | 272            | 1          | 154.8                        | 251008350 Dt.31.10.2013 | 2013               |
| 1390       | Job No:1375<br>M/S.THERMAX LIMITED./TOYO ENGG:PF1341            | SUPERHEATED<br>STEAM | 59000                  | 0.5                    | 404            | 1          | 160                          | 651000406 DT.31.10.2013 | 2013               |
| 1390       | Job No:1376A<br>M/S.THERMAX LIMITED./TOYO ENGG:PF1341           | SUPERHEATED<br>STEAM | 61230                  | 0.5                    | 277.5          | 1          | 160                          | 651000406 DT.31.10.2013 | 2013               |
| 1390       | Job No:1376B<br>M/S.THERMAX LIMITED./TOYO ENGG:PF1341           | SUPERHEATED<br>STEAM | 61230                  | 0.5                    | 277.5          | 1          | 160                          | 651000406 DT.31.10.2013 | 2013               |
| 1390       | Job No:1377.<br>M/S.THERMAX LIMITED./TOYO ENGG:PF1341           | SUPERHEATED<br>STEAM | 61230                  | 0.5                    | 277.5          | 1          | 160                          | 651000406 DT.31.10.2013 | 2013               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

245 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                  | SERVICE                                     | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE              | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------------------|---------------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------|--------------------|
| 1390       | M/s.BHARAT PETROLEUM CORPORATION LTD., MUMBAI<br>REFINERY/EIL<br><br>Job No:1378A | SUPER HEATED<br>MP STEAM<br>SILENCER        | 6049                   | 21/F.V                 | 390            | 1          | <85                          | P&CS:CDU4-N26-160 DT.12.11.2013 | 2013               |
| 1391       | M/s.BHARAT PETROLEUM CORPORATION LTD., MUMBAI<br>REFINERY/EIL<br><br>Job No:1378B | SILENCER ON<br>MP STEAM<br>DRUM<br>SILENCER | 6049                   | 21/F.V                 | 390            | 1          | <85                          | P&CS:CDU4-N26-160 DT.12.11.2013 | 2013               |
| 1392       | M/s.BHARAT PETROLEUM CORPORATION LTD., MUMBAI<br>REFINERY/EIL<br><br>Job No:1378C | SILENCER ON<br>LP STEAM<br>DRUM<br>SILENCER | 10570                  | 6.6/F.V                | 175            | 1          | <85                          | P&CS:CDU4-N26-160 DT.12.11.2013 | 2013               |
| 1393       | M/s.BHARAT PETROLEUM CORPORATION LTD., MUMBAI<br>REFINERY/EIL<br><br>Job No:1378D | SUPER HEATED<br>LP STEAM<br>SILENCER        | 10570                  | 6.5/F.V                | 380            | 1          | <85                          | P&CS:CDU4-N26-160 DT.12.11.2013 | 2013               |
| 1394       | M/s.BHARAT PETROLEUM CORPORATION LTD., MUMBAI<br>REFINERY/EIL<br><br>Job No:1378E | DEAERATOR<br>VENT<br>SILENCER               | 1000                   | 3.5/F.V                | 170            | 1          | <85                          | P&CS:CDU4-N26-160 DT.12.11.2013 | 2013               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

246 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                 | SERVICE   | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------------------------|-----------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------|--------------------|
| 1395       | ESSAR OIL LIMITED/ESSAR OIL REFINERY EXPANSION<br>PROJECT VADINAR<br>Job No:1379 | H2,HC GAS | 78631                  | 9                      | 120            | 1          | 80                           | cs01/ot1/2700005777 Dt.01.11.2013 | 2013               |
| 1396       | M/s. FIVES CAIL-KCP LIMITED/EID PARRY INDIA LIMIED<br>Job No:1380A               |           | 15250                  | 2                      | 460            | 1          | 85                           | 4500005018 DT.06.11.2013          | 2013               |
| 1397       | M/s. FIVES CAIL-KCP LIMITED/EID PARRY INDIA LIMIED<br>Job No:1380B               |           | 17700                  | 2                      | 400            | 1          | 85                           | 4500005018 DT.06.11.2013          | 2013               |
| 1398       | M/s. FIVES CAIL-KCP LIMITED/EID PARRY INDIA LIMIED<br>Job No:1380C               |           | 4500                   | 37                     | 400            | 1          | 85                           | 4500005018 DT.06.11.2013          | 2013               |
| 1399       | M/s. FIVES CAIL-KCP LIMITED/GOBIND SUGAR<br>Job No:1381A                         |           | 19700                  | 2                      | 400            | 1          | 85                           | 4500005019 DT.06.11.2013          | 2013               |
| 1400       | M/s. FIVES CAIL-KCP LIMITED/GOBIND SUGAR<br>Job No:1381B                         |           | 50800                  | 2                      | 500            | 1          | 85                           | 4500005019 DT.06.11.2013          | 2013               |
| 1401       | M/s. FIVES CAIL-KCP LIMITED/GOBIND SUGAR<br>Job No:1381C                         |           | 43000                  | 2                      | 400            | 1          | 85                           | 4500005019 DT.06.11.2013          | 2013               |
| 1402       | M/s. FIVES CAIL-KCP LIMITED/GOBIND SUGAR<br>Job No:1381D                         |           | 15000                  | 61                     | 400            | 1          | 85                           | 4500005019 DT.06.11.2013          | 2013               |
| 1403       | MANGALORE CHEMICALS & FERTILIZERS LTD.<br>Job No:1382                            |           | 204886                 | Atmospheric            | 330            | 1          | 85                           | C02/4000102827 DT.11.11.13        | 2013               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

247 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                 | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C          | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                     | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------------------------------|---------|------------------------|------------------------|-------------------------|------------|------------------------------|--------------------------------------------------------|--------------------|
| 1404       | TRIVENI TURBINE LIMITED./EID PARRY<br>Job No:1383                                                | STEAM   | 23                     | 4                      | 155±10                  | 1          | 85                           | 2000013452 Dt.15.11.2013                               | 2013               |
| 1405       | M/s.KIRLOSKAR EBARA PUMPS LTD./50161<br>Job No:1384A                                             | STEAM   | 16201.62               | 10/FV                  | 253.9/343<br>.4         | 1          | 85                           | 1110028322 DT.18.11.2013                               | 2013               |
| 1406       | M/s.KIRLOSKAR EBARA PUMPS LTD./50161<br>Job No:1384B                                             | STEAM   | 16201.62               | 44/FV                  | 380/420<br>(DESIGN<br>) | 1          | 85                           | 1110028322 DT.18.11.2013                               | 2013               |
| 1407       | M/s.A2Z INFRASTRUCTURE LTD.<br>Job No:1385                                                       | STEAM   | 65                     | 90                     | 90                      | 2          | 85                           | A2Z/KANPUR/13-14-P.O.-11 DT.09.11.2013                 | 2013               |
| 1408       | M/s.MEGHA ENGINEERING & INFRASTRUCTURES LTD./50MW<br>SOLAR THERMAL POWER PROJECT<br>Job No:1386A | STEAM   | 24.5                   | 4.3                    | 405                     | 1          | 85                           | MEIL/PO-017-1060/50MW CSP-ATP/2013-14<br>DT.25.11.2013 | 2013               |
| 1409       | M/s.MEGHA ENGINEERING & INFRASTRUCTURES LTD./50MW<br>SOLAR THERMAL POWER PROJECT<br>Job No:1386B | STEAM   | 77.9                   | 1.5                    | 405                     | 2          | 85                           | MEIL/PO-017-1060/50MW CSP-ATP/2013-14<br>DT.25.11.2013 | 2013               |
| 1410       | M/s.MEGHA ENGINEERING & INFRASTRUCTURES LTD./50MW<br>SOLAR THERMAL POWER PROJECT<br>Job No:1386C | STEAM   | 24.3                   | 1.5                    | 405                     | 2          | 85                           | MEIL/PO-017-1060/50MW CSP-ATP/2013-14<br>DT.25.11.2013 | 2013               |
| 1411       | M/s.MEGHA ENGINEERING & INFRASTRUCTURES LTD./50MW<br>SOLAR THERMAL POWER PROJECT                 | STEAM   | 49                     | 2.7                    | 350                     | 2          | 85                           | MEIL/PO-017-1060/50MW CSP-ATP/2013-14<br>DT.25.11.2013 | 2013               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

248 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                  | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                     | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------|--------------------|
| 1412       | Job No:1386D<br>:M/s.MEGHA ENGINEERING & INFRASTRUCTURES LTD./50MW<br>SOLAR THERMAL POWER PROJECT | STEAM                 | 49                     | 2.7                    | 350            | 2          | 85                           | MEIL/PO-017-1060/50MW CSP-ATP/2013-14<br>DT.25.11.2013 | 2013               |
| 1413       | Job No:1386E<br>:M/s.MEGHA ENGINEERING & INFRASTRUCTURES LTD./50MW<br>SOLAR THERMAL POWER PROJECT | STEAM                 | 30.6                   | 4.3                    | 405            | 2          | 85                           | MEIL/PO-017-1060/50MW CSP-ATP/2013-14<br>DT.25.11.2013 | 2013               |
| 1414       | Job No:1386F<br>M/S.THERMAX LTD./MCFL                                                             | SUPER HEATED<br>STEAM | 11550                  | 6.5                    | 480±5          | 1          | 85                           | 451001876 DT.21.10.2013                                | 2013               |
| 1415       | Job No:1387<br>M/S.GHARDA CHEMICALS LIMITED.                                                      | SATURATED<br>STEAM    | 12375                  | 1                      | 211            | 2          | 85                           | APPO/026386/1314A/KP DT.29.11.2013                     | 2013               |
| 1416       | Job No:1388A<br>M/S.GHARDA CHEMICALS LIMITED.                                                     | SATURATED<br>STEAM    | 4000                   | 18.5                   | 210            | 1          | 85                           | APPO/026386/1314A/KP DT.29.11.2013                     | 2013               |
| 1417       | Job No:1388B<br>M/s.ISGEC HEAVY ENGINEERING LIMITED/ENGCON ENERGY<br>PTE LTD.                     | SUPER HEATED<br>STEAM | 5250                   | 26                     | 480±5          | 1          | 110                          | 106481/JB0857 DT.30.11.2013                            | 2013               |
| 1417       | Job No:1389<br>M/s.TATA PROJECTS LIMITED/NMDC-NAGARNAR                                            | GAS                   | 126000                 | 6                      | 200            | 1          | <85                          | SBU-M&M/NMDC-NAGARNAR/3701<br>DT.02.12.2013            | 2013               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

249 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                            | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                          | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------|--------------------|
| 1418       | Job No:1390A<br>M/s.TATA PROJECTS LIMITED/NMDC-NAGARNAR                                     | AIR                   | 454000                 | 6.6                    | 200-300        | 1          | <85                          | SBU-M&M/NMDC-NAGARNAR/3701<br>DT.02.12.2013 | 2013               |
| 1419       | Job No:1390B<br>M/s.THERMAX LIMITED/RELIANCE INDUSTRIES LIMITED,<br>JAMNAGAR, SEZ - PT 3211 | SUPER HEATED<br>STEAM | 22000                  | 2                      | 288            | 1          | 85                           | 451002029 DT.11.12.2013                     | 2013               |
| 1420       | Job No:1391<br>M/s.THERMAX LIMITED/RELIANCE INDUSTRIES LIMITED,<br>JAMNAGAR, SEZ - PT 3211  | SUPER HEATED<br>STEAM | 22000                  | 2                      | 288            | 1          | 85                           | 451002030 DT.11.12.2013                     | 2013               |
| 1421       | Job No:1392<br>M/s.ESSAR PROJECTS (INDIA) LIMITED.CDSP OF DCU FOR BPCL-<br>KOCHI            |                       | 10000                  | 2 (AT VALVE<br>INLET)  | 450            | 4          | <85                          | CS01/PT1/2700005819 Dt:05.12.2013           | 2013               |
| 1422       | Job No:1393<br>M/s.GREENESOL POWER SYSTEM PVT. LTD./ULTRATECH -<br>VIKRAM CEMENTS           |                       | 10000                  | 2                      | 540            | 2          | 85                           | GPSPL/PRAEWL/S-1463/1314 DT.12.12.2013      | 2013               |
| 1423       | Job No:1394<br>M/s.ADITYA BIRLANUVO LTD                                                     | STEAM                 | 76585<br>(KG/HR)       | 90                     | 510            | 1/BOILER   | 85                           | 2830000951 DT.08.01.2014                    | 2014               |
| 1424       | Job No:1395<br>M/s.UTKAL ALUMINA INTERNATIONAL LTD.                                         | STEAM                 | 72088<br>(KG/HR)       | 1.4                    | 180            | 2          | 85                           | 13/4037/01/2742 DT.13.01.2014               | 2014               |
|            | Job No:1396                                                                                 |                       |                        |                        |                |            |                              |                                             |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

250 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                        | SERVICE | FLOW<br>RATE<br>KG/Hr.                            | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                             | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------------------------|---------|---------------------------------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------------|--------------------|
| 1425       | M/s.UTKAL ALUMINA INTERNATIONAL LTD.<br>-<br>Job No:1397                                | STEAM   | 72088<br>(KG/HR)<br><br>1750/3500/4200<br>(KG/HR) | 1.4<br><br>3.5         | 180<br><br>231 | 2<br><br>1 | 85<br><br>85                 | 13/4037/01/2742 DT.13.01.2014<br><br>R11/7503558 DT.04.01.2014 | 2014<br><br>2014   |
| 1426       | M/s.GREENSOL POWER SYSTEMS PVT. LTD.<br>M/s.CHINIOT POWER LTD., PAKISTAN<br>Job No:1398 | -       | 70000<br>(KG/HR)                                  | 2<br>BAR(g)            | 500            | 2          | 85                           | GPSPL/PRAEWL/2006B-1/SIL/PO-006/1314<br>Dt.06.11.2013          | 2013               |
|            |                                                                                         | -       | 12000<br>(KG/HR)                                  | 2<br>BAR(g)            | 400            | 2          | 85                           | GPSPL/PRAEWL/2006B-1/SIL/PO-006/1314<br>Dt.06.11.2013          | 2013               |
| 1427       | M/s. ITC LIMITED<br>-<br>Job No:1399                                                    | STEAM   | 57<br>(TPH)                                       | 66                     | 460            | 1          | 83                           | 4509038831 AMD 1 DT.14.11.2013 (RECD. ON<br>27.01.2014)        | 2014               |
| 1428       | M/s.SIEMENS-LINDE<br>RELIANCE<br>Job No:1400                                            | AIR     | 13.97<br>(KG/S))                                  | 1.5<br>(bar(g))        | 180.7          | 2          | 85                           | 4504981352 DT.27.01.2014                                       | 2014               |
|            |                                                                                         | AIR     | 13.97<br>(KG/S))                                  | 1.5<br>(bar(g))        | 180.7          | 2          | 85                           | 4504981352 DT.27.01.2014                                       | 2014               |
|            |                                                                                         | AIR/O2  | 13.97<br>(KG/S))                                  | 3.5<br>(bar(g))        | 180            | 2          | 85                           | 4504981352 DT.27.01.2014                                       | 2014               |
|            |                                                                                         | AIR/O2  | 13.97<br>(KG/S))                                  | 3.5<br>(bar(g))        | 180            | 2          | 85                           | 4504981352 DT.27.01.2014                                       | 2014               |
| 1429       | M/ s. WALCHANDNAGAR INDUSTRIES LTD.                                                     | -       | 41,250                                            | 70.8                   | 515±5          | 2          | 85                           | 4500036877 DT.29.01.2014                                       | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

251 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                     | SERVICE            | FLOW<br>RATE<br>KG/Hr.            | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                           | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------------------------------------|--------------------|-----------------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------------------------------|--------------------|
|            | TENDAHO II-ETHIOPIA<br>Job No:1401                                                                   | -                  | (KG/HR)<br>45,000                 | 0 TO 67                | 515±5          | 2          | 85                           | 4500036877 Dt.29.01.2014                                                     | 2014               |
| 1430       | M/s.DRESSER-RAND INDIA PRIVATE LIMITED.<br>-<br>Job No:1402                                          | STEAM              | 15036/15036/21830<br>(KG/HR)      | 35/35/40               | 420            | 1          | 83                           | JSB/WB02143052 Dt.10.02.2014                                                 | 2014               |
| 1431       | M/s.ITC LIMITED-Tribeni,West Bengal<br>-<br>Job No:1403                                              | STEAM              | 15036/15036/21830<br>(KG/HR)      | 5/4/2006               | 420            | 1          | 83                           | JSB/WB02143052 Dt.10.02.2014                                                 | 2014               |
| 1432       | M/S.VALMET CHENNAI PRIVATE LIMITED<br>M/S.KOHINOOR PULP & PAPER PVT. LTD., ASSAM<br>Job No:1404      | SATURATED<br>STEAM | 13<br>(KG/S)                      | 2.9<br>(BAR G)         | 297.9          | 1          | <85                          | A094M/PO/SM/13-14/0519 Dt.10.02.2014                                         | 2014               |
| 1433       | M/s.OFFSHORE INFRASTRUCTURES LIMITED<br>GAIL PETROCHEMICAL COMPLEX-II - VIJAIPUR SITE<br>Job No:1405 | STEAM              | 10<br>(KG/S)<br>30,000<br>(KG/HR) | 6<br>(BAR G)<br>6.5/FV | 475<br>220     | 1          | <85                          | A094M/PO/SM/13-14/0519 Dt.10.02.2014<br>OIL/3066/13-14/PP/0364 DT.15.02.2014 | 2014               |
| 1434       | M/s.ISGEC HEAVY ENGINEERING LTD.<br>M/s.ROQUETTE RIDDHI SIDDHI PVT. LTD., UTTARKHAND<br>Job No:1406  | STEAM              | 28,237<br>(KG/HR)                 | 0.5                    | 540+5          | 1          | 110                          | 107188/JB0877 Dt.14.02.2014                                                  | 2014               |
|            |                                                                                                      | STEAM              | 37,440<br>(KG/HR)                 | 0.5                    | 540+5          | 1          | 110                          | 107188/JB0877 Dt.14.02.2014                                                  | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

252 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                          | SERVICE                                                | FLOW<br>RATE<br>KG/Hr.                             | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C     | NO.<br>OFF     | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                                               | YEAR<br>OF<br>MFR.   |
|------------|-----------------------------------------------------------------------------------------------------------|--------------------------------------------------------|----------------------------------------------------|------------------------|--------------------|----------------|------------------------------|--------------------------------------------------------------------------------------------------|----------------------|
| 1435       | M/s. ENMAS GB POWER SYSTEMS PROJECTS LTD.<br><br>M/s.SHRI JAGANNATH STEEL & POWER LTD.<br><br>Job No:1407 | SUPER HEATED<br>STEAM<br><br><br>SUPER HEATED<br>STEAM | 27,000<br><br>(KG/HR)<br><br>11,361<br><br>(KG/HR) | 2.75<br><br><br>0.33   | 471<br><br><br>473 | 1<br><br><br>1 | 85<br><br><br>110            | EGB/PUR/13-14/B/WBAA2900/0195<br>DT.14.02.14<br><br>EGB/PUR/13-14/B/WBAA2900/0195<br>DT.14.02.14 | 2014<br><br><br>2014 |
| 1436       | M/s. ENMAS GB POWER SYSTEMS PROJECTS LTD.<br><br>M/s.SHRI JAGANNATH STEEL & POWER LTD.<br><br>Job No:1408 | SUPER HEATED<br>STEAM<br><br><br>SUPER HEATED<br>STEAM | 9,467<br><br>(KG/HR)<br><br>24,420<br><br>(KG/HR)  | 1.5<br><br><br>5       | 510<br><br><br>510 | 1<br><br><br>1 | 110<br><br><br>110           | EGB/PUR/13-14/B/IBAA0600/0196<br>DT.14.02.14<br><br>EGB/PUR/13-14/B/IBAA0600/0196<br>DT.14.02.14 | 2014<br><br><br>2014 |
| 1437       | M/s. ENMAS GB POWER SYSTEMS PROJECTS LTD.<br><br>M/s.SHRI JAGANNATH STEEL & POWER LTD.<br><br>Job No:1409 | SUPER HEATED<br>STEAM<br><br><br>SUPER HEATED<br>STEAM | 15,148<br><br>(KG/HR)<br><br>35,180<br><br>(KG/HR) | 1.5<br><br><br>5       | 510<br><br><br>510 | 1<br><br><br>1 | 110<br><br><br>110           | EGB/PUR/13-14/B/IBAA0700/0197<br>DT.14.02.14<br><br>EGB/PUR/13-14/B/IBAA0700/0197<br>DT.14.02.14 | 2014<br><br><br>2014 |
| 1438       | M/s. ENMAS GB POWER SYSTEMS PROJECTS LTD.<br><br>M/s.SHRI JAGANNATH STEEL & POWER LTD.<br>Job No:1410     | SUPER HEATED<br>STEAM                                  | 10,000<br><br>(KG/HR)                              | 78                     | 510                | 1              | 110                          | EGB/EPC/13-14/P/PBAA0200/0283<br>DT.14.02.14                                                     | 2014                 |
| 1439       | M/s.FORBES & COMPANY LIMITED                                                                              | STEAM                                                  | 918.47 / 1603.3                                    | 1.5                    | 250                | 1              | 85                           | 1100024691 DT.20.02.2014                                                                         | 2014                 |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

253 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                       | SERVICE    | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------------------------------------|------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------|--------------------|
|            |                                                                                                        |            | (KG/HR)                | (bar (a))              |                |            |                              |                                   |                    |
| 1440       | M/s.RASHTRIYA ISPAT NIGAM LIMITED (RINL)<br>Job No:1411<br>M/S THERMAX LIMITED.<br>GHCL<br>Job No:1412 | STEAM      | 45-55<br>(TPH)         | 105<br>(Bar)           | 505            | 1          | <85                          | 451002314 Dt.22.02.2014           | 2014               |
| 1441       | M/s.WALCHANDNAGAR INDUSTRIES LTD.<br>SWARAJ INDIA AGRO<br>Job No:1413                                  | STEAM      | 33,000                 | 1.5                    | 525±5          | 1          | 85                           | LOI 4500037620 DT.25.02.2014      | 2014               |
|            |                                                                                                        | STEAM      | 33,000                 | 87                     | 525±5          | 1          | 85                           | LOI 4500037620 DT.25.02.2014      | 2014               |
| 1442       | M/s.DF POWER SYSTEMS PVT. LTD.<br>DCB POWER VENTURES LTD, BELGAUM<br>Job No:1414                       | STEAM      | 10<br>(TPH)            | 8<br>(Kg/cm2(a))       | 520            | 1          | <85                          | DCB1/SILC/B/13/0314 DT.25.02.2014 | 2014               |
| 1443       | M/s.ISGEC HEAVY ENGINEERING LTD.<br>M/s.BHARAT PETROLEUM CORPORATION LTD.-KOCHI<br>Job No:1415         | SAT. STEAM | 82,690                 | 0.5                    | 328.4          | 1          | 85                           | 107322/JB0875 Dt.26.02.2014       | 2014               |
|            |                                                                                                        | SAT. STEAM | 83,441                 | 0.5                    | 328.7          | 1          | 85                           | 107322/JB0875 Dt.26.02.2014       | 2014               |
|            |                                                                                                        | SH STEAM   | 61,566                 | 0.5                    | 520            | 1          | 85                           | 107322/JB0875 Dt.26.02.2014       | 2014               |
| 1444       | M/s.ISGEC HEAVY ENGINEERING LTD.<br>M/s.BHARAT PETROLEUM CORPORATION LTD.-KOCHI<br>Job No:1416         | SAT. STEAM | 82,690                 | 0.5                    | 328.4          | 1          | 85                           | 107323/JB0876 Dt.26.02.2014       | 2014               |
|            |                                                                                                        | SAT. STEAM | 83,441                 | 0.5                    | 328.7          | 1          | 85                           | 107323/JB0876 Dt.26.02.2014       | 2014               |
|            |                                                                                                        | SH STEAM   | 61,566                 | 0.5                    | 520            | 1          | 85                           | 107323/JB0876 Dt.26.02.2014       | 2014               |
| 1445       | M/s.CETHAR LIMITED                                                                                     | SH STEAM   | 9,210                  | 10                     | 370            | 1          | 85                           | MBL002/0188/S DT.27.02.2014       | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

254 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                             | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE          | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------|--------------------|
| 1446       | ULTRA TECH (MBL002-006)<br>Job No:1417                       | SATURATED<br>STEAM    | 4,860                  | 1.5                    | 210            | 1          | 85                           | MBL002/0188/S DT.27.02.2014 | 2014               |
|            |                                                              | SH STEAM              | 7,675                  | 1.5                    | 370            | 1          | 85                           | MBL002/0188/S DT.27.02.2014 | 2014               |
|            |                                                              | SH STEAM              | 9,210                  | 19.5                   | 370            | 1          | 85                           | MBL002/0188/S DT.27.02.2014 | 2014               |
|            | M/s.CETHAR LIMITED<br>ULTRA TECH (MBL002-006)<br>Job No:1418 | SATURATED<br>STEAM    | 8,955                  | 1.5                    | 211            | 1          | 85                           | MBL003/0036/S DT.27.02.2014 | 2014               |
|            |                                                              | SATURATED<br>STEAM    | 5,970                  | 10                     | 214            | 1          | 85                           | MBL003/0036/S DT.27.02.2014 | 2014               |
| 1447       | M/s.CETHAR LIMITED<br>ULTRA TECH (MBL002-006)<br>Job No:1419 | SUPER HEATED<br>STEAM | 1,200                  | 1.5                    | 200            | 1          | 85                           | MBL004/0054/S DT.27.02.2014 | 2014               |
|            |                                                              | SUPER HEATED<br>STEAM | 1,440                  | 5                      | 200            | 1          | 85                           | MBL004/0054/S DT.27.02.2014 | 2014               |
|            |                                                              | SATURATED<br>STEAM    | 2,160                  | 1.5                    | 159            | 1          | 85                           | MBL004/0054/S DT.27.02.2014 | 2014               |
| 1448       | M/s.CETHAR LIMITED<br>ULTRA TECH (MBL002-006)<br>Job No:1420 | SUPER HEATED<br>STEAM | 6,900                  | 10                     | 370            | 1          | 85                           | MBL005/0038/S DT.27.02.2014 | 2014               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                                                |                       | REFERENCE LIST           |                        |                |            |                              | 255 OF 380                   |                    |
|----------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-----------------------|--------------------------|------------------------|----------------|------------|------------------------------|------------------------------|--------------------|
| PRAE                                                                 |                                                                                                |                       | NOISE CONTROL - SILENCER |                        |                |            |                              |                              |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                                               | SERVICE               | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE           | YEAR<br>OF<br>MFR. |
| 1449                                                                 | M/s.CETHAR LIMITED<br><br>ULTRA TECH (MBL002-006)<br><br>Job No:1421                           | SATURATED<br>STEAM    | 10,350                   | 1.5                    | 210            | 1          | 85                           | MBL005/0038/S DT.27.02.2014  | 2014               |
|                                                                      |                                                                                                | SUPER HEATED<br>STEAM | 5,750                    | 1.5                    | 370            | 1          | 85                           | MBL005/0038/S DT.27.02.2014  | 2014               |
|                                                                      |                                                                                                | SUPER HEATED<br>STEAM | 550                      | 1.5                    | 200            | 1          | 85                           | MBL006/0067/S DT.28.02.2014  | 2014               |
|                                                                      |                                                                                                | SATURATED<br>STEAM    | 990                      | 1.5                    | 160            | 1          | 85                           | MBL006/0067/S DT.28.02.2014  | 2014               |
| 1450                                                                 | M/s.ISGEC HEAVY ENGINEERING LTD.<br>M/s.BHARAT OMAN REFINERIES LIMITED,BINA,M.P<br>Job No:1422 | -                     | 110,710                  | 0.5                    | 499            | 2          | 110                          | 107289/JB 0873 Dt.04.03.2014 | 2014               |
|                                                                      |                                                                                                | -                     | 117,625                  | 0.5                    | 499            | 6          | 110                          | 107289/JB 0873 Dt.04.03.2014 | 2014               |
|                                                                      |                                                                                                | -                     | 172,500                  | 0.5                    | 415            | 2          | 110                          | 107289/JB 0873 Dt.04.03.2014 | 2014               |
|                                                                      |                                                                                                | -                     | 77,470                   | 0.5                    | 350            | 12         | 110                          | 107289/JB 0873 Dt.04.03.2014 | 2014               |
|                                                                      |                                                                                                | -                     | 46,333                   | 0.5                    | 290            | 12         | 110                          | 107289/JB 0873 Dt.04.03.2014 | 2014               |
|                                                                      |                                                                                                | -                     | 24,110                   | 0.5                    | 375            | 1          | 110                          | 107289/JB 0873 Dt.04.03.2014 | 2014               |
|                                                                      |                                                                                                | -                     | 4,330                    | 0.5                    | 375            | 1          | 110                          | 107289/JB 0873 Dt.04.03.2014 | 2014               |
|                                                                      |                                                                                                | -                     | 20,010                   | 0.5                    | 375            | 1          | 110                          | 107289/JB 0873 Dt.04.03.2014 | 2014               |
|                                                                      |                                                                                                | -                     | 2,740                    | 0.5                    | 375            | 1          | 110                          | 107289/JB 0873 Dt.04.03.2014 | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

256 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                            | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE               | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------|--------------------|
|            |                                                                             | -                     | 66,280                 | 0.5                    | 415            | 1          | 110                          | 107289/JB 0873 Dt.04.03.2014     | 2014               |
|            |                                                                             | -                     | 46,520                 | 0.5                    | 350            | 1          | 110                          | 107289/JB 0873 Dt.04.03.2014     | 2014               |
|            |                                                                             | -                     | 141,500                | 0.5                    | 240            | 1          | 110                          | 107289/JB 0873 Dt.04.03.2014     | 2014               |
|            |                                                                             | -                     | 7,257                  | 46                     | 415            | 1          | 110                          | 107289/JB 0873 Dt.04.03.2014     | 2014               |
|            |                                                                             | -                     | 1,298                  | 46                     | 415            | 1          | 110                          | 107289/JB 0873 Dt.04.03.2014     | 2014               |
|            |                                                                             | -                     | 6,027                  | 46                     | 415            | 1          | 110                          | 107289/JB 0873 Dt.04.03.2014     | 2014               |
|            |                                                                             | -                     | 822                    | 46                     | 415            | 1          | 110                          | 107289/JB 0873 Dt.04.03.2014     | 2014               |
|            |                                                                             | -                     | 109,060                | 0.5                    | 415            | 1          | 110                          | 107289/JB 0873 Dt.04.03.2014     | 2014               |
| 1451       | M/s.UTTAM ENERGY SYSTEMS LTD.<br>DAUND SUGAR<br>Job No:1423                 | STEAM                 | 4,834                  | 25                     | 500            | 1          | 85                           | PDD000170 DT.07.03.2014          | 2014               |
|            |                                                                             | STEAM                 | 4,834                  | 1.015                  | 500            | 1          | 85                           | PDD000170 DT.07.03.2014          | 2014               |
| 1452       | M/s.LINDE ENGINEERING INDIA PRIVATE LTD.<br>JAMNAGAR SRU DTA<br>Job No:1424 | SUPER HEATED<br>STEAM | 48,958                 | 3.5                    | 425            | 2          | 85                           | 002 2DB1130 SUP.00 DT.07.03.2014 | 2014               |
|            |                                                                             | SUPER HEATED<br>STEAM | 48,958                 | 3.5                    | 425            | 2          | 85                           | 002 2DB1130 SUP.00 DT.07.03.2014 | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

257 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                         | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------|--------------------|
|            |                                          | SATURATED<br>STEAM    | 22,235                 | 3.5                    | 272            | 2          | 85                           | 002 2DB1130 SUP.00 DT.07.03.2014  | 2014               |
|            |                                          | SATURATED<br>STEAM    | 22,235                 | 3.5                    | 272            | 2          | 85                           | 002 2DB1130 SUP.00 DT.07.03.2014  | 2014               |
|            |                                          | SUPER HEATED<br>STEAM | 42,342                 | 3.5                    | 425            | 2          | 85                           | 002 2DB1130 SUP.00 DT.07.03.2014  | 2014               |
|            | Job No:1424-F to I                       | SATURATED<br>HP STEAM | 1,000                  | 3.5                    | 272            | 8          | 85                           | 002 2DB1130 SUP.001 DT.28.04.2014 | 2014               |
| 1453       | M/s.LINDE ENGINEERING INDIA PRIVATE LTD. | SUPER HEATED<br>STEAM | 48,958                 | 3.5                    | 425            | 2          | 85                           | 002 2DB1190 SUP.00 DT.07.03.2014  | 2014               |
|            | JAMNAGAR SRU DTA                         | SUPER HEATED<br>STEAM | 48,958                 | 3.5                    | 425            | 2          | 85                           | 002 2DB1190 SUP.00 DT.07.03.2014  | 2014               |
|            | Job No:1425                              | SATURATED<br>STEAM    | 22,235                 | 3.5                    | 272            | 2          | 85                           | 002 2DB1190 SUP.00 DT.07.03.2014  | 2014               |
|            |                                          | SATURATED<br>STEAM    | 22,235                 | 3.5                    | 272            | 2          | 85                           | 002 2DB1190 SUP.00 DT.07.03.2014  | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

258 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                                   | SERVICE                                                                         | FLOW<br>RATE<br>KG/Hr.            | INLET<br>PR.<br>Kg/Cm2   | TEMP.<br>DEG.C            | NO.<br>OFF          | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                                                               | YEAR<br>OF<br>MFR.           |
|------------|--------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|-----------------------------------|--------------------------|---------------------------|---------------------|------------------------------|------------------------------------------------------------------------------------------------------------------|------------------------------|
| 1454       | Job No:1425-F to I<br><br>M/s.SATIA INDUSTRIES LIMITED<br><br>1X400 TDS/D CHEMICAL RECOVERY BOILER.<br>Job No:1426 | SUPER HEATED<br>STEAM<br><br>SATURATED<br>HP STEAM<br><br>SUPER HEATED<br>STEAM | 42,342<br><br>1,000<br><br>20,600 | 3.5<br><br>3.5<br><br>69 | 425<br><br>272<br><br>465 | 2<br><br>8<br><br>1 | 85<br><br>85<br><br>83       | 002 2DB1190 SUP.00 DT.07.03.2014<br><br>002 2DB1190 SUP.001 DT.28.04.2014<br><br>SIL: PUR:2014:141 DT.07.03.2014 | 2014<br><br>2014<br><br>2014 |
| 1455       | M/s.RSWM LIMITED<br>BANSWARA<br>Job No:1427                                                                        | STEAM                                                                           | 42,000                            | 20                       | 500                       | 1                   | 110                          | L131039 Dt.14.03.2014                                                                                            | 2014                         |
| 1456       | M/s.KIRLOSKAR EBARA PUMPS LTD.<br>50162<br>Job No:1428                                                             | STEAM                                                                           | 3,855                             | 6.5                      | 297.2                     | 1                   | 85                           | 1110029861 DT.14.03.2014                                                                                         | 2014                         |
| 1457       | M/s.COROMANDEL SUGARS LTD.<br><br>30 MW COGEN POWER PLANT<br><br>Job No:1429                                       | SUPER HEATED<br>STEAM<br><br>(TPH)<br><br>SUPER HEATED<br>STEAM<br><br>(TPH)    | 75<br><br><br>25                  | 2<br><br><br>112         | 535<br><br><br>535        | 2<br><br><br>1      | 85<br><br><br>85             | HO/KRP 207 DT.18.03.2014<br><br><br>HO/KRP 207 DT.18.03.2014                                                     | 2014<br><br><br>2014         |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

259 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                        | SERVICE                                                                         | FLOW<br>RATE<br>KG/Hr.                                                      | INLET<br>PR.<br>Kg/Cm2                                                               | TEMP.<br>DEG.C                                          | NO.<br>OFF                    | NOISE<br>LEVEL<br>dB(A)-Mtr.         | P.O. NO. &<br>DATE                                                                                                                                               | YEAR<br>OF<br>MFR.                       |
|------------|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|-----------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------|-------------------------------|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|
| 1458       | M/s.HARI MACHINES LIMITED<br><br>M/s.SHANTHI GOPAL CONCAST LTD.<br><br>Job No:1431      | SUPER HEATED<br>STEAM<br><br>SUPER HEATED<br>STEAM<br><br>SUPER HEATED<br>STEAM | 3,700<br><br>3,700<br><br>18,000                                            | 3<br><br>1.5<br><br>3                                                                | 495<br><br>495<br><br>495                               | 4<br><br>4<br><br>1           | <85<br><br><85<br><br><85            | BLR/SHANTIGOPAL/SILENCERS/13-14<br>DT.24.01.2014<br><br>BLR/SHANTIGOPAL/SILENCERS/13-14<br>DT.24.01.2014<br><br>BLR/SHANTIGOPAL/SILENCERS/13-14<br>DT.24.01.2014 | 2014<br><br>2014<br><br>2014             |
| 1459       | M/S.AMBUJA CEMENTS LTD.<br>M/S.MARTHA CEMENTS<br>Job No:1432                            | STEAM                                                                           | 19,000                                                                      | 12<br>(ata)                                                                          | 495                                                     | 2                             | <85                                  | 2800450157/NE 23 DT.27.03.2014                                                                                                                                   | 2014                                     |
| 1460       | M/S.ALSTOM BHARAT FORGE POWER LTD.<br>M/S.NTPC LARA<br>Job No:1433                      | STEAM<br><br>STEAM<br><br>STEAM<br><br>STEAM                                    | 28<br>(T/Hr)<br><br>194<br>(T/Hr)<br><br>138<br>(T/Hr)<br><br>126<br>(T/Hr) | 2<br>(bar(g))<br><br>1.013<br>(bar(g))<br><br>1.3<br>(bar(g))<br><br>1.2<br>(bar(g)) | 285/500<br><br>375.37<br><br>343.1/395<br><br>284.1/395 | 2<br><br>2<br><br>8<br><br>16 | 105<br><br>105<br><br>105<br><br>105 | 4100594319 Dt.27.03.2014<br><br>4100594319 Dt.27.03.2014<br><br>4100594319 Dt.27.03.2014<br><br>4100594319 Dt.27.03.2014                                         | 2014<br><br>2014<br><br>2014<br><br>2014 |
| 1461       | M/sDOOSAN POWER SYSTEMS INDIA PRIVATE LTD.<br><br>NTPC-LARA SUPER THERMAL POWER PROJECT | SUPER HEATED<br>STEAM                                                           | 394,790                                                                     | 2.5<br><br>(bar(g))                                                                  | 420                                                     | 4                             | 115                                  | 4100594319 Dt.27.03.2014                                                                                                                                         | 2014                                     |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

260 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT | SERVICE               | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE       | YEAR<br>OF<br>MFR. |
|------------|------------------|-----------------------|-------------------------|-------------------------|----------------|------------|------------------------------|--------------------------|--------------------|
|            | Job No:1434      | SUPER HEATED<br>STEAM | 191,250                 | 19<br>(bar(g))          | 500            | 4          | 95                           | 2014000569 Dt.14.05.2014 | 2014               |
|            |                  | SUPER HEATED<br>STEAM | 288,513                 | 2.3<br>(bar(g))         | 568            | 4          | 115                          | 2014000569 Dt.14.05.2014 | 2014               |
|            |                  | SUPER HEATED<br>STEAM | 172,564                 | 1.9<br>(bar(g))         | 568            | 4          | 115                          | 2014000569 Dt.14.05.2014 | 2014               |
|            |                  | SUPER HEATED<br>STEAM | 314,771                 | 1<br>(bar(g))           | 333            | 4          | 115                          | 2014000569 Dt.14.05.2014 | 2014               |
|            |                  | SATURATED<br>STEAM    | 555,885                 | 0.9<br>(bar(g))         | SATURATE       | 2          | 95                           | 2014000569 Dt.14.05.2014 | 2014               |
|            |                  | SUPER HEATED<br>STEAM | 191,250                 | 2<br>(bar(g))           | 500            | 4          | 95                           | 2014000569 Dt.14.05.2014 | 2014               |
|            |                  | SUPER HEATED<br>STEAM | 162,719                 | 2.2<br>(bar(g))         | 596            | 4          | 115                          | 2014000569 Dt.14.05.2014 | 2014               |
|            |                  | SUPER HEATED<br>STEAM | 38,756                  | 0.9<br>(bar(g))         | 596            | 4          | 115                          | 2014000569 Dt.14.05.2014 | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

261 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT   | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                 | YEAR<br>OF<br>MFR. |
|------------|--------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------------------|--------------------|
|            |                    | SUPER HEATED<br>STEAM | 35,912                 | 0.5                    | 350            | 2          | 115                          | 2014000569 Dt.14.05.2014                                           | 2014               |
|            |                    | STEAM                 | 27                     | (bar(g))<br>0.5        | 334            | 2          | 115                          | 2014000569 Dt.14.05.2014                                           | 2014               |
|            |                    | STEAM                 | 122                    | 0.5                    | 334            | 2          | 115                          | 2014000569 Dt.14.05.2014                                           | 2014               |
|            | M/S.RELIANCE/FLUOR |                       |                        |                        |                |            |                              |                                                                    |                    |
|            | J-1435-A           | STEAM                 | 287500                 | 12.5                   | 330            | 4          | 85                           | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-<br>TB/LOC-DTA DT.01.04.2014 | 2016               |
|            | J-1435-B           | LLP STEAM             | 22390                  | 1                      | 153            | 1          | 85                           | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-<br>TB/LOC-DTA DT.01.04.2014 | 2016               |
|            | J-1435-C           | LLP STEAM             | 8721                   | 1                      | 175            | 1          | 85                           | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-<br>TB/LOC-DTA DT.01.04.2014 | 2016               |
|            | J-1435-D           | HHP STEAM             | 267098                 | 1                      | 160            | 4          | 85                           | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-<br>TB/LOC-DTA DT.01.04.2014 | 2016               |
|            | J-1435-E           | HHP STEAM             | 276040                 | 1                      | 160            | 4          | 85                           | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-<br>TB/LOC-DTA DT.01.04.2014 | 2016               |
|            | J-1435-F           | HHP STEAM             | 461000                 | 6                      | 540            | 2          | 115                          | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-<br>TB/LOC-DTA DT.01.04.2014 | 2016               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

262 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT   | SERVICE   | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                             | YEAR<br>OF<br>MFR. |
|------------|--------------------|-----------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------------|--------------------|
|            | J-1435-G           | HHP STEAM | 202000                 | 3.3                    | 540            | 8          | 115                          | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-TB/LOC-DTA DT.01.04.2014 | 2016               |
|            | J-1435-H           | HHP STEAM | 202000                 | 3.3                    | 540            | 4          | 115                          | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-TB/LOC-DTA DT.01.04.2014 | 2016               |
|            | M/S.RELIANCE/FLUOR |           |                        |                        |                |            |                              |                                                                |                    |
|            | J-1436-A           | STEAM     | 287500                 | 12.5                   | 330            | 6          | 85                           | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-TB/LOC-SEZ DT.01.04.2014 | 2016               |
|            | J-1436-B           | LLP STEAM | 22390                  | 1                      | 153            | 1          | 85                           | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-TB/LOC-SEZ DT.01.04.2014 | 2016               |
|            | J-1436-C           | LLP STEAM | 8721                   | 1                      | 175            | 1          | 85                           | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-TB/LOC-SEZ DT.01.04.2014 | 2016               |
|            | J-1436-D           | IHP STEAM | 15533(nm3/hr)          | 1                      | 300            | 2          | 85                           | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-TB/LOC-SEZ DT.01.04.2014 | 2016               |
|            | J-1436-E           | MP STEAM  | 6138 (nm3/hr)          | 1                      | 260            | 2          | 85                           | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-TB/LOC-SEZ DT.01.04.2014 | 2016               |
|            | J-1436-F           | LLP STEAM | 16966(nm3/hr)          | 1                      | 153            | 2          | 85                           | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-TB/LOC-SEZ DT.01.04.2014 | 2016               |
|            | J-1436-G           | HHP STEAM | 267098                 | 1                      | 160            | 6          | 85                           | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-TB/LOC-SEZ DT.01.04.2014 | 2016               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

263 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                        | SERVICE                       | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                             | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------|-------------------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------------|--------------------|
|            | J-1436-H                                                                | HHP STEAM                     | 276040                 | 1                      | 160            | 6          | 85                           | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-TB/LOC-SEZ DT.01.04.2014 | 2016               |
|            | J-1436-I                                                                | HHP STEAM                     | 461000                 | 6                      | 540            | 3          | 115                          | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-TB/LOC-SEZ DT.01.04.2014 | 2016               |
|            | J-1436-J                                                                | HHP STEAM                     | 202000                 | 3.3                    | 540            | 12         | 115                          | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-TB/LOC-SEZ DT.01.04.2014 | 2016               |
|            | J-1436-K                                                                | LLP STEAM                     | 155259                 | 1                      | 153            | 1          | 85                           | LOC No. : 4D1JGO&4D1JGU-MFY0001-FLR-X-TB/LOC-SEZ DT.01.04.2014 | 2016               |
| 1462       | M/s.JK PAPER LIMITED, RAYAGADA<br>-<br>Job No:1437                      | -                             | 55<br>(TPH)            | 5                      | 200            | 1          | 85                           | 14000011/OC/11000 Dt.05.04.2014                                | 2014               |
| 1463       | M/s.SIEMENS LTD.<br>M/s. 1x10.5 MW EMAMI PAPER MILLS LTD<br>Job No:1438 | SUPERHEATED<br>STEAM<br>(TPH) | 20                     | 64<br>(ata)            | 505            | 1          | <85                          | 4505125038                                                     | 2014               |
|            |                                                                         | SUPERHEATED<br>STEAM<br>(TPH) | 64                     | 38<br>(ata)            | 420            | 1          | <85                          | 4505125038                                                     | 2014               |
|            |                                                                         | SUPERHEATED<br>STEAM<br>(TPH) | 19                     | 6<br>(ata)             | 295            | 1          | <85                          | 4505125038                                                     | 2014               |
|            |                                                                         | SUPERHEATED<br>STEAM<br>(TPH) | 2                      | 13<br>(ata)            | 336            | 1          | <85                          | 4505125038                                                     | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

264 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                            | SERVICE                                                                                            | FLOW<br>RATE<br>KG/Hr.                                       | INLET<br>PR.<br>Kg/Cm2                                       | TEMP.<br>DEG.C                       | NO.<br>OFF                   | NOISE<br>LEVEL<br>dB(A)-Mtr.      | P.O. NO. &<br>DATE                                                                                                                                           | YEAR<br>OF<br>MFR.                       |
|------------|-----------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|--------------------------------------------------------------|--------------------------------------------------------------|--------------------------------------|------------------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|
| 1464       | M/s.CETHAR LIMITED<br>M/s.GHARDA CHEMICALS LTD.<br>Job No:1439              | SUPERHEATED<br>STEAM<br><br>SATURATED<br>STEAM<br><br>SATURATED<br>STEAM<br><br>SATURATED<br>STEAM | 18<br>(TPH)<br>23000/28150<br><br>23000/28150<br><br>11500/- | 5.8<br>(ata)<br>2<br><br>2<br><br>5                          | 295<br><br>205<br><br>205<br><br>205 | 1<br><br>1<br><br>1<br><br>1 | <85<br><br>85<br><br>85<br><br>85 | 4505125038<br><br>MBN004/0051/S Dt.07.04.2014<br><br>MBN004/0051/S Dt.07.04.2014<br><br>MBN004/0051/S Dt.07.04.2014                                          | 2014<br><br>2014<br><br>2014<br><br>2014 |
| 1465       | M/s.DF POWER SYSTEM PVT.LTD.<br>1X27.5MW GREEN POWER PLANT-5<br>Job No:1440 | STEAM<br><br>STEAM<br><br>STEAM<br><br>STEAM                                                       | 11<br>(T/HR)<br>10<br>(T/HR)<br>4<br>(T/HR)<br>4<br>(T/HR)   | 3<br>(Mpa.g)<br>3<br>(Mpa.g)<br>3<br>(Mpa.g)<br>3<br>(Mpa.g) | 325<br><br>325<br><br>325<br><br>325 | 1<br><br>1<br><br>1<br><br>1 | 85<br><br>85<br><br>85<br><br>85  | SRC1/SILC/B/14/0017 DT.16.04.2014<br><br>SRC1/SILC/B/14/0017 DT.16.04.2014<br><br>SRC1/SILC/B/14/0017 DT.16.04.2014<br><br>SRC1/SILC/B/14/0017 DT.16.04.2014 | 2014<br><br>2014<br><br>2014<br><br>2014 |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

PRAE

**REFERENCE LIST**

265 OF 380

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                | YEAR<br>OF<br>MFR. |
|------------|------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------|--------------------|
|            |                  | STEAM   | 4<br>(T/HR)            | 3<br>(Mpa.g)           | 325            | 1          | 85                           | SRC1/SILC/B/14/0017 DT.16.04.2014 | 2014               |
|            |                  | STEAM   | 9<br>(T/HR)            | 3<br>(Mpa.g)           | 325            | 1          | 85                           | SRC1/SILC/B/14/0017 DT.16.04.2014 | 2014               |
|            |                  | STEAM   | 9<br>(T/HR)            | 3<br>(Mpa.g)           | 325            | 1          | 85                           | SRC1/SILC/B/14/0017 DT.16.04.2014 | 2014               |
|            |                  | STEAM   | 4<br>(T/HR)            | 3<br>(Mpa.g)           | 325            | 1          | 85                           | SRC1/SILC/B/14/0017 DT.16.04.2014 | 2014               |
|            |                  | STEAM   | 9<br>(T/HR)            | 3<br>(Mpa.g)           | 325            | 1          | 85                           | SRC1/SILC/B/14/0017 DT.16.04.2014 | 2014               |
|            |                  | STEAM   | 2<br>(T/HR)            | 3<br>(Mpa.g)           | 325            | 1          | 85                           | SRC1/SILC/B/14/0017 DT.16.04.2014 | 2014               |
|            |                  | STEAM   | 16<br>(T/HR)           | 3<br>(Mpa.g)           | 250            | 2          | 85                           | SRC1/SILC/B/14/0017 DT.16.04.2014 | 2014               |
|            |                  | STEAM   | 3<br>(T/HR)            | 3<br>(Mpa.g)           | 250            | 2          | 85                           | SRC1/SILC/B/14/0017 DT.16.04.2014 | 2014               |
|            |                  | STEAM   | 12                     | 3                      | 460            | 2          | 85                           | SRC1/SILC/B/14/0017 DT.16.04.2014 | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

266 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                               | SERVICE                  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------------|--------------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------|--------------------|
|            |                                                                                |                          | (T/HR)                 | (Mpa.g)                |                |            |                              |                                   |                    |
|            |                                                                                | STEAM                    | 2                      | 3                      | 250            | 1          | 85                           | SRC1/SILC/B/14/0017 DT.16.04.2014 | 2014               |
|            |                                                                                |                          | (T/HR)                 | (Mpa.g)                |                |            |                              |                                   |                    |
|            |                                                                                | STEAM                    | 7                      | 3                      | 460            | 1          | 85                           | SRC1/SILC/B/14/0017 DT.16.04.2014 | 2014               |
|            |                                                                                |                          | (T/HR)                 | (Mpa.g)                |                |            |                              |                                   |                    |
|            |                                                                                | STEAM                    | 2                      | 3                      | 250            | 1          | 85                           | SRC1/SILC/B/14/0017 DT.16.04.2014 | 2014               |
|            |                                                                                |                          | (T/HR)                 | (Mpa.g)                |                |            |                              |                                   |                    |
| 1466       | THERMAL SYSTEMS (HYDERABAD) PVT. LTD.<br>SATHAVAHANA ISPAT LTD.<br>Job No:1441 | STEAM                    | 28,255                 | 1.6                    | 321            | 1          | <85                          | 2014000074/B-00220 Dt.02.05.2014  | 2014               |
|            |                                                                                | STEAM                    | 28,496                 | 1.6                    | 321            | 1          | <85                          | 2014000074/B-00220 Dt.02.05.2014  | 2014               |
|            |                                                                                | STEAM                    | 73,000                 | 5                      | 495            | 1          | <85                          | 2014000074/B-00220 Dt.02.05.2014  | 2014               |
|            |                                                                                | STEAM                    | 18,535                 | 1.4                    | 545            | 1          | <85                          | 2014000074/B-00220 Dt.02.05.2014  | 2014               |
|            |                                                                                |                          |                        |                        |                |            |                              |                                   |                    |
| 1467       | THERMAL SYSTEMS (HYDERABAD) PVT. LTD.<br>B-217/MANCHUKONOA<br>Job No:1442      | SUPER<br>HEATED<br>STEAM | 8,757                  | 1.015                  | 500            | 1          | <85                          | 2014000075/B-00217 Dt.02.05.2014  | 2014               |
|            |                                                                                | SUPER<br>HEATED<br>STEAM | 13,000                 | 5                      | 500            | 1          | <85                          | 2014000075/B-00217 Dt.02.05.2014  | 2014               |
| 1468       | TAKREER Carbon Black & Delayed Coker Project                                   | SUPER                    | 112,750                | 4.8                    | 386            | 1          | 115                          | 251008663 DT.21.01.2014           | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

267 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                            | SERVICE                  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE      | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------------------------|--------------------------|------------------------|-------------------------|----------------|------------|------------------------------|-------------------------|--------------------|
|            | Coke Calcination Unit<br>Job No:1443                                                        | HEATED<br>STEAM          |                        |                         |                |            |                              |                         |                    |
|            |                                                                                             | SATURATED<br>STEAM       | 112,750                | 6.2                     | 277            | 1          | 115                          | 251008663 DT.21.01.2014 | 2014               |
| 1469       | TAKREER Carbon Black & Delayed Coker Project<br>Coke Calcination Unit<br>Job No:1444        | SUPER<br>HEATED<br>STEAM | 112,750                | 4.8                     | 386            | 1          | 115                          | 251008664 DT.21.01.2014 | 2014               |
|            |                                                                                             | SATURATED<br>STEAM       | 112,750                | 6.2                     | 277            | 1          | 115                          | -                       | 2014               |
| 1470       | M/S.THERMAX LTD .<br>-M/S.LINDE ENGG. (I) PVT. LTD. A/C RIL,JAMNAGAR,GUJARAT<br>Job No:1445 | SATURATED<br>STEAM       | 59,681                 | 2.76                    | 272            | 1          | 85                           | OC NO:PL1001/02/11/12   | 2014               |
|            |                                                                                             | SATURATED<br>STEAM       | 61,430                 | 2.76                    | 272            | 1          | 85                           | OC NO:PL1001/02/11/12   | 2014               |
| 1471       | M/S.THERMAX LTD .<br>-M/S.LINDE ENGG. (I) PVT. LTD. A/C RIL,JAMNAGAR,GUJARAT<br>Job No:1446 | SATURATED<br>STEAM       | 59,681                 | 2.76                    | 272            | 1          | 85                           | OC NO:PL1001/02/11/12   | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

268 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                            | SERVICE            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE       | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------------------------|--------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------|--------------------|
| 1472       | M/S.THERMAX LTD .<br>-M/S.LINDE ENGG. (I) PVT. LTD. A/C RIL,JAMNAGAR,GUJARAT<br>Job No:1447 | SATURATED<br>STEAM | 61,430                 | 2.76                   | 272            | 1          | 85                           | OC NO:PL1001/02/11/12    | 2014               |
|            |                                                                                             | SATURATED<br>STEAM | 59,681                 | 2.76                   | 272            | 1          | 85                           | OC NO:PL1001/02/11/12    | 2014               |
|            |                                                                                             | SATURATED<br>STEAM | 61,430                 | 2.76                   | 272            | 1          | 85                           | OC NO:PL1001/02/11/12    | 2014               |
| 1473       | M/S.THERMAX LTD .<br>-M/S.LINDE ENGG. (I) PVT. LTD. A/C RIL,JAMNAGAR,GUJARAT<br>Job No:1448 | SATURATED<br>STEAM | 59,681                 | 2.76                   | 272            | 1          | 85                           | OC NO:PL1001/02/11/12    | 2014               |
|            |                                                                                             | SATURATED<br>STEAM | 61,430                 | 2.76                   | 272            | 1          | 85                           | OC NO:PL1001/02/11/12    | 2014               |
| 1474       | M/s.TRIVENI TURBINE LTD.<br>SHRI AMBALIKA SUGAR PVT LTD<br>Job No:1449                      | STEAM              | 16.8<br>(IPH)          | 5.5<br>(ata)           | 205±10         | 1          | 85                           | 2000013977 DT.13.05.2014 | 2014               |
| 1475       | M/s.THERMAX LIMITED<br>CARGILL INDIA PVT. LTD.<br>Job No:1450                               | SATURATED<br>STEAM | 16,000                 | 11                     | 192            | 1          | 85                           | 40019330 DT.18.04.2014   | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

269 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                              | SERVICE            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                     | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------|--------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------|--------------------|
| 1476       | M/s.RELIANCE INDUSTRIES LIMITED, JAMNAGAR<br>-<br>Job No:1451 | SATURATED<br>STEAM | 32,875                 | 3                      | 143            | 1          | 85                           | 40019330 DT.18.04.2014                 | 2014               |
|            |                                                               | STEAM              | 15,500                 | 3.5                    | 235            | 2          | 85                           | JM1/7538353 Dt.16.05.2014              | 2014               |
|            |                                                               | STEAM              | 15,500                 | 3.5                    | 235            | 1          | 85                           | JM1/7538353 Dt.16.05.2014              | 2014               |
| 1477       | M/s.INDIAN OIL CORPORATION LTD., PANIPAT<br>-<br>Job No:1452  | SATURATED<br>STEAM | 48<br>(IPH)            | 149                    | 175.5          | 1          | 85                           | NCM1312065/24161791 DT.22.05.2014      | 2014               |
|            |                                                               | SATURATED<br>STEAM | 171,513                | 156                    | 344            | 1          | 85                           | NCM1312065/24161791 DT.22.05.2014      | 2014               |
| 1478       | M/s.ELGI EQUIPMENTS LTD.,COIMBATORE<br>-<br>Job No:1453       | AIR SILENCER       | 1,500<br>(CFM)         | 10<br>(bar)            | 45             | 1          | 85                           | 9010527 Dt:19.05.2014                  | 2014               |
| 1479       | M/s.GHARDA CHEMICALS LIMITED<br>-<br>Job No:1454              | STEAM              | 7,100                  | 1.5                    | 173            | 1          | 85                           | APPO/028296/1415A/KP DT.14.06.2014     | 2014               |
| 1480       | M/s.BHARAT PETROLEUM CORPORATION LTD,KOCHI<br>EIL.            | -                  | 100                    | 3.5                    | 240            | 1          | <85                          | FOA NO.A307/6119/67/0784 DT.23.06.2014 | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

270 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                          | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                     | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------|--------------------|
|            | Job No:1455                                                               | -       | 600                    | 3.5                    | 140            | 1          | <85                          | FOA NO.A307/6119/67/0784 DT.23.06.2014 | 2014               |
|            |                                                                           | -       | 8,436                  | 3.5                    | 285            | 1          | <85                          | FOA NO.A307/6119/67/0784 DT.23.06.2014 | 2014               |
|            |                                                                           | -       | 32,564                 | 3.5                    | 225            | 1          | <85                          | FOA NO.A307/6119/67/0784 DT.23.06.2014 | 2014               |
|            |                                                                           | -       | 32,564                 | 3.5                    | 225            | 1          | <85                          | FOA NO.A307/6119/67/0784 DT.23.06.2014 | 2014               |
|            |                                                                           | -       | 1,700                  | 10/FV                  | 225            | 1          | <85                          | FOA NO.A307/6119/67/0784 DT.23.06.2014 | 2014               |
|            |                                                                           | -       | 2,606                  | 3.5                    | 225            | 1          | <85                          | FOA NO.A307/6119/67/0784 DT.23.06.2014 | 2014               |
| 1481       | M/S WALCHANDNAGAR INDUSTRIES LTD<br>BUSIA SUGAR LTD, KENYA<br>Job No:1456 | -       | 15,125                 | 1.5                    | 485±5          | 1          | 85                           | 4500039952/ DT.26.06.2014              | 2014               |
|            |                                                                           | -       | 16,500                 | 47                     | 485±5          | 1          | 85                           | 4500039952/ DT.26.06.2014              | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

271 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                | SERVICE                  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                  | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------------|--------------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------|--------------------|
| 1482       | JACOBS ENGINEERING INDIA PVT.LTD.<br>-<br>Job No:1457                           | STEAM                    | 20,522                 | 1.015<br>(Bar a)       | 293            | 1          | 85                           | 1100027084 Dt.22-07-2014            | 2014               |
| 1483       | M/s.TRIVENI TURBINE LTD.<br>DEIFY INFRASTRUCTURES LTD.<br>Job No:1458           | STEAM                    | 10<br>(TPH)            | 10                     | 410            | 1          | <85                          | 2000014184 DT.08.07.2014            | 2014               |
| 1484       | M/s.RELIANCE INDUSTRIES LTD.-JAMNAGAR<br>J3 PROGARAM LLDPE PLANT<br>Job No:1459 | N2                       | 32,500                 | 10.5                   | 165            | 1          | 85                           | <b>1J/MWR/7552417 DT.07.07.2014</b> | 2014               |
| 1485       | M/s.THERMAX LTD.<br>PETROGAS LLP (BF1351&BF1352)<br>Job No:1460                 | SUPER<br>HEATED<br>STEAM | 16,800                 | 0.5                    | 255            | 2          | 85                           | <b>251009191 Dt:25.04.2014</b>      | 2014               |
| 1486       | M/s.THERMAX LIMITED<br>RIL-JERP (PH 0541)<br>Job No:1461                        | SUPER<br>HEATED<br>STEAM | 137,500                | 11                     | 512+/-5        | 1          | 85                           | <b>251009196 Dt.25.04.2014</b>      | 2014               |
|            |                                                                                 | SUPER<br>HEATED<br>STEAM | 137,500                | 11                     | 512+/-5        | 1          | 85                           | <b>251009196 Dt.25.04.2014</b>      | 2014               |
|            |                                                                                 | SUPER<br>HEATED<br>STEAM | 26,000                 | 1.5                    | 187.5          | 1          | 85                           | <b>251009196 Dt.25.04.2014</b>      | 2014               |
|            |                                                                                 | SUPER                    | 26,000                 | 1.5                    | 187.5          | 1          | 85                           | <b>251009196 Dt.25.04.2014</b>      | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

272 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                         | SERVICE                  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE      | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------|--------------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------|--------------------|
| 1487       | M/s.THERMAX LIMITED<br>RIL-JERP (PH 0542)<br>Job No:1462 | HEATED<br>STEAM          |                        |                        |                |            |                              |                         |                    |
|            |                                                          | SAT. STEAM               | 110,000                | 0.5                    | 330.5          | 2          | 85                           | 251009196 Dt.25.04.2014 | 2014               |
|            |                                                          | SH STEAM                 | 55,000                 | 0.5                    | 517            | 1          | 85                           | 251009196 Dt.25.04.2014 | 2014               |
|            |                                                          | SATURATED<br>STEAM       | 27,000                 | 0.5                    | 179.1          | 2          | 85                           | 251009196 Dt.25.04.2014 | 2014               |
|            |                                                          | SH STEAM                 | 11,000                 | 0.5                    | 187.5          | 1          | 85                           | 251009196 Dt.25.04.2014 | 2014               |
|            |                                                          | SUPER<br>HEATED<br>STEAM | 137,500                | 11                     | 512+/-5        | 1          | 85                           | 251009197 Dt.25.04.2014 | 2014               |
|            |                                                          | SUPER<br>HEATED<br>STEAM | 137,500                | 11                     | 512+/-5        | 1          | 85                           | 251009197 Dt.25.04.2014 | 2014               |
|            |                                                          | SUPER<br>HEATED<br>STEAM | 26,000                 | 1.5                    | 187.5          | 1          | 85                           | 251009197 Dt.25.04.2014 | 2014               |
|            |                                                          | SUPER<br>HEATED<br>STEAM | 26,000                 | 1.5                    | 187.5          | 1          | 85                           | 251009197 Dt.25.04.2014 | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

273 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                         | SERVICE                  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE      | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------|--------------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------|--------------------|
| 1488       | M/s.THERMAX LIMITED<br>RIL-JERP (PH 0543)<br>Job No:1463 | SAT. STEAM               | 110,000                | 0.5                    | 330.5          | 2          | 85                           | 251009197 Dt.25.04.2014 | 2014               |
|            |                                                          | SH STEAM                 | 55,000                 | 0.5                    | 517            | 1          | 85                           | 251009197 Dt.25.04.2014 | 2014               |
|            |                                                          | SATURATED<br>STEAM       | 27,000                 | 0.5                    | 179.1          | 2          | 85                           | 251009197 Dt.25.04.2014 | 2014               |
|            |                                                          | SH STEAM                 | 11,000                 | 0.5                    | 187.5          | 1          | 85                           | 251009197 Dt.25.04.2014 | 2014               |
|            |                                                          | SUPER<br>HEATED<br>STEAM | 137,500                | 11                     | 512+/-5        | 1          | 85                           | 251009198 Dt.25.04.2014 | 2014               |
|            |                                                          | SUPER<br>HEATED<br>STEAM | 137,500                | 11                     | 512+/-5        | 1          | 85                           | 251009198 Dt.25.04.2014 | 2014               |
|            |                                                          | SUPER<br>HEATED<br>STEAM | 26,000                 | 1.5                    | 187.5          | 1          | 85                           | 251009198 Dt.25.04.2014 | 2014               |
|            |                                                          | SUPER<br>HEATED<br>STEAM | 26,000                 | 1.5                    | 187.5          | 1          | 85                           | 251009198 Dt.25.04.2014 | 2014               |
|            |                                                          | SAT. STEAM               | 110,000                | 0.5                    | 330.5          | 2          | 85                           | 251009198 Dt.25.04.2014 | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

274 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                   | SERVICE                  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE       | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------------------|--------------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------|--------------------|
|            |                                                                                    | SH STEAM                 | 55,000                 | 0.5                    | 517            | 1          | 85                           | 251009198 Dt.25.04.2014  | 2014               |
|            |                                                                                    | SATURATED<br>STEAM       | 27,000                 | 0.5                    | 179.1          | 2          | 85                           | 251009198 Dt.25.04.2014  | 2014               |
|            |                                                                                    | SH STEAM                 | 11,000                 | 0.5                    | 187.5          | 1          | 85                           | 251009198 Dt.25.04.2014  | 2014               |
| 1489       | M/s.THERMAX LIMITED<br>RELIANCE UTILITY & POWER PVT.LTD.(PI0161)<br>Job No:1464    | SUPER<br>HEATED<br>STEAM | 170,000                | 11                     | 465            | 1          | 85                           | 251009200 Dt.28.04.2014  | 2014               |
|            |                                                                                    | SUPER<br>HEATED<br>STEAM | 170,000                | 11                     | 465            | 1          | 85                           | 251009200 Dt.28.04.2014  | 2014               |
| 1490       | M/s.THERMAX LIMITED<br>RELIANCE UTILITY & POWER PVT.LTD.(PI0161)<br>Job No:1465    | SUPER<br>HEATED<br>STEAM | 170,000                | 11                     | 465            | 1          | 85                           | 251009201 Dt.28.04.2014  | 2014               |
|            |                                                                                    | SUPER<br>HEATED<br>STEAM | 170,000                | 11                     | 465            | 1          | 85                           | 251009201 Dt.28.04.2014  | 2014               |
| 1491       | M/s.THYSENKRUPP INDUSTRIES INDIA PVT. LTD<br>SHYAM SEL & POWER LTD.<br>Job No:1466 | SAT.STEAM                | 59.490<br>(TPH)        | 109                    | 310            | 1          | 85                           | 2500007714 DT.18.07.2014 | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

275 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                               | SERVICE   | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE          | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------|-----------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------|--------------------|
| 1492       | /S TRIVENI TURBINE LTD<br>.SHIVSHAKTI SUGARS<br>Job No:1467    | SAT.STEAM | 60.031<br>(TPH)        | 110                    | 310            | 1          | 85                           | 2500007714 DT.18.07.2014    | 2014               |
|            |                                                                | SH STEAM  | 34.043<br>(TPH)        | 98                     | 525±5          | 1          | 85                           | 2500007714 DT.18.07.2014    | 2014               |
|            |                                                                | SH STEAM  | 20.280<br>(TPH)        | 97                     | 525±5          | 1          | 85                           | 2500007714 DT.18.07.2014    | 2014               |
|            |                                                                | SH STEAM  | 40.500<br>(TPH)        | 98                     | 525±5          | 1          | 85                           | 2500007714 DT.18.07.2014    | 2014               |
|            |                                                                | STEAM     | 10<br>(TPH)            | 28                     | 410±10         | 1          | <85                          | 2000014241 DT.28.07.2014    | 2014               |
| 1493       | M/s UTTAM ENERGY SYSTEMS LTD<br>SHIVRATNA UDYOG<br>Job No:1468 | STEAM     | 23,000                 | 78.2                   | 520            | 1          | 80                           | PDD000326 DT.28.07.2014     | 2014               |
|            |                                                                | STEAM     | 23,000                 | 1                      | 520            | 1          | 80                           | PDD000326 DT.28.07.2014     | 2014               |
| 1494       | M/s UTTAM ENERGY SYSTEMS LTD<br>UTOPIAN SUGARS<br>Job No:1469  | STEAM     | 24,000                 | 10.6                   | 520            | 1          | 80                           | PDD000327 DT.28.07.2014     | 2014               |
|            |                                                                | STEAM     | 24,000                 | 1                      | 520            | 1          | 80                           | PDD000327 DT.28.07.2014     | 2014               |
| 1495       | M/s.ISGEC HEAVY ENGINEERING LTD.<br>GERDAU STEEL INDIA         | STEAM     | 6,700                  | 5                      | 540±5          | 1          | 85                           | 233114/JPO028 Dt.29.07.2014 | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

276 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                 | SERVICE                          | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE           | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------------------------|----------------------------------|-------------------------|-------------------------|----------------|------------|------------------------------|------------------------------|--------------------|
| 1496       | Job No:1470<br>M/s THERMAX LIMITED<br>VENKATARAMA BDFB 10/06<br>Job No:1471      | SUPERHEATED<br>STEAM             | 3,650                   | 4.5                     | 185-460        | 1          | 85                           | 40019329 DT.15.07.2014       | 2014               |
|            |                                                                                  | SUPERHEATED<br>STEAM             | 3,650                   | 4.5                     | 185-460        | 1          | 85                           | 40019329 DT.15.07.2014       | 2014               |
| 1497       | M/s.ISGEC HEAVY ENGINEERING LTD.<br>GERDAU STEEL INDIA LIMITED<br>Job No:1472    | SH.STEAM                         | 17,006                  | 0.5                     | 540±5          | 1          | 85                           | 108913/JB 0892 Dt.28.07.2014 | 2014               |
|            |                                                                                  | SH.STEAM                         | 16,750                  | 0.5                     | 540±5          | 1          | 85                           | 108913/JB 0892 Dt.28.07.2014 | 2014               |
| 1498       | M/s.ISGEC HEAVY ENGINEERING LTD.<br>GERDAU STEEL INDIA LIMITED<br>Job No:1473    | SH.STEAM                         | 17,006                  | 0.5                     | 540±5          | 1          | 85                           | 108914/JB 0893 Dt.28.07.2014 | 2014               |
|            |                                                                                  | SH.STEAM                         | 16,750                  | 0.5                     | 540±5          | 1          | 85                           | 108914/JB 0893 Dt.28.07.2014 | 2014               |
| 1499       | M/ s.Reliance Industries Limited<br>JAMNAGAR GASIFICATION PROJECT<br>Job No:1474 | Atmospheric<br>vent<br>(steam)AV | 17,006<br>(m3/hr)       | 4.3                     | 170            | 2          | 85                           | 1J/MWQ/7555350 DT.17.07.2014 | 2014               |
|            |                                                                                  | Blowdownsteam<br>/BS             | 61,839<br>(m3/hr)       | 4.3                     | 153            | 2          | 85                           | 1J/MWQ/7555350 DT.17.07.2014 | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

277 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                | SERVICE                          | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE           | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------------|----------------------------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------|--------------------|
| 1500       | M/s.Reliance Industries Limited<br>JAMNAGAR GASIFICATION PROJECT<br>Job No:1475 | Atmospheric<br>vent<br>(steam)AV | 17,006<br>(m3/hr)      | 4.3                    | 170            | 3          | 85                           | 1J/MWQ/7555353 DT.17.07.2014 | 2014               |
|            |                                                                                 | Blowdownsteam<br>/BS             | 61,839<br>(m3/hr)      | 4.3                    | 153            | 3          | 85                           | 1J/MWQ/7555353 DT.17.07.2014 | 2014               |
| 1501       | M/s.THERMAX LTD.<br>SNC EM BOILER (BF1391)<br>Job No:1476                       | SATURATED<br>STEAM               | 258,077                | 0.5<br>(bar g)         | 300            | 1          | 85                           | 251009894 Dt.06.08.2014      | 2014               |
|            |                                                                                 | SH.STEAM                         | 104,663                | 3<br>(psi g)           | 465            | 1          | 85                           | 251009894 Dt.06.08.2014      | 2014               |
|            |                                                                                 | SH.STEAM                         | 116,267                | 10<br>(bar g)          | 465            | 1          | 85                           | 251009894 Dt.06.08.2014      | 2014               |
|            |                                                                                 | SATURATED<br>STEAM               | 6,500                  | 0.2<br>(bar g)         | 105            | 1          | 85                           | 251009894 Dt.06.08.2014      | 2014               |
| 1502       | M/s.GRASIM INDUSTRIES LIMITED<br>-<br>Job No:1479                               | -                                | 11,000                 | 65                     | 500            | 1          | 85                           | 4200135577/119 Dt.12.08.2014 | 2014               |
|            |                                                                                 | -                                | 12,000                 | 65                     | 485            | 1          | 85                           | 4200135577/119 Dt.12.08.2014 | 2014               |
|            |                                                                                 | -                                | 1,000                  | 3                      | 180            | 1          | 85                           | 4200135577/119 Dt.12.08.2014 | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

278 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                            | SERVICE                 | FLOW<br>RATE<br>KG/Hr.               | INLET<br>PR.<br>Kg/Cm2               | TEMP.<br>DEG.C               | NO.<br>OFF       | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                                                           | YEAR<br>OF<br>MFR.           |
|------------|---------------------------------------------------------------------------------------------|-------------------------|--------------------------------------|--------------------------------------|------------------------------|------------------|------------------------------|--------------------------------------------------------------------------------------------------------------|------------------------------|
| 1503       | M/S AIR LIQUIDE GLOBAL E&C SOLUTION INDIA PVT LTD<br><br>GASAL RLW8-1<br><br>Job No:1480    | -                       | 29800/23500/71200<br><br>(NM3/HR)    | 73.38/72.367<br><br>BAR(A) / BAR(G)) | 16/22.2/16<br><br>16/27.2/19 | 1                | 75                           | LOI NO.ALGE&C(1):50351400:2014:LOI:039<br>Dt.14.8.2014                                                       | 2014                         |
| 1504       | M/S LINDE INDIA LIMITED,KOLKATA<br>NAL, BANGALORE<br>Job No:1481                            | AIR                     | 37,730<br><br>(mm3/hr)               | 11.2                                 | 0 TO 50                      | 1                | 75                           | 405046/ DT 07.08.2014                                                                                        | 2014                         |
| 1505       | M/S RELIANCE INDUSTRIES LIMITED<br>MEG II REVAMP HAZIRA<br>Job No:1482                      | STEAM                   | 105,802<br><br>(m3/hr)               | 2                                    | 170                          | 1                | 85                           | HPRJ/MMB/7563992/ DT 21.08.2014                                                                              | 2014                         |
| 1506       | M/s. FIVES CAIL-KCP LIMITED<br>M/s. KCP VIETNAM<br>Job No:1483                              | -<br>-<br>-<br>-        | 19,700<br>50,800<br>43,000<br>15,000 | 2<br>2<br>2<br>2                     | 400<br>500<br>400<br>400     | 1<br>1<br>1<br>1 | 85<br>85<br>85<br>85         | 4500005256 DT.28.08.2014<br>4500005256 DT.28.08.2014<br>4500005256 DT.28.08.2014<br>4500005256 DT.28.08.2014 | 2014<br>2014<br>2014<br>2014 |
| 1507       | M/S.TRIVENI TURBINE LIMITED.<br><br>M/S.ASHOKA DISTILLERS&CHEMICALS PVT LTD.<br>Job No:1484 | STEAM<br>(INTERMITTENT) | 12<br><br>(TPH)                      | 6<br><br>(ata)                       | 250±10                       | 1                | <85                          | 2000013960 Dt.07.05.2014                                                                                     | 2014                         |
| 1508       | M/s.PAUL WURTH INDIA PVT LTD.<br>RASHTRIYA ISPAT NIGAM LTD, VIZAG.<br>Job No:1485           | BF GAS                  | 186,000                              | 6<br><br>(bar (abs))                 | 250                          | 1                | 80                           | 15102467 DATE 28.08.2014                                                                                     | 2014                         |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

279 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                        | SERVICE                      | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE           | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------|------------------------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------|--------------------|
| 1509       | Reliance Industries Limited<br><br>FLUOR<br>Job No:1486 | Atmospheric<br>vent/AV/steam | 1,143<br><br>(m3/hr)   | 3.5                    | 150/130        | 1          | 85                           | 1J/MXU/7561230 DT.08.08.2014 | 2014               |
|            |                                                         | Atmospheric<br>vent/AV/steam | 2,408<br><br>(m3/hr)   | 3.5                    | 150            | 1          | 85                           | 1J/MXU/7561230 DT.08.08.2014 | 2014               |
| 1510       | Reliance Industries Limited<br><br>FLUOR<br>Job No:1487 | Atmospheric<br>vent/AV/steam | 1,143<br><br>(m3/hr)   | 3.5                    | 150/130        | 1          | 85                           | 1J/MXU/7561235 DT.08.08.2014 | 2014               |
|            |                                                         | Atmospheric<br>vent/AV/steam | 2,408<br><br>(m3/hr)   | 3.5                    | 150            | 1          | 85                           | 1J/MXU/7561230 DT.08.08.2014 | 2014               |
|            |                                                         | Atmospheric<br>vent/AV/steam | 20,052<br><br>(m3/hr)  | 3.5                    | 150            | 2          | 85                           | 1J/MXU/7561230 DT.08.08.2014 | 2014               |
| 1511       | M/S KIRLOSKAR EBARA PUMPS LTD<br>50169<br>Job No:1488   | STEAM                        | 3,730                  | 10                     | 245            | 1          | 85                           | 1110031904/ DT 05.09.2014    | 2014               |
|            |                                                         | STEAM                        | 3,730                  | 24                     | 285            | 1          | 85                           | 1110031904/ DT 05.09.2014    | 2014               |
|            |                                                         | STEAM                        | 3,540                  | 10                     | 253            | 1          | 85                           | 1110031904/ DT 05.09.2014    | 2014               |
|            |                                                         | STEAM                        | 3,540                  | 24                     | 285            | 1          | 85                           | 1110031904/ DT 05.09.2014    | 2014               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

280 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                                 | SERVICE                 | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------------------------------|-------------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------|--------------------|
| 1512       | M/S.DF POWER SYSTEM PVT. LTD<br>1X27.5 MW GREEN POWER PLANT #5,RAIPUR,CHATTISGARH<br>Job No:1489 | HP STEAM                | 10<br>(TPH)            | 10<br>(Kg/cm2(a))      | 450            | 1          | <85                          | 1110031904/ DT 05.09.2014         | 2014               |
|            |                                                                                                  | LP STEAM                | 10<br>(TPH)            | 6<br>(Kg/cm2(a))       | 195            | 1          | <85                          | SRC1/SILE/B/14/0186 Dt.20.09.2014 | 2014               |
| 1513       | M/S TRIVENI TURBINE LTD<br>DAUND SUGAR 3.95 MW<br>Job No:1490                                    | STEAM(INTER<br>MITTENT) | 24<br>(TPH)            | 5.5<br>(ATA)           | 210            | 1          | <85                          | 200014417/ DT 25.09.2014          | 2014               |
| 1514       | M/S INTERCAT EQUIPMENTS (MUMBAI) PVT.LTD<br>SRC SINGAPORE REFINERY<br>Job No:1491                | STEAM                   | 3,135.00               | 0.15                   | 140            | 1          | 80                           | 039/2014-15 DT 26.09.2014         | 2014               |
| 1515       | M/s.INDIAN FARMERS FERTILIZERS CO-OPERATIVE LTD.<br>KALOL,GANDHINAGAR<br>Job No:1492             | STEAM                   | 40,000                 | 58                     | 415            | 1          | 85                           | 1010/201004150668 Dt.29.09.2014   | 2014               |
| 1516       | M/S.SIMON INDIA LIMITED<br>M/S. PARADEEP PHOSPHATES LTD., PARADEEP<br>Job No:1493                | STEAM                   | 51,826                 | 0.22                   | 127            | 1          | 85                           | 4500000849 Dt.15.10.2014          | 2014               |
|            |                                                                                                  | STEAM                   | 12,480                 | 1.5                    | 497            | 1          | 85                           | 4500000849 Dt.15.10.2014          | 2014               |
|            |                                                                                                  | STEAM                   | 50,624.8               | 0.2                    | 298            | 1          | 85                           | 4500000849 Dt.15.10.2014          | 2014               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                         |                       | REFERENCE LIST           |                        |                |            |                              | 281 OF 380                            |                    |
|----------------------------------------------------------------------|-------------------------------------------------------------------------|-----------------------|--------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------|--------------------|
| PRAE                                                                 |                                                                         |                       | NOISE CONTROL - SILENCER |                        |                |            |                              |                                       |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                        | SERVICE               | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                    | YEAR<br>OF<br>MFR. |
| 1517                                                                 | M/S.SAURASHTRA CHEMICALS.<br>DIVISION OF NIRMA LTD.<br>Job No:1494      | STEAM                 | 135,777                  | 0.27                   | 491            | 1          | 85                           | 4500000849 Dt.15.10.2014              | 2014               |
|                                                                      |                                                                         | STEAM                 | 52,987                   | 0.23                   | 214            | 1          | 85                           | 4500000849 Dt.15.10.2014              | 2014               |
|                                                                      |                                                                         | STEAM                 | 76,748                   | 0.216                  | 214            | 1          | 85                           | 4500000849 Dt.15.10.2014              | 2014               |
|                                                                      |                                                                         | STEAM                 | 60<br>(TPH)              | 2.5<br>(bar)           | 150-180        | 1          | 85                           | I/8001096PO141100007 Dt.01.11.2014    | 2014               |
| 1518                                                                 | M/s.BHARAT PETROLEUM CORPORATION LTD/KOCHI<br>J-1495                    | -                     | 25,300                   |                        | 607            | 1          | 85                           | 10/AA/A307/6211/89/1088 DT.18.11.2014 | 2015               |
| 1519                                                                 | M/s T D POWER SYSTEM LIMITED/RELIANCE JAMNAGAR 3<br>PROGRAM<br>J-1496-A | SUPER HEATED<br>STEAM | 363223                   | 8.6<br>(kg/cm2)A       | 393            | 2          | <90                          | 3111400121/ DT.21.11.2014             | 2015               |
| 1520                                                                 | M/s T D POWER SYSTEM LIMITED/RELIANCE JAMNAGAR 3<br>PROGRAM<br>J-1496-B | SUPER HEATED<br>STEAM | 176325/184900/17632      | 6.2<br>(kg/cm2)A       | 288            | 3          | <90                          | 3111400121/ DT.21.11.2014             | 2015               |
| 1521                                                                 | M/s T D POWER SYSTEM LIMITED/RELIANCE JAMNAGAR 3<br>PROGRAM             | SATURATED<br>STEAM    | 72360/74254/75540/7      | 1.6                    | 260            | 4          | <90                          | 3111400121/ DT.21.11.2014             | 2015               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

282 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                     | SERVICE                    | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE            | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------------|----------------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------|--------------------|
| 1522       | J-1496-C<br>M/s T D POWER SYSTEM LIMITED/RELIANCE JAMNAGAR 3 PROGRAM | SUPER HEATED STEAM         | 212580                 | (kg/cm2)A<br>4.6       | 288            | 2          | <90                          | 3111400122/ DT.21.11.2014     | 2015               |
| 1523       | J-1497-A<br>M/s T D POWER SYSTEM LIMITED/RELIANCE JAMNAGAR 3 PROGRAM | SUPER HEATED STEAM         | 212580                 | (kg/cm2)A<br>4.6       | 288            | 2          | <90                          | 3111400122/ DT.21.11.2014     | 2015               |
| 1524       | J-1497-B<br>M/s T D POWER SYSTEM LIMITED/RELIANCE JAMNAGAR 3 PROGRAM | SATURATED STEAM            | 72360/75536/72360      | (kg/cm2)A<br>1.6       | 260            | 3          | <90                          | 3111400122/ DT.21.11.2014     | 2015               |
| 1525       | J-1497-C<br>M/s. INTERCAT EQUIPMENT(MUMBAI) PVT LTD/HPCL MUMBAI      | AIR/STEAM/C ATALYST POWDER | 600                    | (kg/cm2)A<br>1         | 200            | 1          | <80                          | 045/2014-15 DT.25.11.2014     | 2015               |
| 1526       | J-1498<br>M/s.DEE DEVELOPMENT ENGINEERS LIMITED/BANDIRMA II,TURKEY   | -                          | 0.3                    |                        | 400            | 1          | 150                          | PO/14-15/004922 DT.29.11.2014 | 2015               |
| 1527       | J-1499<br>M/s.RELIANCE INDUSTRIES LTD/M/s.MEG UNIT, J3 PROJECT       | STEAM                      | 30000                  | Kg/s<br>5.7            | 287            | 1          | 150                          | 1J/MWS/7588952 Dt:01.12.2014  | 2015               |
| 1528       | J-1500-A<br>M/s.RELIANCE INDUSTRIES LTD/M/s.MEG UNIT, J3 PROJECT     | STEAM AND CO2              | 38335                  | 5.3                    | 230            | 1          | 150                          | 1J/MWS/7588952 Dt:01.12.2014  | 2015               |
| 1529       | J-1500-B<br>M/s.RELIANCE INDUSTRIES LTD/M/s.MEG UNIT, J3 PROJECT     | STEAM AND CO2              | 102235                 | 5.3                    | 230            | 1          | 150                          | 1J/MWS/7588952 Dt:01.12.2014  | 2015               |
| 1530       | J-1500-C<br>M/s.RELIANCE INDUSTRIES LTD/M/s.MEG UNIT, J3 PROJECT     | MP STEAM                   | 23142                  | 11.2                   | 230            | 1          | 150                          | 1J/MWS/7588952 Dt:01.12.2014  | 2015               |
|            | J-1500-D                                                             |                            |                        |                        |                |            |                              |                               |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

283 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                 | SERVICE                                      | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE           | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------|----------------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------|--------------------|
| 1531       | M/s.RELIANCE INDUSTRIES LTD/M/s.MEG UNIT, J3 PROJECT<br>J-1500-E | MP STEAM                                     | 196910                 | 21.1                   | 260            | 1          | 150                          | 1J/MWS/7588952 Dt:01.12.2014 | 2015               |
| 1532       | M/s.RELIANCE INDUSTRIES LTD/M/s.MEG UNIT, J3 PROJECT<br>J-1500-F | IS STEAM                                     | 100000                 | 11.2                   | 230            | 1          | 150                          | 1J/MWS/7588952 Dt:01.12.2014 | 2015               |
| 1533       | M/s.RELIANCE INDUSTRIES LTD/M/s.MEG UNIT, J3 PROJECT<br>J-1500-G | HP STEAM                                     | 126000                 | 47.6                   | 426            | 1          | 150                          | 1J/MWS/7588952 Dt:01.12.2014 | 2015               |
| 1534       | M/s.RELIANCE INDUSTRIES LTD/M/s.MEG UNIT, J3 PROJECT<br>J-1500-H | STEAM                                        | 122708                 | 11.2                   | 230            | 1          | 150                          | 1J/MWS/7588952 Dt:01.12.2014 | 2015               |
| 1535       | M/s.RELIANCE INDUSTRIES LTD/M/s.MEG UNIT, J3 PROJECT<br>J-1500-I | PROCESS<br>STEAM                             | 31000                  | 11.23                  | 230            | 1          | 150                          | 1J/MWS/7588952 Dt:01.12.2014 | 2015               |
| 1536       | M/s.RELIANCE INDUSTRIES LTD/M/s.MEG UNIT, J3 PROJECT<br>J-1500-J | 3RD<br>EVAPORATOR<br>OVER HEAD<br>CONDENSATE | 634654                 | 16.6                   | 230            | 1          | 150                          | 1J/MWS/7588952 Dt:01.12.2014 | 2015               |
| 1537       | M/s.RELIANCE INDUSTRIES LTD/M/s.MEG UNIT, J3 PROJECT<br>J-1500-K | LP STEAM                                     | 46587                  | 3.5                    | 150            | 1          | 150                          | 1J/MWS/7588952 Dt:01.12.2014 | 2015               |
| 1538       | M/s.RELIANCE INDUSTRIES LTD/M/s.MEG UNIT, J3 PROJECT<br>J-1500-L | HHP STEAM<br>VENT                            | 33750                  | 116                    | 520            | 1          | 150                          | 1J/MWS/7588952 Dt:01.12.2014 | 2015               |
| 1539       | M/s.THERMAX LTD./M/s. SNC LAVALIN<br>J-1501-B                    | SUPERHEATED<br>STEAM                         | 9584                   | 1.2                    | 200            | 1          | 85                           | 251010645 Dt:15.12.2014      | 2015               |

(bar g)

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

284 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                          | SERVICE               | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE       | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------------------------|-----------------------|-------------------------|-------------------------|----------------|------------|------------------------------|--------------------------|--------------------|
| 1540       | M/s.THERMAX LTD./M/s. SNC LAVALIN<br>J-1501-C                                             | SUPERHEATED<br>STEAM  | 817                     | 0.35<br>(bar g)         | 150            | 1          | 85                           | 251010645 Dt.15.12.2014  | 2015               |
| 1541       | M/s.THERMAX LTD./M/s. SNC LAVALIN<br>J-1501-D                                             | SATURATED<br>STEAM    | 5129                    | 0.6<br>(bar g)          | 123            | 1          | 85                           | 251010645 Dt.15.12.2014  | 2015               |
| 1542       | M/s.THERMAX LTD./M/s. SNC LAVALIN<br>J-1501-E                                             | SUPERHEATED<br>STEAM  | 81124                   | 2.2<br>(bar g)          | 250            | 1          | 85                           | 251010645 Dt.15.12.2014  | 2015               |
| 1543       | M/s.THERMAX LTD./M/s. SNC LAVALIN<br>J-1501-F                                             | SUPER HEATED<br>STEAM | 10707                   | 3.5<br>(bar g)          | 300            | 1          | 85                           | 251010645 Dt.15.12.2014  | 2015               |
| 1544       | M/s.THERMAX LTD./M/s. SNC LAVALIN<br>J-1501-G                                             | SUPER HEATED<br>STEAM | 81250                   | 0.6<br>(bar g)          | 230            | 1          | 85                           | 251010645 Dt.15.12.2014  | 2015               |
| 1545       | M/s.RELIANCE INDUSTRIES LTD,VADODARA/M/s.STG AND<br>SUPERHEATER REVAMP AT VMD<br>J-1502-A | SUPER HEATED<br>STEAM | 263006.5<br>(m3/hr)     |                         | 515            | 2          | 150                          | MMB/759231 Dt:12.12.2014 | 2015               |
| 1546       | M/s.RELIANCE INDUSTRIES LTD,VADODARA/M/s.STG AND<br>SUPERHEATER REVAMP AT VMD<br>J-1502-B | SUPER HEATED<br>STEAM | 246526<br>(m3/hr)       |                         | 515            | 1          | 150                          | MMB/759231 Dt:12.12.2014 | 2015               |
| 1547       | M/s.RELIANCE INDUSTRIES LTD,VADODARA/M/s.STG AND<br>SUPERHEATER REVAMP AT VMD<br>J-1502-C | SUPER HEATED<br>STEAM | 73958<br>(m3/hr)        |                         | 515            | 1          | 150                          | MMB/759231 Dt:12.12.2014 | 2015               |
| 1548       | M/s.GAIL (INDIA) LIMITED,PATA.                                                            |                       |                         |                         |                |            |                              |                          |                    |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                            |                       | REFERENCE LIST                         |                        |                |            |                              | 285 OF 380                                                        |                    |
|----------------------------------------------------------------------|--------------------------------------------|-----------------------|----------------------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------------------------|--------------------|
| PRAE                                                                 |                                            |                       | NOISE CONTROL - SILENCER               |                        |                |            |                              |                                                                   |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                           | SERVICE               | FLOW<br>RATE<br>KG/Hr.                 | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                | YEAR<br>OF<br>MFR. |
| 1549                                                                 | J-1503-A<br>M/s.GAIL (INDIA) LIMITED,PATA. | HP STEAM              | 21735                                  | 0.5                    | 370            | 1          | 150                          | FOA<br>NO.GAIL/PATA/C&P/52429/FOA_P.R.A.E.<br>W.P.L DT.18.12.2014 | 2015               |
| 1550                                                                 | J-1503-B<br>M/s.GAIL (INDIA) LIMITED,PATA. | LMP STEAM             | 34520                                  | 0.5                    | 260            | 1          | 150                          | FOA<br>NO.GAIL/PATA/C&P/52429/FOA_P.R.A.E.<br>W.P.L DT.18.12.2014 | 2015               |
| 1551                                                                 | J-1503-C<br>M/s.GAIL (INDIA) LIMITED,PATA. | LLP STEAM             | 6540                                   | 0.5                    | 210            | 1          | 150                          | FOA<br>NO.GAIL/PATA/C&P/52429/FOA_P.R.A.E.<br>W.P.L DT.18.12.2014 | 2015               |
| 1552                                                                 | J-1503-D<br>M/s.GAIL (INDIA) LIMITED,PATA. | VHP STEAM             | 50000                                  | 0.5                    | 450            | 1          | 150                          | FOA<br>NO.GAIL/PATA/C&P/52429/FOA_P.R.A.E.<br>W.P.L DT.18.12.2014 | 2015               |
| 1553                                                                 | J-1503-E<br>M/s.GAIL (INDIA) LIMITED,PATA. | SUPER HEATED<br>STEAM | 5000                                   | 104                    | 450            | 1          | 150                          | FOA<br>NO.GAIL/PATA/C&P/52429/FOA_P.R.A.E.<br>W.P.L DT.18.12.2014 | 2015               |
|                                                                      | J-1503-F<br>M/S.TECHNIP                    | SUPER HEATED<br>STEAM | 5000                                   | 104                    | 500            | 1          | 150                          | FOA<br>NO.GAIL/PATA/C&P/52429/FOA_P.R.A.E.<br>W.P.L DT.18.12.2014 | 2015               |
|                                                                      | J-1504-A<br>M/S.TECHNIP                    | SATURATED<br>STEAM    | 5808/-/58075/72253<br>MIN/NOR/MAX/100% | 1.48/-/23.5/29.        | 265            | 1          | 150                          | DOA No: 0818-300-DOA-0836-001 CHRONO<br>NO-186 DT.24.12.2014      | 2015               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

286 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                   | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                           | YEAR<br>OF<br>MFR. |
|------------|------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------------|--------------------|
|            | J-1504-B                           | SUPER HEATED<br>STEAM | 13095/-/130950/1629    | 2.13/-/30.4/38.        | 401            | 1          | 150                          | DOA No: 0818-300-DOA-0836-001 CHRONO<br>NO-186 DT.24.12.2014 | 2015               |
|            | M/S.TECHNIP                        |                       | MIN/NOR/MAX/100%       |                        |                |            |                              |                                                              |                    |
|            | J-1504-C                           | LP STEAM              | /15553/-/18027         | /1.75/-/1.75           | 204            | 1          | 150                          | DOA No: 0818-300-DOA-0836-001 CHRONO<br>NO-186 DT.24.12.2014 | 2015               |
|            | M/S.TECHNIP                        |                       | MIN/NOR/MAX/100%       |                        |                |            |                              |                                                              |                    |
|            | J-1504-D                           | HP STEAM              | 250000/302109          | 23.9/29.1              | 425            | 1          | 150                          | DOA No: 0818-300-DOA-0836-001 CHRONO<br>NO-186 DT.24.12.2014 | 2015               |
|            | M/S.TECHNIP                        |                       |                        |                        |                |            |                              |                                                              |                    |
|            | J-1504-E                           | SATURATED<br>STEAM    | 5808/-/58075/72253     | 1.48/-/23.5/29.        | 265            | 1          | 150                          | DOA No: 0818-300-DOA-0836-001 CHRONO<br>NO-186 DT.24.12.2014 | 2015               |
|            | M/S.TECHNIP                        |                       |                        |                        |                |            |                              |                                                              |                    |
|            | J-1504-F                           | SUPER HEATED<br>STEAM | 13095/-/130950/1629    | 2.13/-/30.4/38.        | 401            | 1          | 150                          | DOA No: 0818-300-DOA-0836-001 CHRONO<br>NO-186 DT.24.12.2014 | 2015               |
|            | M/S.COVALENT LABORATORIES PVT LTD. | -                     | 30 (TPH)               | -                      | 485±5          | 1          | 150                          | PO.No. :ELE/CAP/098 DT.09.02.2015                            | 2015               |
|            | J-1505-A                           |                       |                        |                        |                |            |                              |                                                              |                    |
|            | M/S.COVALENT LABORATORIES PVT LTD. | -                     | 25 (TPH)               | -                      | 300            | 1          | 150                          | PO.No. :ELE/CAP/098 DT.09.02.2015                            | 2015               |
|            | J-1505-B                           |                       |                        |                        |                |            |                              |                                                              |                    |
|            | M/s T D POWER SYSTEM LIMITED       |                       |                        |                        |                |            |                              |                                                              |                    |
|            | J-1506-A                           | SUPER HEATED<br>STEAM | 7000                   | 5                      | 500            | 1          | 150                          | PO.No. :3111400147/ DT.13.02.2015                            | 2015               |
|            | M/s T D POWER SYSTEM LIMITED       |                       |                        |                        |                |            |                              |                                                              |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

287 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                         | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------|--------------------|
|            | J-1506-B<br>M/s T D POWER SYSTEM LIMITED | SUPER HEATED<br>STEAM | 77913                  | 5.5                    | 370            | 1          | 150                          | PO.No. :3111400147/ DT.13.02.2015 | 2015               |
|            | J-1506-C<br>M/s T D POWER SYSTEM LIMITED | SUPER HEATED<br>STEAM | 44519                  | 1.823                  | 201            | 1          | 150                          | PO.No. :3111400147/ DT.13.02.2015 | 2015               |
|            | J-1506-D<br>M/s T D POWER SYSTEM LIMITED | SUPER HEATED<br>STEAM | 54000                  | 3                      | 185            | 1          | 150                          | PO.No. :3111400147/ DT.13.02.2015 | 2015               |
|            | J-1506-E<br>M/s T D POWER SYSTEM LIMITED | SUPER HEATED<br>STEAM | 7938                   | 1.333                  | 466            | 1          | 150                          | PO.No. :3111400147/ DT.13.02.2015 | 2015               |
|            | J-1507-A<br>M/s T D POWER SYSTEM LIMITED | SUPER HEATED<br>STEAM | 7000                   | 5                      | 400            | 2          | 150                          | PO.No. :3111400146/ DT.13.02.2015 | 2015               |
|            | J-1507-B<br>M/s T D POWER SYSTEM LIMITED | SUPER HEATED<br>STEAM | 30731                  | 1.183                  | 201            | 4          | 116                          | PO.No. :3111400146/ DT.13.02.2015 | 2015               |
|            | J-1507-C<br>M/s T D POWER SYSTEM LIMITED | SUPER HEATED<br>STEAM | 7938                   | 1.343                  | 465.2          | 4          | 113                          | PO.No. :3111400146/ DT.13.02.2015 | 2015               |
|            | J-1507-D<br>M/s T D POWER SYSTEM LIMITED | SUPER HEATED<br>STEAM | 4728                   | 1.783                  | 405            | 4          | 111                          | PO.No. :3111400146/ DT.13.02.2015 | 2015               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

288 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                               | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                    | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------|--------------------|
|            | M/s T D POWER SYSTEM LIMITED<br>J-1507-E       | SUPER HEATED<br>STEAM | 7000                   | 5                      | 500            | 1          | 150                          | PO.No. :3111400146/ DT.13.02.2015     | 2015               |
|            | M/s T D POWER SYSTEM LIMITED<br>J-1507-F       | SUPER HEATED<br>STEAM | 133126                 | 9.5                    | 440            | 2          | 130                          | PO.No. :3111400146/ DT.13.02.2015     | 2015               |
|            | M/s T D POWER SYSTEM LIMITED<br>J-1507-G       | SUPER HEATED<br>STEAM | 1400                   | 1.423                  | 393            | 2          | 105                          | PO.No. :3111400146/ DT.13.02.2015     | 2015               |
|            | M/s T D POWER SYSTEM LIMITED<br>J-1507-H       | SUPER HEATED<br>STEAM | 77914                  | 5.633                  | 370            | 2          | 125                          | PO.No. :3111400146/ DT.13.02.2015     | 2015               |
|            | M/s T D POWER SYSTEM LIMITED<br>J-1507-I       | SUPER HEATED<br>STEAM | 71100                  | 21                     | 365            | 2          | 125                          | PO.No. :3111400146/ DT.13.02.2015     | 2015               |
|            | M/s.IFFCO<br>J-1508                            | ONLY BAFFLER          | 84 TPH                 | 3                      | 300±10         | 1          | 150                          | PO.No. :2000014864 Dt.16.02.2015      | 2016               |
|            | M/S.TRIVENI TURBINE LTD<br>J-1509              |                       |                        |                        |                |            |                              |                                       |                    |
|            | M/s.INDIAN OIL CORPORATION LIMITED<br>J-1510-A |                       | 420                    | 0.5                    | 425            | 1          | 150                          | PO.No. : FOA NO.457/062 DT.02.03.2015 | 2016               |
|            | M/s.INDIAN OIL CORPORATION LIMITED             |                       | 2570                   | 0.5                    | 538            | 1          | 150                          | PO.No. : FOA NO.457/062 DT.02.03.2015 | 2016               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

289 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                           | SERVICE            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------|--------------------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------------|--------------------|
|            | J-1510-B<br>M/s.INDIAN OIL CORPORATION LIMITED             |                    | 196                    | 0.5                    | 100            | 1          | 150                          | PO.No. : FOA NO.457/062 DT.02.03.2015             | 2016               |
|            | J-1510-C<br>M/s. TECNICAS REUNICAS ENGINEERS INDIA PVT.LTD |                    | 20,000                 |                        | 285            | 1          | 150                          | LOI.No. : 3300015010 Dt.02.03.2015                | 2016               |
|            | J-1511-A<br>M/s. TECNICAS REUNICAS ENGINEERS INDIA PVT.LTD |                    | 10000/18000            |                        | 265            | 1          | 150                          | LOI.No. : 3300015010 Dt.02.03.2015                | 2016               |
|            | J-1511-B<br>M/s. TECNICAS REUNICAS ENGINEERS INDIA PVT.LTD |                    | 20,000                 |                        | 285            | 1          | 150                          | LOI.No. : 3300015010 Dt.02.03.2015                | 2016               |
|            | J-1511-C<br>M/s. TECNICAS REUNICAS ENGINEERS INDIA PVT.LTD |                    | 10000/18000            |                        | 265            | 1          | 150                          | LOI.No. : 3300015010 Dt.02.03.2015                | 2016               |
|            | J-1511-D<br>M/S.MAZDA LTD                                  | STEAM              | 1200                   | 1.04                   | 405            | 2          | 85                           | PO.No. :H/VO-15-10236/2702/14-15<br>Dt.16.03.2015 | 2016               |
|            | J-1512<br>M/S.TRIVENI TURBINE LTD.                         | STEAM              | 5.6 TPH                | 3                      | 300            | 1          | 150                          | PO.No. :2000014987 DT.23.03.2015                  | 2016               |
|            | J-1513<br>M/S.TRIVENI TURBINE LTD.                         |                    | 9.8 TPH                | (ATA)<br>3             | 300            | 1          | 150                          | PO.No. :2000014986 DT.23.03.2015                  | 2016               |
|            | J-1514<br>M/S.ALSTOM INDIA LTD,KOLKATA                     | SATURATED<br>STEAM | 57797                  | 13.2                   | 326            | 1          | 158.69                       | PO.No. :4100894664 Dt.01.04.2015                  | 2016               |
|            | J-1515-A                                                   |                    |                        |                        |                |            |                              |                                                   |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

290 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                    | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                        | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------------------|--------------------|
|            | M/S.ALSTOM INDIA LTD,KOLKATA<br>J-1515-B            | SATURATED<br>STEAM    | 58927                  | 13.46                  | 326            | 1          | 158.83                       | PO.No. :4100894664 Dt.01.04.2015                          | 2016               |
|            | M/S.ALSTOM INDIA LTD,KOLKATA<br>J-1515-C            | SUPER HEATED<br>STEAM | 30974                  | 12.5                   | 515            | 1          | 157                          | PO.No. :4100894664 Dt.01.04.2015                          | 2016               |
|            | M/S.ALSTOM INDIA LTD,KOLKATA<br>J-1515-D            | SUPER HEATED<br>STEAM | 62500                  | 13.2                   | 515            | 1          | 85                           | PO.No. :4100894664 Dt.01.04.2015                          | 2016               |
|            | M/ S RELIANCE<br>FLUOR<br>J-1516-A<br>M/ S RELIANCE | IHP STEAM             | 15533<br>(nm3/hr)      | 1                      | 300            | 1          | 114.7                        | PO NO : 1J/MXU/7615333 Dt.30.03.2015                      | 2016               |
|            | FLUOR<br>J-1516-B<br>M/ S RELIANCE                  | IHP STEAM             | 6138<br>(nm3/hr)       | 1                      | 260            | 1          | 114.2                        | PO NO : 1J/MXU/7615333 Dt.30.03.2015                      | 2016               |
|            | FLUOR<br>J-1516-C<br>M/S.KAMACHI SPONGE             | LLP STEAM             | 16966<br>(nm3/hr)      | 1                      | 153            | 1          | 111.7                        | PO NO : 1J/MXU/7615333 Dt.30.03.2015                      | 2016               |
|            | J-1517                                              | SUPERHEATED<br>STEAM  | 5 (TPH)                | 33                     | 475/495        | 1          | 150                          | PO.No. :KSPCL/CPDN<br>PROJECT/011/PUR/14-15 DT.18.04.2015 | 2016               |
|            | M/s.RELIANCE INDUSTRIES LTD,DAHEJ<br>J-1518-A       | VHP STEAM             | 347127.154 (m3/hr)     | 7.5                    | 540            | 2          | 85                           | PO NO :ME9/7619329 DT.20.04.2015                          | 2016               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

291 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                 | SERVICE    | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                       | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------|------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------|--------------------|
|            | M/s.RELIANCE INDUSTRIES LTD,DAHEJ<br>J-1518-B    | VHP STEAM  | 357900.065 (m3/hr)     | 7.5                    | 540            | 5          | 85                           | PO NO :ME9/7619329 Dt.20.04.2015         | 2016               |
|            | M/s.RELIANCE INDUSTRIES LTD,HAZIRA<br>J-1519-A   | SSHP STEAM | 370594.58 (MAX) (m3    | 7.5                    | 540            | 4          | 85                           | PO NO : ME9/7619342 Dt 20.04.2015        | 2016               |
|            | M/s.RELIANCE INDUSTRIES LTD,HAZIRA<br>J-1519-B   | SSHP STEAM | 358829.67 (MAX) (m3    | 7.5                    | 540            | 2          | 85                           | PO NO : ME9/7619342 Dt 20.04.2015        | 2016               |
|            | M/s.RELIANCE INDUSTRIES LTD,HAZIRA<br>J-1519-C   | SSHP STEAM | 570811.74 (MAX) (m3    | 7.5                    | 540            | 2          | 85                           | PO NO : ME9/7619342 Dt 20.04.2015        | 2016               |
|            | M/S.ALSTOM BHARAT FORGE POWER LTD.<br>J-1520-A   | STEAM      | 28.069 (T/Hr)          | 2 (bar(g))             | 285/500        | 3          | 105                          | PO.No. : 4100902141 Dt.24.04.2015        | 2016               |
|            | M/S.ALSTOM BHARAT FORGE POWER LTD.<br>J-1520-B   | STEAM      | 177.11 (T/Hr)          | 1.013 (bar(g))         | 110/375.3      | 3          | 105                          | PO.No. : 4100902141 Dt.24.04.2015        | 2016               |
|            | M/S.ALSTOM BHARAT FORGE POWER LTD.<br>J-1520-C   | STEAM      | 137.5 (T/Hr)           | 1.3 (bar(g))           | 343.1/395      | 12         | 105                          | PO.No. : 4100902141 Dt.24.04.2015        | 2016               |
|            | M/S.ALSTOM BHARAT FORGE POWER LTD.<br>J-1520-D   | STEAM      | 125.825 (T/Hr)         | 1.2 (bar(g))           | 284.1/395      | 24         | 105                          | PO.No. : 4100902141 Dt.24.04.2015        | 2016               |
|            | M/S.MULTIMAX ENGINEERING WORKS PVT.LTD<br>J-1521 | STEAM      | 4168                   | 7                      | 18 to 240      | 2          | 85                           | DOC.NO.:PEIN17-090-V-V23-007-DS-003      | 2016               |
|            | M/s.ISGEC HEAVY ENGINEERING LTD.<br>J-1522-A     | STEAM      | 38919.7                | 2                      | 545            | 1          | 110                          | PO.No. : P10104019/JB 0931 Dt.13.04.2015 | 2016               |
|            | M/s.ISGEC HEAVY ENGINEERING LTD.<br>J-1522-B     | STEAM      | 60165                  | 2                      | 335            | 1          | 110                          | PO.No. : P10104019/JB 0931 Dt.13.04.2015 | 2016               |
|            | M/s.ISGEC HEAVY ENGINEERING LTD.<br>J-1522-C     | STEAM      | 60419                  | 2                      | 335            | 1          | 110                          | PO.No. : P10104019/JB 0931 Dt.13.04.2015 | 2016               |
|            | M/s.ISGEC HEAVY ENGINEERING LTD.<br>J-1522-D     | STEAM      | 42600                  | 2                      | 545            | 1          | 110                          | PO.No. : P10104019/JB 0931 Dt.13.04.2015 | 2016               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

292 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                | SERVICE               | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                               | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------|-----------------------|-------------------------|-------------------------|----------------|------------|------------------------------|--------------------------------------------------|--------------------|
|            | M/s.ISGEC HEAVY ENGINEERING LTD.<br>J-1522-E    | STEAM                 | 17750                   | 2                       | 545            | 1          | 110                          | PO.No. : P10104019/JB 0931 Dt.13.04.2015         | 2016               |
|            | M/s.ISGEC HEAVY ENGINEERING LTD.<br>J-1523-A    | -                     | 40731                   | 0.5                     | 543+5/-3       | 1          | 110                          | PO.NO : P10103806/JB0926 REV.01<br>DT:28.05.2015 | 2016               |
|            | M/s.ISGEC HEAVY ENGINEERING LTD.<br>J-1523-B    | -                     | 63000                   | 0.5                     | 543+5/-3       | 1          | 110                          | PO.NO : P10103806/JB0926 REV.01<br>DT:28.05.2015 | 2016               |
|            | M/s.ISGEC HEAVY ENGINEERING LTD.<br>J-1523-C    | -                     | 18206                   | 0.5                     | 543+5/-3       | 1          | 110                          | PO.NO : P10103806/JB0926 REV.01<br>DT:28.05.2015 | 2016               |
|            | M/s.ISGEC HEAVY ENGINEERING LTD.<br>J-1523-D    | -                     | 14000                   | 0.5                     | 543+5/-3       | 1          | 110                          | PO.NO : P10103806/JB0926 REV.01<br>DT:28.05.2015 | 2016               |
|            | M/S.RELIANCE<br>J-1524                          | LLP STEAM             | 155259                  | 1                       | 153            | 1          | 85                           | PO.NO : 1J/MXU/7624735 DT:19.05.2015             | 2016               |
|            | M/S THERMAX LIMITED.<br>J-1525                  | STEAM                 | 45-55 (TPH)             | -                       | 505            | 1          | <85                          | P.O.NO:451003944 Dt.12.05.2015                   | 2016               |
|            | M/s.MANGALORE REFINERY<br>J-1526                | HP STEAM              | 12000                   | -                       | 425            | 1          | 85                           | PO.No. : 4900000194-0 Dt.29.05.2015              | 2016               |
|            | M/S.BHARAT HEAVY ELETRICALS LIMITED<br>J-1527-A | DISCHARGE<br>SILENCER | 553992                  | 7                       | 280(MECH       | 1          | 85                           | PO.No. :B7 15 A 00 156 DT.10.06.2015             | 2016               |
|            | M/S.BHARAT HEAVY ELETRICALS LIMITED<br>J-1527-B | -                     | 622470/194500/14000     | 2.895/2.895/1.2         | 248/248/1      | 1          | 85                           | PO.No. :B7 15 A 00 156 DT.10.06.2015             | 2016               |
|            | M/s.RASHTRIYA ISPAT NIGAM LIMITED<br>J-1528-A   | SUPERHEATED<br>STEAM  | 60 (Tons/hr)            | 40 (kg/cm²(ab))         | 440            | 1          | 90                           | PO.No. : 4510004169 Dt.19.06.2015                | 2016               |
|            | M/s.RASHTRIYA ISPAT NIGAM LIMITED               |                       |                         |                         |                |            |                              |                                                  |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

293 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                   | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                         | YEAR<br>OF<br>MFR. |
|------------|------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------------|--------------------|
|            | J-1528-B                           | SUPERHEATED<br>STEAM | 60 (Tons/hr)           | 7 (kg/cm²(ab))         | 250            | 1          | 90                           | PO.No. : 4510004169 Dt.19.06.2015                          | 2016               |
|            | M/s.METAL FAB-UAE<br>J-1529        | -                    | 30000 (Nm³/hr)         | 0.5 (BAR)(G)           | 80             | 2          | 82                           | PO No. : PON-PO02331 DT.20.06.2015                         | 2016               |
|            | M/s.CETHAR VESSELS LTD<br>J-1530-A | SH STEAM             | 158514                 | -                      | 548            | 2          | 85                           | PO.No. :- MBJ087/0109/S<br>Dt.02.04.2012/EMAIL dt.20.05.15 | 2016               |
|            | M/s.CETHAR VESSELS LTD<br>J-1530-B | SAT. STEAM           | 225002                 | -                      | 366.6          | 1          | 85                           | PO.No. :- MBJ087/0109/S<br>Dt.02.04.2012/EMAIL dt.20.05.15 | 2016               |
|            | M/s.CETHAR VESSELS LTD<br>J-1530-C | SH STEAM             | 117434                 | -                      | 548            | 1          | 85                           | PO.No. :- MBJ087/0109/S<br>Dt.02.04.2012/EMAIL dt.20.05.15 | 2016               |
|            | M/s.CETHAR VESSELS LTD<br>J-1530-D | SH STEAM             | 23300                  | -                      | 553            | 1          | 85                           | PO.No. :- MBJ087/0109/S<br>Dt.02.04.2012/EMAIL dt.20.05.15 | 2016               |
|            | M/s.CETHAR VESSELS LTD<br>J-1531-A | SH STEAM             | 158514                 | -                      | 548            | 2          | 85                           | PO.No. :- MBJ088/0098/S<br>Dt.02.04.2012/EMAIL dt.20.05.15 | 2016               |
|            | M/s.CETHAR VESSELS LTD<br>J-1531-B | SAT. STEAM           | 225002                 | -                      | 366.6          | 1          | 85                           | PO.No. :- MBJ088/0098/S<br>Dt.02.04.2012/EMAIL dt.20.05.15 | 2016               |
|            | M/s.CETHAR VESSELS LTD<br>J-1531-C | SH STEAM             | 117434                 | -                      | 548            | 1          | 85                           | PO.No. :- MBJ088/0098/S<br>Dt.02.04.2012/EMAIL dt.20.05.15 | 2016               |
|            | M/s.CETHAR VESSELS LTD<br>J-1531-D | SH STEAM             | 23300                  | -                      | 553            | 1          | 85                           | PO.No. :- MBJ088/0098/S<br>Dt.02.04.2012/EMAIL dt.20.05.15 | 2016               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

294 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                             | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------------|--------------------|
|            | M/S.TECNICAS REUNIDAS ENGINEERS INDIA PVT LTD.               |                       |                        |                        |                |            |                              |                                                   |                    |
| J-1532-A   |                                                              | SUPERHEATED<br>STEAM  | 6810                   | 3.5                    | 523            | 2          | 85                           | LOI.No. :039991501 Dt.24.06.2015                  | 2016               |
|            | M/S.TECNICAS REUNIDAS ENGINEERS INDIA PVT LTD.               |                       |                        |                        |                |            |                              |                                                   |                    |
| J-1532-B   |                                                              | STEAM                 | 3984                   | 3.5                    | 128            | 2          | 85                           | LOI.No. :039991501 Dt.24.06.2015                  | 2016               |
|            | M/S.TECNICAS REUNIDAS ENGINEERS INDIA PVT LTD.               |                       |                        |                        |                |            |                              |                                                   |                    |
| J-1532-C   |                                                              | SUPERHEATED<br>STEAM  | 3825                   | 3.5                    | 504            | 2          | 85                           | LOI.No. :039991501 Dt.24.06.2015                  | 2016               |
|            | M/S AIRLIQUIDE GLOBAL E&C SOLUTION INDIA PRIVATE<br>LIMITED. |                       |                        |                        |                |            |                              |                                                   |                    |
| J-1533     |                                                              | -                     | 37029 (Nm3/hr)         | 1.065 bar (a)          | 82             | 1          | 85                           | PO.No. :4608919-000/7.12059/I17 DT-<br>01.07.2015 | 2016               |
|            | M/s.SIEMENS                                                  |                       |                        |                        |                |            |                              |                                                   |                    |
| J-1534-A   |                                                              | SUPER HEATED<br>STEAM | 10 (TPH)               | 105 (ATA)              | 532            | 1          | 150                          | PO NO: 4506043109 Dt.01.07.2015                   | 2016               |
| J-1534-B   |                                                              | SUPER HEATED<br>STEAM | 225 (TPH)              | 64 (ATA)               | 450            | 1          | 150                          | PO NO: 4506043109 Dt.01.07.2015                   | 2016               |
| J-1534-C   |                                                              | SUPER HEATED<br>STEAM | 24 (TPH)               | 12.75 (ATA)            | 289            | 1          | 150                          | PO NO: 4506043109 Dt.01.07.2015                   | 2016               |
| J-1534-D   |                                                              | SUPER HEATED<br>STEAM | 29.936 (TPH)           | 6.123 (ATA)            | 279            | 1          | 150                          | PO NO: 4506043109 Dt.01.07.2015                   | 2016               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

295 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                           | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                       | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------|--------------------|
|            | J-1534-E                                   | SUPER HEATED<br>STEAM | 60 (TPH)               | 6.123 (ATA)            | 395            | 1          | 150                          | PO NO: 4506043109 Dt.01.07.2015          | 2016               |
|            | J-1534-F                                   | SUPER HEATED<br>STEAM | 29.936 (TPH)           | 6.123 (ATA)            | 279            | 1          | 150                          | PO NO: 4506043109 Dt.01.07.2015          | 2016               |
|            | M/s.ISGEC HEAVY ENGINEERING LTD.<br>J-1535 | SATURATED<br>STEAM    | 82250                  | 77                     | 540±5          | 1          | 110                          | PO.No. : P30101375/ES 0103 Dt.31.07.2015 | 2016               |
|            | M/S.ALSTOM INDIA<br>J-1536                 | AIR                   | 2800 (m3/Min)          | ATMOSPHERIC            | 10 &45         | 2          | 85                           | PO.No. :4100975616 Dt.10.07.2015         | 2016               |
|            | M/s.TRIVENI TURBINE LIMITED<br>J-1537      | STEAM                 | 5 (TPH)                | 10 (Kg/cm2)(a)         | 400±10         | 1          | <90                          | PO.No. : 2000015553 DATE:14-07-2015      | 2016               |
|            | M/S TRIVENI TURBINE LIMITED.,<br>J-1538    | STEAM                 | 7 (TPH)                | 3 (ATA)                | 300            | 1          | <85                          | PO.No. :20000155584 DT-17.07.2015        | 2016               |
|            | M/S.TECHNIP/TAKREER<br>J-1539              | SUPERHEATED<br>STEAM  | 112750                 | 3                      | 386            | NO/BOIL    | 85                           | PO.NO:4500116942/4500116916              | 2015               |
|            | M/S.TECHNIP/TAKREER<br>J-1540              | SUPERHEATED<br>STEAM  | 112750                 | 3                      | 386            | NO/BOIL    | 85                           | PO.NO:4500116942/4500116916              | 2015               |
|            | M/S.RELIANCE/FLUOR                         |                       |                        |                        |                |            |                              |                                          |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

296 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT               | SERVICE                      | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                 | YEAR<br>OF<br>MFR. |
|------------|--------------------------------|------------------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------|--------------------|
|            | J-1541                         | Atmospheric<br>vent/AV/steam | 20052 (m3/hr)          | 3.5                    | 150            | 1          | 85                           | PO.No. : 1J/MXU/7635650 DT.24.07.2015              | 2016               |
|            | M/s.THERMAX LTD                |                              |                        |                        |                |            |                              |                                                    |                    |
|            | J-1542-A                       | SUPERHEATED<br>STEAM         | 23900                  | 2                      | 230            | 1          | 85                           | PO.No. : 451004167 DT.28.07.2015                   | 2016               |
|            | J-1542-B                       | SATURATED<br>STEAM           | 10500                  | 1.5                    | SATUART        | 1          | 85                           | PO.No. : 451004167 DT.28.07.2015                   | 2016               |
|            | J-1542-C                       | SATURATED<br>STEAM           | 10500                  | 1.5                    | SATUART        | 1          | 85                           | PO.No. : 451004167 DT.28.07.2015                   | 2016               |
|            | J-1542-D                       | SUPERHEATED<br>STEAM         | 7000                   | 1.5                    | 230            | 1          | 85                           | PO.No. : 451004167 DT.28.07.2015                   | 2016               |
|            | M/s.THERMAX LTD                |                              |                        |                        |                |            |                              |                                                    |                    |
|            | J-1543-A                       | SUPERHEATED<br>STEAM         | 23900                  | 2                      | 230            | 1          | 85                           | PO.No. : 451004167 DT.28.07.2015                   | 2016               |
|            | J-1543-B                       | SATURATED<br>STEAM           | 10500                  | 1.5                    | SATUART        | 1          | 85                           | PO.No. : 451004167 DT.28.07.2015                   | 2016               |
|            | J-1543-C                       | SATURATED<br>STEAM           | 10500                  | 1.5                    | SATUART        | 1          | 85                           | PO.No. : 451004167 DT.28.07.2015                   | 2016               |
|            | J-1543-D                       | SUPERHEATED<br>STEAM         | 7000                   | 1.5                    | 230            | 1          | 85                           | PO.No. : 451004167 DT.28.07.2015                   | 2016               |
|            | M/s.MCC PTA INDIA CORP.PVT.LTD |                              |                        |                        |                |            |                              |                                                    |                    |
|            | J-1545                         | STEAM                        | 6960 -                 |                        | 113            | 1          | ANY DIRECTIC                 | PO.No. : 4500046513 DT.07.08.2015                  | 2016               |
|            | M/s.MAZDA LIMITED              |                              |                        |                        |                |            |                              |                                                    |                    |
|            | J-1546-A                       | AIR                          | 1500 -                 |                        | 190/150        | 1          | 85                           | PO.No. : H/VO-15-10569/1386/15-16<br>Dt.20.08.2015 | 2016               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

297 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT           | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                 | YEAR<br>OF<br>MFR. |
|------------|----------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------|--------------------|
|            | J-1546-B                   | AIR                  | 1500                   | -                      | 150/50         | 1          | 85                           | PO.No. : H/VO-15-10569/1386/15-16<br>Dt.20.08.2015 | 2016               |
|            | M/s.THERMAX BABCOCK WILCOX |                      |                        |                        |                |            |                              |                                                    |                    |
|            | J-1547-A                   | SATURATED<br>STEAM   | 306727                 | 0.49                   | 371            | 1          | 115                          | PO.No. : 161000043 Dt.06.08.2015                   | 2016               |
|            | J-1547-B                   | SATURATED<br>STEAM   | 311372                 | 0.49                   | 371            | 1          | 115                          | PO.No. : 161000043 Dt.06.08.2015                   | 2016               |
|            | J-1547-C                   | SATURATED<br>STEAM   | 316110                 | 0.49                   | 371            | 1          | 115                          | PO.No. : 161000043 Dt.06.08.2015                   | 2016               |
|            | J-1547-D                   | SATURATED<br>STEAM   | 320946                 | 0.49                   | 371            | 1          | 115                          | PO.No. : 161000043 Dt.06.08.2015                   | 2016               |
|            | J-1547-E                   | SUPERHEATED<br>STEAM | 366575                 | 0.49                   | 546            | 1          | 115                          | PO.No. : 161000043 Dt.06.08.2015                   | 2016               |
|            | J-1547-F                   | SUPERHEATED<br>STEAM | 182820                 | 0.49                   | 541            | 1          | 115                          | PO.No. : 161000043 Dt.06.08.2015                   | 2016               |
|            | M/s.THERMAX BABCOCK WILCOX |                      |                        |                        |                |            |                              |                                                    |                    |
|            | J-1548-A                   | SATURATED<br>STEAM   | 306727                 | 0.49                   | 371            | 1          | 115                          | PO.No. : 161000043 Dt.06.08.2015                   | 2016               |
|            | J-1548-B                   | SATURATED<br>STEAM   | 311372                 | 0.49                   | 371            | 1          | 115                          | PO.No. : 161000043 Dt.06.08.2015                   | 2016               |
|            | J-1548-C                   | SATURATED<br>STEAM   | 316110                 | 0.49                   | 371            | 1          | 115                          | PO.No. : 161000043 Dt.06.08.2015                   | 2016               |
|            | J-1548-D                   | SATURATED<br>STEAM   | 320946                 | 0.49                   | 371            | 1          | 115                          | PO.No. : 161000043 Dt.06.08.2015                   | 2016               |
|            | J-1548-E                   | SUPERHEATED<br>STEAM | 366575                 | 0.49                   | 546            | 1          | 115                          | PO.No. : 161000043 Dt.06.08.2015                   | 2016               |
|            | J-1548-F                   | SUPERHEATED<br>STEAM | 182820                 | 0.49                   | 541            | 1          | 115                          | PO.No. : 161000043 Dt.06.08.2015                   | 2016               |



**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

299 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT           | SERVICE               | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                           | YEAR<br>OF<br>MFR. |
|------------|----------------------------|-----------------------|-------------------------|-------------------------|----------------|------------|------------------------------|----------------------------------------------|--------------------|
|            | J-1555-A                   | SUPER HEATED<br>STEAM | 327978                  | 0.14bar(g)              | 273            | 1          | 115                          | PO.No. : 161000057 (LOI Email Dt.10.12.2015) | 2016               |
|            | J-1555-B                   | SUPER HEATED<br>STEAM | 317705                  | 0.14bar(g)              | 275            | 1          | 115                          | PO.No. : 161000057 (LOI Email Dt.10.12.2015) | 2016               |
|            | J-1555-C                   | SUPER HEATED<br>STEAM | 322629                  | 0.14bar(g)              | 274            | 1          | 115                          | PO.No. : 161000057 (LOI Email Dt.10.12.2015) | 2016               |
|            | J-1555-D                   | SUPER HEATED<br>STEAM | 168720                  | 0.49bar(g)              | 460            | 1          | 115                          | PO.No. : 161000057 (LOI Email Dt.10.12.2015) | 2016               |
|            | J-1555-E                   | SUPER HEATED<br>STEAM | 68864                   | 0.49bar(g)              | 281            | 1          | 115                          | PO.No. : 161000057 (LOI Email Dt.10.12.2015) | 2016               |
|            | J-1555-F                   | SUPER HEATED<br>STEAM | 43916                   | 0.49bar(g)              | 463            | 1          | 115                          | PO.No. : 161000057 (LOI Email Dt.10.12.2015) | 2016               |
|            | J-1555-G                   | SUPER HEATED<br>STEAM | 71352                   | 14.28bar(g)             | 334            | 1          | 115                          | PO.No. : 161000057 (LOI Email Dt.10.12.2015) | 2016               |
|            | J-1555-H                   | SUPER HEATED<br>STEAM | 71352                   | 14.28bar(g)             | 334            | 1          | 115                          | PO.No. : 161000057 (LOI Email Dt.10.12.2015) | 2016               |
|            | THERMAX BABCOCK AND WILCOX |                       |                         |                         |                |            |                              |                                              |                    |
|            | J-1556-A                   | SUPER HEATED<br>STEAM | 327978                  | 0.14bar(g)              | 273            | 1          | 115                          | PO.No. : 161000058 (LOI Email Dt.10.12.2015) | 2016               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

300 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                 | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                           | YEAR<br>OF<br>MFR. |
|------------|----------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------|--------------------|
|            | J-1556-B                         | SUPER HEATED<br>STEAM | 317705                 | 0.14bar(g)             | 275            | 1          | 115                          | PO.No. : 161000058 (LOI Email Dt.10.12.2015) | 2016               |
|            | J-1556-C                         | SUPER HEATED<br>STEAM | 322629                 | 0.14bar(g)             | 274            | 1          | 115                          | PO.No. : 161000058 (LOI Email Dt.10.12.2015) | 2016               |
|            | J-1556-D                         | SUPER HEATED<br>STEAM | 168720                 | 0.49bar(g)             | 460            | 1          | 115                          | PO.No. : 161000058 (LOI Email Dt.10.12.2015) | 2016               |
|            | J-1556-E                         | SUPER HEATED<br>STEAM | 68864                  | 0.49bar(g)             | 281            | 1          | 115                          | PO.No. : 161000058 (LOI Email Dt.10.12.2015) | 2016               |
|            | J-1556-F                         | SUPER HEATED<br>STEAM | 43916                  | 0.49bar(g)             | 463            | 1          | 115                          | PO.No. : 161000058 (LOI Email Dt.10.12.2015) | 2016               |
|            | J-1556-G                         | SUPER HEATED<br>STEAM | 71352                  | 14.28bar(g)            | 334            | 1          | 115                          | PO.No. : 161000058 (LOI Email Dt.10.12.2015) | 2016               |
|            | J-1556-H                         | SUPER HEATED<br>STEAM | 71352                  | 14.28bar(g)            | 334            | 1          | 115                          | PO.No. : 161000058 (LOI Email Dt.10.12.2015) | 2016               |
|            | M/S.RASHTRIYA CHEMICAL<br>J-1557 | -                     | 35000 (Nm3/Hr)         | -                      | -              | 1          | 80                           | PO.No. :4500045596 Dt.28.12.2015             | 2016               |
|            | M/S.TECHNO ELECTRIC<br>J-1558    | -                     | 30300                  | 50 Kpa(g)              | 210            | 1          | 85                           | PO.No. :0700HA/15-16/9060 Dt.27.01.2016      | 2016               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

301 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                             | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                        | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------|--------------------|
|            | M/S.HALDIA PETROCHEMICALS LTD.<br>J-1559                     | SUPER HEATED<br>STEAM | 36000                  | 2.1                    | 550            | 1          | 85                           | PO.No. 3037262/ Dt.02.10.2016             | 2016               |
| 4<br>5     | M/s.GERDAU STEEL INDIA PVT LTD.<br>J-1560                    | STEAM                 | 6700                   | 105                    | 540            | 1          | 85                           | PO.No. 6500000440 Dt.09.03.2016           | 2016               |
| 6          | M/s.GULSHAN CHEMICALS LIMITED<br>J-1561-A                    | SATURATED<br>STEAM    | 7040                   | 4.7 Bar(g)             | 266            | 2          | 85                           | PO.No. : G 290036 Dt.21.04.2016           | 2016               |
| 7          | M/s.GULSHAN CHEMICALS LIMITED<br>J-1561-B                    | SUPERHEATED<br>STEAM  | 3250                   | 2.7 Bar(g)             | 420            | 1          | 85                           | PO.No. : G 290036 Dt.21.04.2016           | 2016               |
| 7          | M/s.ELLIOTT TURBOMACHINERY INDIA PVT . LIMITED<br>J-1562 - A | SUPERHEATED<br>STEAM  | 3593                   | 0 ((Kg/cm2)(g)         | 342            | 1          | 85                           | PO.No. : G 15360043 Dt.16.05.2016         | 2016               |
| 8          | M/s.ELLIOTT TURBOMACHINERY INDIA PVT . LIMITED<br>J-1562 - B | SUPERHEATED<br>STEAM  | 5287                   | 0 ((Kg/cm2)(g)         | 342            | 1          | 85                           | PO.No. : G 15360043 Dt.16.05.2016         | 2016               |
| 9          | M/s.ISGEC HEAVY ENGINEERING LIMITED<br>J-1563                | -                     | 2800                   | 4 ((Kg/cm2)(g)         | 342            | 1          | 85                           | PO.No. : P 30102580/ ES0116 Dt.15.06.2016 | 2016               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

302 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                              | SERVICE              | FLOW<br>RATE<br>KG/Hr.  | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------|----------------------|-------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------|--------------------|
| 10         | M/s.THYESSENKUPP INDUSTRIES INDIAA PVT .LIMITED<br>J-1564 - A | SATURATED<br>STEAM   | 6.823 /7.224 - (TPH)    | 215 ((Kg/cm2)(g        | 206            | 1          | 85                           | PO.No. : 2500010206 Dt.04.07.2016 | 2016               |
| 11         | M/s.THYESSENKUPP INDUSTRIES INDIAA PVT .LIMITED<br>J-1564 - B | SH STEAM             | 3.503 - (TPH)           | 17 ((Kg/cm2)(g         | 350            | 1          | 85                           | PO.No. : 2500010206 Dt.04.07.2016 | 2016               |
| 12         | M/s.THYESSENKUPP INDUSTRIES INDIAA PVT .LIMITED<br>J-1564 - C | SH STEAM             | 37.277 - (TPH)          | 215 ((Kg/cm2)(g        | 400            | 1          | 85                           | PO.No. : 2500010206 Dt.04.07.2016 | 2016               |
| 13         | M/s.THYESSENKUPP INDUSTRIES INDIAA PVT .LIMITED<br>J-1564 - D | SH STEAM             | 10.65 - (TPH)           | 15 ((Kg/cm2)(g         | 400            | 1          | 85                           | PO.No. : 2500010206 Dt.04.07.2016 | 2016               |
| 14         | M/s.THYESSENKUPP INDUSTRIES INDIAA PVT .LIMITED<br>J-1564 - E | SATURATED<br>STEAM   | 1.239 /1.485 - (TPH)    | 135 ((Kg/cm2)(g        | 158            | 1          | 85                           | PO.No. : 2500010206 Dt.04.07.2016 | 2016               |
| 15         | M/s.THYESSENKUPP INDUSTRIES INDIAA PVT .LIMITED<br>J-1564 - F | SH STEAM             | 0.672 /0.7 - (TPH)      | 15 ((Kg/cm2)(g         | 200            | 1          | 85                           | PO.No. : 2500010206 Dt.04.07.2016 | 2016               |
| 16         | M/s.THYESSENKUPP INDUSTRIES INDIAA PVT .LIMITED<br>J-1564 - G | SATURATED<br>STEAM   | 10.546 / 11.165 - (TPH) | 81 ((Kg/cm2)(g         | 206            | 1          | 85                           | PO.No. : 2500010206 Dt.04.07.2016 | 2016               |
| 17         | M/s.THYESSENKUPP INDUSTRIES INDIAA PVT .LIMITED<br>J-1564 - H | SH STEAM             | 5.788 / 5.65 - (TPH)    | / 15 ((Kg/cm2)         | 285            | 1          | 85                           | PO.No. : 2500010206 Dt.04.07.2016 | 2016               |
| 18         | M/s.THYESSENKUPP INDUSTRIES INDIAA PVT .LIMITED<br>J-1564 - I | SUPERHEATED<br>STEAM | 10.65 - (TPH)           | 15 ((Kg/cm2)(g         | 400            | 1          | 85                           | PO.No. : 2500010206 Dt.04.07.2016 | 2016               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

303 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                      | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------|--------------------|
| 19         | M/s.THYESSENKUPP INDUSTRIES INDIAA PVT .LIMITED<br>J-1564 - J         | SUPERHEATED<br>STEAM | 0.7- (TPH)             | 8.5 ((Kg/cm2)(g))      | 200            | 1          | 85                           | PO.No. : 2500010206 Dt.04.07.2016 | 2016               |
| 20         | M/s.ALSTOM BHARAT FORCE POWER.LIMITED<br>J-1565 - A                   | STEAM                | 144 - (TPH)            | 7 ((Kg/cm2)(g))        | 389            | 16         | DISTANCE AT                  | -                                 | 2016               |
| 21         | M/s.ALSTOM BHARAT FORCE POWER.LIMITED<br>J-1565 - B                   | STEAM                | 170 - (TPH)            | 7 ((Kg/cm2)(g))        | 388            | 8          | DISTANCE AT                  | -                                 | 2016               |
| 22         | M/s.ALSTOM BHARAT FORCE POWER.LIMITED<br>J-1565 - C                   | STEAM                | 20.93 - (TPH)          | 8.5 ((Kg/cm2)(g))      | 210            | 2          | DISTANCE AT                  | -                                 | 2016               |
| 23         | M/s.ALSTOM BHARAT FORCE POWER.LIMITED<br>J-1565 - D                   | STEAM                | 87.74 - (TPH)          | 5 ((Kg/cm2)(g))        | 395            | 2          | DISTANCE AT                  | -                                 | 2016               |
| 24         | M/s.P .T INDO BHARAT RAYON INDONESIA<br>J-1566 - A                    | -                    | 42 (TPH)               | 94.5                   | 485            | 1          | DISTANCE AT                  | PO.NO : 220000598 DT:04.07.16     | 2016               |
| 25         | M/s.P .T INDO BHARAT RAYON INDONESIA<br>J-1566 - B                    | -                    | 42 (TPH)               | 94.5                   | 485            | 1          | DISTANCE AT                  | PO.NO : 220000598 DT:04.07.16     | 2016               |
| 26         | M/s.P .T INDO BHARAT RAYON INDONESIA<br>J-1567                        | STEAM                | 10000                  | 4.2                    | 350            | 1          | 85                           | PO.NO : 4500007850-0 DT: 19.07.16 | 2016               |
| 27         | M/s.BHARAT PETRILEUM CORPORATION LIMITED,MUMBAI<br>REFINERY<br>J-1568 | -                    | 5000                   | 7.7 ((Kg/cm2)(g))      | 336            | 1          | 80                           | PO.No. : 4505733531 Dt.19.8.2016  | 2016               |
| 28         | M/s.ELLIOTT TURBOMACHINERY INDIA PVT . LIMITED<br>J-1570 - A          | SUPERHEATED<br>STEAM | 12080                  | 7 ((Kg/cm2)(g))        | 395            | 1          | 85                           | PO.No. : 15360082 Dt.06.09.2016   | 2016               |
| 29         | M/s.ELLIOTT TURBOMACHINERY INDIA PVT . LIMITED<br>J-1570 - B          | SUPERHEATED<br>STEAM | 12080                  | 8 ((Kg/cm2)(g))        | 440            | 1          | 85                           | PO.No. : 15360082 Dt.06.09.2016   | 2016               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

304 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                         | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                        | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------|--------------------|
| 30         | M/s.ELLIOTT TURBOMACHINERY INDIA PVT . LIMITED<br>J-1571 | SUPERHEATED<br>STEAM | 16164                  | 8 ((Kg/cm2)(g)         | 441            | 1          | 85                           | PO.No. : 15360082 Dt.06.09.2016           | 2016               |
| 31         | M/s.ISGEC HEAVY ENGINEERING LIMITED<br>J-1572 - A        | SUPERHEATED<br>STEAM | 33000                  | 67 ((Kg/cm2)(g)        | 540±5          | 1          | DISTANCE AT                  | PO.No. : P10114564 / JB0976 Dt.01.09.2016 | 2016               |
| 32         | M/s.ISGEC HEAVY ENGINEERING LIMITED<br>J-1572 - B        | SUPERHEATED<br>STEAM | 28345                  | 1 ((Kg/cm2)(g)         | 540±5          | 1          | DISTANCE AT                  | PO.No. : P10114564 / JB0976 Dt.01.09.2016 | 2016               |
| 33         | M/s.DANIELI CORUS INDIA PVT.LTD<br>J-1573                | -                    | 80000 - (NM3/HR)       | 1.5 ((Kg/cm2)(g)       | 200            | 1          | 85                           | PO.No. : LOI EMAIL Dt.06.09.2016          | 2016               |
| 34         | M/s.ELLIOTT TURBOMACHINERY INDIA PVT . LIMITED<br>J-1574 | SUPERHEATED<br>STEAM | 3757                   | 7 ((Kg/cm2)(g)         | 253            | 1          | 85                           | PO.No. : 15360087 Dt.14.09.2016           | 2016               |
| 35         | M/s.LARSEN & TOUBRO LIMITED<br>J-1575 & 1576 - A         | -                    | 121.8 - (T/HR)         | 05 ((Kg/cm2)(g)        | 350            | 1          | DISTANCE AT                  | -                                         | 2016               |
| 36         | M/s.LARSEN & TOUBRO LIMITED<br>J-1575 & 1576 - B         | -                    | 121.8 - (T/HR)         | 05 ((Kg/cm2)(g)        | 350            | 1          | DISTANCE AT                  | -                                         | 2016               |
| 37         | M/s.LARSEN & TOUBRO LIMITED<br>J-1575 & 1576 - C         | -                    | 121.8 - (T/HR)         | 05 ((Kg/cm2)(g)        | 350            | 1          | DISTANCE AT                  | -                                         | 2016               |
| 38         | M/s.LARSEN & TOUBRO LIMITED<br>J-1575 & 1576 - D         | -                    | 138.7 - (T/HR)         | 0.8 ((Kg/cm2)(g)       | 350            | 1          | DISTANCE AT                  | -                                         | 2016               |
| 39         | M/s.LARSEN & TOUBRO LIMITED<br>J-1575 & 1576 - E         | -                    | 138.7 - (T/HR)         | 0.8 ((Kg/cm2)(g)       | 350            | 1          | DISTANCE AT                  | -                                         | 2016               |
| 40         | M/s.LARSEN & TOUBRO LIMITED<br>J-1575 & 1576 - F         | -                    | 252.4 - (T/HR)         | 05 ((Kg/cm2)(g)        | 350            | 1          | DISTANCE AT                  | -                                         | 2016               |
| 41         | M/s.LARSEN & TOUBRO LIMITED<br>J-1575 & 1576 -G          | -                    | 252.4 - (T/HR)         | 05 ((Kg/cm2)(g)        | 350            | 1          | DISTANCE AT                  | -                                         | 2016               |
| 42         | M/s.LARSEN & TOUBRO LIMITED                              |                      |                        |                        |                |            |                              |                                           |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

305 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                          | SERVICE               | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------------------------------|-----------------------|-------------------------|-------------------------|----------------|------------|------------------------------|--------------------|--------------------|
| 43         | J-1575 & 1576 - H<br>M/s.LARSEN & TOUBRO LIMITED                                          | -                     | 210.6 - (T/HR)          | 05 ((Kg/cm2)(g          | 340            | 1          | DISTANCE AT                  | -                  | 2016               |
| 44         | J-1575 & 1576 - I<br>M/s.LARSEN & TOUBRO LIMITED                                          | -                     | 210.6 - (T/HR)          | 05 ((Kg/cm2)(g          | 340            | 1          | DISTANCE AT                  | -                  | 2016               |
| 45         | J-1575 & 1576 - J<br>M/s.LARSEN & TOUBRO LIMITED                                          | -                     | 4.49 - (T/HR)           | 75 ((Kg/cm2)(g          | 340            | 1          | DISTANCE AT                  | -                  | 2016               |
| 46         | J-1575 & 1576 - K<br>M/s.LARSEN & TOUBRO LIMITED                                          | -                     | 4.49 - (T/HR)           | 75 ((Kg/cm2)(g          | 340            | 1          | DISTANCE AT                  | -                  | 2016               |
| 47         | J-1575 & 1576 -L<br>M/s.LARSEN & TOUBRO LIMITED                                           | -                     | 278.4 - (T/HR)          | 05 ((Kg/cm2)(g          | 340            | 1          | DISTANCE AT                  | -                  | 2016               |
| 48         | J-1575 & 1576 -M<br>M/s.LARSEN & TOUBRO LIMITED                                           | -                     | 278.4 - (T/HR)          | 05 ((Kg/cm2)(g          | 340            | 1          | DISTANCE AT                  | -                  | 2016               |
| 49         | J-1575 & 1576 N<br>M/s.LARSEN & TOUBRO LIMITED                                            | -                     | 471.4 - (T/HR)          | .7 ((Kg/cm2)(g          | 350            | 1          | DISTANCE AT                  | -                  | 2016               |
| 50         | J-1577<br>M/s.THERMAX LIMITED / M/s.RASHTRIYA<br>CHEMICALS&FERTILIZERS LIMITED            | STEAM                 | 19549                   | 92 ((Kg/cm2)(g          | 350            | 2          | 85                           | -                  | 2016               |
| 51         | J-1578 & 1579 - A<br>M/s.THERMAX LIMITED / M/s.RASHTRIYA<br>CHEMICALS&FERTILIZERS LIMITED | SATURATED<br>STEAM    | 43458                   | .67 ((Kg/cm2)(g         | 327            | 1          | DISTANCE AT                  | PO.No. : 251014292 | 2016               |
| 52         | J-1578 & 1579 - B<br>M/s.THERMAX LIMITED / M/s.RASHTRIYA<br>CHEMICALS&FERTILIZERS LIMITED | SATURATED<br>STEAM    | 43110                   | .67 ((Kg/cm2)(g         | 327            | 1          | DISTANCE AT                  | PO.No. : 251014292 | 2016               |
| 53         | J-1578 & 1579 - C<br>M/s.THERMAX LIMITED / M/s.RASHTRIYA<br>CHEMICALS&FERTILIZERS LIMITED | SUPER HEATED<br>STEAM | 23354                   | .67 ((Kg/cm2)(g         | 545            | 1          | DISTANCE AT                  | PO.No. : 251014292 | 2016               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

306 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                        | SERVICE                          | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                   | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------------------------|----------------------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------------------|--------------------|
|            | J-1578 & 1579 - D                                                                       | SUPER HEATED<br>STEAM            | 45900                  | .67 ((Kg/cm2)(g        | 545            | 1          | 85                           | PO.No. : 251014292                                                   | 2016               |
| 54         | M/s.THYSENKRUP GROUP INDUSTRIAL SOLUTIONS/<br>M/s.CHENNAI PETROLEUM CORPORATION LIMITED |                                  |                        |                        |                |            |                              |                                                                      |                    |
|            | J-1580                                                                                  | MEDIAM<br>PRESSURE<br>STEAM      | 8000                   | / FV((Kg/cm2)(         | 280            | 1          | 85                           | PO.NO : LOA NO.1042 / SCO232 P145<br>/U6676 -1104-CPCL DT:02.11.2016 | 2016               |
| 55         | M/s.RASHTRIYA ISPAT NIGAM LIMITED                                                       |                                  |                        |                        |                |            |                              |                                                                      |                    |
|            | J-1581 - A                                                                              | SUPER HEATED<br>STEAM            | 64300                  | 0.75 - Mpa(g)          | 210            | 3          | 50M AT <80                   | PO.NO : 4510010730 DT:11.03.2016                                     | 2016               |
| 56         | M/s.RASHTRIYA ISPAT NIGAM LIMITED                                                       |                                  |                        |                        |                |            |                              |                                                                      |                    |
|            | J-1581 - B                                                                              | SATURATED<br>STEAM               | 121217                 | 0.75 - Mpa(g)          | 210            | 3          | 50M AT <80                   | PO.NO : 4510010730 DT:11.03.2016                                     | 2016               |
| 57         | M/s.RASHTRIYA ISPAT NIGAM LIMITED                                                       |                                  |                        |                        |                |            |                              |                                                                      |                    |
|            | J-1581 - C                                                                              | SATURATED<br>STEAM               | 147838                 | 123 - Mpa(g)           | 324            | 3          | 50M AT <80                   | PO.NO : 4510010730 DT:11.03.2016                                     | 2016               |
| 58         | M/s.LNV TECHNOLOGY PVT.LTD                                                              |                                  |                        |                        |                |            |                              |                                                                      |                    |
|            | J-1582-A                                                                                | AQC HP STEAM<br>DRUM<br>SILENCER | 7.185 /7.58            | 3                      | 250            | 1          | 85                           | PO.NO : PW-16-391, PO/16-17/1446<br>DT:28.11.2016                    | 2016               |
| 59         | M/s.LNV TECHNOLOGY PVT.LTD                                                              |                                  |                        |                        |                |            |                              |                                                                      |                    |
|            | J-1582- B                                                                               | AQC HP STEAM<br>DRUM<br>SILENCER | 5.095 / 2 (TPH)        | 3 / 4.5                | 420            | 1          | 85                           | PO.NO : PW-16-391, PO/16-17/1446<br>DT:28.11.2016                    | 2016               |
| 60         | M/s.LNV TECHNOLOGY PVT.LTD                                                              |                                  |                        |                        |                |            |                              |                                                                      |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

307 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                            | SERVICE                                | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------|----------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------------|--------------------|
|            | J-1582-C<br><br>M/s.LNV TECHNOLOGY PVT.LTD  | SP HP STEAM<br>DRUM<br>SILENCER        | 15.915 /16.789         | 3                      | 250            | 1          | 85                           | PO.NO : PW-16-391, PO/16-17/1446<br>DT:28.11.2016 | 2016               |
|            | J-1582-D<br><br>M/s.LNV TECHNOLOGY PVT.LTD  | SP HP STEAM<br>DRUM<br>SILENCER        | 13.198 /3 (TPH)        | 3 / 4.5                | 340            | 3          | 85                           | PO.NO : PW-16-391, PO/16-17/1446<br>DT:28.11.2016 | 2016               |
|            | J-1582-E<br><br>M/s.LNV TECHNOLOGY PVT.LTD  | SP HP STEAM<br>DRUM<br>SILENCER        | 3.996 /3.196           | 3                      | 250            | 3          | 85                           | PO.NO : PW-16-391, PO/16-17/1446<br>DT:28.11.2016 | 2016               |
|            | J-1582-F<br><br>M/s.LNV TECHNOLOGY PVT.LTD  | SP LP STEAM<br>DRUM<br>SILENCER        | 2.437 / 1 (TPH)        | 3 / 4.5                | 250            | 3          | 85                           | PO.NO : PW-16-391, PO/16-17/1446<br>DT:28.11.2016 | 2016               |
|            | J-1582-G<br><br>M/s.LNV TECHNOLOGY PVT.LTD  | HP STEAM<br>WARNUP VENT<br>SILENCER    | 7.3 (TPH)              | 14.78                  | 420            | 3          | 85                           | PO.NO : PW-16-391, PO/16-17/1446<br>DT:28.11.2016 | 2016               |
|            | J-1582- H<br><br>M/s.LNV TECHNOLOGY PVT.LTD | LP STEAM<br>WARMUP<br>VENT<br>SILENCER | 2.1 (TPH)              | 5.4                    | 250            | 3          | 85                           | PO.NO : PW-16-391, PO/16-17/1446<br>DT:28.11.2016 | 2016               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

308 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                          | SERVICE                                   | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                 | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------|-------------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------|--------------------|
|            | J-1582-I<br><br>M/s.LNV TECHNOLOGY PVT.LTD                | HP STEAM<br>EMERGENCY<br>VENT<br>SILENCER | 7.3 (TPH)              | 14.78                  | 420            | 3          | 85                           | PO.NO : PW-16-391, PO/16-17/1446<br>DT:28.11.2016  | 2016               |
|            | J-1582- J<br><br>M/s.ENMAS GB POWER SYSTEMS PROJECTS LTD  | LP STEAM<br>EMERGENCY<br>VENT<br>SILENCER | 2 (TPH)                | 5.4                    | 250            | 3          | 85                           | PO.NO : PW-16-391, PO/16-17/1446<br>DT:28.11.2016  | 2016               |
|            | J-1583 - A<br><br>M/s.ENMAS GB POWER SYSTEMS PROJECTS LTD | STEAM DRUM<br>SAFETY VALVE<br>SILENCER    | 36943                  | 5                      | 298            | 2          | DISTANCE AT                  | PO.NO :EGB/PUR/16-17/B/BC01C1/0083<br>DT:9.11.2016 | 2016               |
|            | J-1583 - B<br><br>M/s.ENMAS GB POWER SYSTEMS PROJECTS LTD | MSL SAFETY<br>VALVE<br>SILENCER           | 24960                  | 5                      | 500            | 1          | DISTANCE AT                  | PO.NO :EGB/PUR/16-17/B/BC01C1/0083<br>DT:9.11.2016 | 2016               |
|            | J-1583 - C<br><br>M/s.THERMAX LTD -BOILER & HEATER GROUP  | STARTUP VENT<br>VALVE<br>SILENCER         | 40000                  | 5                      | 500            | 1          | DISTANCE AT                  | PO.NO :EGB/PUR/16-17/B/BC01C1/0083<br>DT:9.11.2016 | 2016               |
|            | J-1584 -A<br><br>M/s.THERMAX LTD -BOILER & HEATER GROUP   | SATURAED<br>STEAM                         | 4050                   | 101/102                | 304/305        | 1          | DISTANCE AT                  | PO.NO : LOI EMAIL DT:17.11.2016                    | 2016               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

309 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                | SERVICE                      | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE               | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------|------------------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------|--------------------|
|            | J-1584 -B<br><br>M/s.THERMAX LIMITED / M/s.TCL SANMAR CHEMICALS | SUPERHEATED<br>STEAM         | 2700                   | 96                     | 515+5          | 1          | DISTANCE AT                  | PO.NO : LOI EMAIL DT:17.11.2016  | 2016               |
|            | J-1585<br><br>M/s.TOYO ENGINEERING                              | STAURATED<br>STEAM           | 36000                  | 6.75                   | 221+5          | 1          | 85                           | PO.NO :651000961 DT:19.11.2016   | 2016               |
|            | J-1586 -A<br><br>M/s.THERMAX LIMITED / M/s.TCL SANMAR CHEMICALS | HP STEAM                     | 10000                  | 10                     | 515            | 1          | 85                           | PO.NO :651000961 DT:19.11.2016   | 2016               |
|            | J-1586 -B<br><br>M/s.THERMAX LIMITED / M/s.TCL SANMAR CHEMICALS | MP + HP<br>STEAM             | 376000                 | 20                     | 510            | 1          | 85                           | PO.NO :651000961 DT:19.11.2016   | 2016               |
|            | J-1586 -C<br><br>M/s.THERMAX LIMITED / M/s.TCL SANMAR CHEMICALS | INTERMEDIATE<br>PRES . STEAM | 39497                  | 3.5                    | 275            | 1          | 85                           | PO.NO :651000961 DT:19.11.2016   | 2016               |
|            | J-1586 -D<br><br>M/s.FIVES CAIL - KCP LIMITED                   | CO2                          | 142867                 | 3.5                    | 110            | 1          | 85                           | PO.NO :651000961 DT:19.11.2016   | 2016               |
|            | J-1587 -A<br><br>M/s.FIVES CAIL - KCP LIMITED                   | SUPERHEATED<br>STEAM         | 32 (TPH)               | 10                     | 455            | 1          | 85                           | PO.NO : 4500006436 DT:22.11.2016 | 2016               |
|            | J-1587 - B<br><br>M/s.FIVES CAIL - KCP LIMITED                  | SUPERHEATED<br>STEAM         | 10(TPH)                | 25                     | 450            | 1          | 85                           | PO.NO : 4500006436 DT:22.11.2016 | 2016               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

310 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                | SERVICE                    | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                             | YEAR<br>OF<br>MFR. |
|------------|---------------------------------|----------------------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------|--------------------|
|            | J-1587 - C                      | SUPERHEATED<br>STEAM       | 15.7 (TPH)             | 3.5                    | 350            | 1          | 85                           | PO.NO : 4500006436 DT:22.11.2016               | 2016               |
|            | M/s.THERMAX LTD<br>J-1588       | STEAM                      | 20 (TPH)               | 118.5                  | 545            | 2          | 85                           | PO.NO : LOI EMAIL DT:25.11.2016                | 2016               |
|            | M/s.THERMAX LTD<br>J-1589 -     | STEAM                      | 20 (TPH)               | 118.5                  | 545            | 2          | 85                           | PO.NO : LOI EMAIL DT:25.11.2016                | 2016               |
|            | M/s.THERMAX LTD<br>J-1590 - A   | SATURATED<br>STEAM         | 53453                  | 0.675                  | 325.06         | 1          | DISTANCE AT                  | PO.NO : 151021677 DT:7.11.2016                 | 2016               |
|            | M/s.THERMAX LTD<br>J-1590 - B   | SATURATED<br>STEAM         | 53453                  | 0.675                  | 325.06         | 1          | DISTANCE AT                  | PO.NO : 151021677 DT:7.11.2016                 | 2016               |
|            | M/s.THERMAX LTD<br>J-1590 - C   | SH STEAM                   | 29139                  | 0.675                  | 510            | 1          | DISTANCE AT                  | PO.NO : 151021677 DT:7.11.2016                 | 2016               |
|            | M/s.THERMAX LTD<br>J-1590 - D   | SH STEAM                   | 100000                 | 0.675                  | 510+5          | 1          | DISTANCE AT                  | PO.NO : 151021677 DT:7.11.2016                 | 2016               |
|            | M/s.THERMAX LTD<br>J-1591       | -                          | 75945                  | 11                     | 204            | 1          | 85                           | PO.NO : 4500001365 DT:23.01.2017               | 2016               |
|            | M/s.THERMAX LTD<br>J-1592       | WARMUP<br>VENT<br>SILENCER | 13000                  | 75                     | 500            | 1          | 85                           | PO.NO : SIL:PUR:2016:154/3611<br>DT:18.12.2016 | 2016               |
|            | M/s.ISGEC HEAVY ENGINEERING LTD |                            |                        |                        |                |            |                              |                                                |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

311 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                | SERVICE                            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                         | YEAR<br>OF<br>MFR. |
|------------|---------------------------------|------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------|--------------------|
| J-1593     | M/S.RELIANCE/JAMNAGAR           | BLOWING<br>STEAM VALVE<br>SILENCER | 120000                 | 77                     | 400            | 1          | 85                           | PO.NO : P10115009/JB 0958 DT:21.12.16      | 2016               |
| J-1594     | M/S.ISGEC HEAVY ENGINEERING LTD | SAFETY VALVE<br>SILENCER           | 58588                  | 134                    | 358            | 3          | 85                           | PO No. JM1/240078950 DT.19.12.2016         | 2017               |
| J-1595     | M/S.ISGEC HEAVY ENGINEERING LTD | WARMUP<br>VENT<br>SILENCER         | 13,250                 | 40                     | 480+5          | 1          | 85                           | PO. NO. : P30103390/ES 01210 DT.20.12.2016 | 2017               |
| J-1596 -A  | M/S.ISGEC HEAVY ENGINEERING LTD | SUPERHEATED<br>STEAM               | 17,492                 | 0.675                  | 485+5          | 1          | DISTANCE AT                  | PO. NO. : P10116552/JB0981 DT.24.12.2016   | 2017               |
| J-1596 -B  | M/S.ISGEC HEAVY ENGINEERING LTD | SUPERHEATED<br>STEAM               | 16,930                 | 0.675                  | 485+5          | 1          | DISTANCE AT                  | PO. NO. : P10116552/JB0981 DT.24.12.2016   | 2017               |
| J-1597 -A  | M/S.ISGEC HEAVY ENGINEERING LTD | SUPERHEATED<br>STEAM               | 18,369                 | 0.675                  | 400+5          | 1          | DISTANCE AT                  | PO. NO. : P10116585 /JB0988 DT.27.12.2016  | 2017               |
| J-1597 - B | M/S.ISGEC HEAVY ENGINEERING LTD | SUPERHEATED<br>STEAM               | 18,366                 | 0.675                  | 400+5          | 1          | DISTANCE AT                  | PO. NO. : P10116585 /JB0988 DT.27.12.2016  | 2017               |
|            | M/S.IOCL/EIL                    |                                    |                        |                        |                |            |                              |                                            |                    |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                               |                      | REFERENCE LIST           |                        |                |            |                              | 312 OF 380                        |                    |
|----------------------------------------------------------------------|---------------------------------------------------------------|----------------------|--------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------|--------------------|
| PRAE                                                                 |                                                               |                      | NOISE CONTROL - SILENCER |                        |                |            |                              |                                   |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                              | SERVICE              | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                | YEAR<br>OF<br>MFR. |
|                                                                      | Job No:1598                                                   | LP STEAM             | 1,517                    | 3.5                    | 237            | 1          | <85                          | LOA NO. A609/293 DT.04.01.2017    | 2017               |
| 91                                                                   | M/s.ATLAS COPCO INDIA LIMITED J.NO:1599                       | COMPRESSED<br>AIR    | 11157                    | 2.7                    | 150            | 1          | 85                           | PO.No. :LOI E-MAIL DT :06.01.2017 | 2017               |
| 91                                                                   | M/s.THERMAX LTD                                               | SATURATED<br>STEAM   | 36946 / 38264            | 0.67                   | 236            | 1          | DISTANCE AT                  | PO.No. :15022122 DT : 12.01.2017  | 2017               |
| 91                                                                   | M/s.THERMAX LTD                                               | SATURATED<br>STEAM   | 28432                    | 0.67                   | 320            | 1          | DISTANCE AT                  | PO.No. :15022122 DT : 12.01.2017  | 2017               |
| 91                                                                   | M/s.THERMAX LTD                                               | SATURATED<br>STEAM   | 44545                    | 6.75                   | 305            | 1          | DISTANCE AT                  | PO.No. :15022122 DT : 12.01.2017  | 2017               |
| 91                                                                   | M/s.THERMAX LIMITED/TATA STEEL-PL1201                         | SATURATED<br>STEAM   | 28512/28859              | 81/82                  | 305            | 1          | 85                           | PO.No. :151022202 DT.17.01.2017   | 2017               |
| 92                                                                   | M/s.THERMAX LIMITED/TATA STEEL-PL1201                         | SUPERHEATED<br>STEAM | 9230/9166                | 75.5/75                | 495+5          | 1          | 85                           | PO.No. :151022202 DT.17.01.2017   | 2017               |
| 93                                                                   | M/s.THERMAX LIMITED/TATA STEEL-PL1201                         | SUPERHEATED<br>STEAM | 11550                    | 69.6                   | 495+5          | 1          | 85                           | PO.No. :151022202 DT.17.01.2017   | 2017               |
| 94                                                                   | M/s.THERMAX LIMITED/TATA STEEL-PL1201                         | SUPERHEATED<br>STEAM | 73700                    | 69.1                   | 495+5          | 1          | 85                           | PO.No. :151022202 DT.17.01.2017   | 2017               |
| 95                                                                   | M/s.THERMAX LIMITED/TATA STEEL-PL1201                         | SUPERHEATED<br>STEAM | 1036                     | 1.35                   | 127            | 1          | 85                           | PO.No. :151022202 DT.17.01.2017   | 2017               |
| 96                                                                   | M/s.ANDRITZ TECHNOLOGIES PRIVATE LIMITED/TNPL RB #2<br>REVAMP | SUPERHEATED<br>STEAM | 4.78/3.76 (Kg/sec)       | 0.6/9                  | 450/450        | 1          | 80 AT 3M                     | PO.No. : CP17307003 DT.12.01.2017 | 2017               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

313 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                          | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                     | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------|--------------------|
| 97         | J-1602-A<br>M/s.ANDRITZ TECHNOLOGIES PRIVATE LIMITED/TNPL RB #2<br>REVAMP | SATURATED<br>STEAM    | 7.12 (Kg/sec)          | 0.8                    | 265            | 1          | 80 AT 3M                     | PO.No. : CP17307003 DT.12.01.2017      | 2017               |
| 98         | J-1602-B<br>M/s.ANDRITZ TECHNOLOGIES PRIVATE LIMITED/TNPL RB #2<br>REVAMP | SATURATED<br>STEAM    | 13.05 (Kg/sec)         | 1.5                    | 265            | 1          | 80 AT 3M                     | PO.No. : CP17307003 DT.12.01.2017      | 2017               |
| 99         | J-1602-C<br>M/s.THERMAX LIMITED/GSCL                                      | SP STEAM              | 10 (TPH)               | 16                     | 327            | 1          | 95                           | PO.No. : 1000041205 DT.25.01.2017      | 2017               |
| 100        | J-1603-A<br>M/s.THERMAX LIMITED/GSCL                                      | LP STEAM              | 3 (TPH)                | 2.8                    | 210            | 1          | 95                           | PO.No. : 1000041205 DT.25.01.2017      | 2017               |
| 101        | J-1603-B<br>M/S.THERMAX LIMITED/TOYO CHAMBAL FERTILIZER                   | FLUE GAS              | 102.92 (Kg/ sec)       | 500 (mmH2O)            | 585            | 1          | < 85                         | PO.No. :151022352 DT.31.01.2017        | 2017               |
| 102        | J-1604<br>M/s.THERMAX / NTPC TANDA                                        | SATURATED<br>STEAM    | 32993/34310            | 0.5                    | SATURATE       | 1          | 110                          | PO.No. : 151022468 DT.08.02.2017       | 2017               |
| 103        | J-1606-A<br>M/s.THERMAX / NTPC TANDA                                      | SUPERHEATED<br>STEAM  | 22995                  | 0.5                    | 250+5          | 1          | 110                          | PO.No. : 151022468 DT.08.02.2017       | 2017               |
| 104        | J-1606-B<br>M/s.THERMAX / NTPC TANDA                                      | SUPERHEATED<br>STEAM  | 33000                  | 5                      | 250+5          | 1          | 85                           | PO.No. :151022468 DT.08.02.2017        | 2017               |
| 105        | J-1606-C<br>M/s.TOYO ENGINEERING/CPCL                                     | AIR                   | 317909                 | 9.5                    | 538            | 1          | 85                           | PO.No. : P/6341/15586/ AYFG301-2       | 2018               |
| 106        | J-1607-A<br>M/s.TOYO ENGINEERING/CPCL                                     | AIR                   | 237414/64382           | 3.5                    | 80             | 1          | 85                           | PO.No. : P/6341/15586/ AYFG301-2       | 2018               |
| 107        | J-1607-B<br>M/s.ESSAR OIL LIMITED/SRU II VADINAR                          | LP SATURATED<br>STEAM | 2792                   | 6.5                    | 190            | 1          | 85                           | PO.No.:LOI NO.6200004912 Dt.17.02.2017 | 2018               |
|            | J-1608-A                                                                  |                       |                        |                        |                |            |                              |                                        |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

314 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                            | SERVICE               | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                      | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------|--------------------|
| 108        | M/s.ESSAR OIL LIMITED/SRU II VADINAR<br>J-1608-B                                            | LP SATURATED<br>STEAM | 2015                   | 6.5                    | 190            | 1          | 85                           | PO.No.:LOI NO.6200004912 Dt.17.02.2017  | 2018               |
| 109        | M/s.ESSAR OIL LIMITED/SRU II VADINAR<br>J-1608-C                                            | LP SATURATED<br>STEAM | 938                    | 6.5                    | 190            | 1          | 85                           | PO.No.:LOI NO.6200004912 Dt.17.02.2017  | 2018               |
| 110        | M/s.ISGEC HEAVY ENGINEERING LTD/PRECISE SMART LIFE<br>PROJECT, THAILAND, JB0992<br>J-1610-A | SUPERHEATED<br>STEAM  | 13768                  | 0.5                    | 485±5          | 1          | 110 AT 3M                    | PO.No. : P10118069/JB0992 DT.09.03.2017 | 2017               |
| 111        | M/s.ISGEC HEAVY ENGINEERING LTD/PRECISE SMART LIFE<br>PROJECT, THAILAND, JB0992<br>J-1610-B | SUPERHEATED<br>STEAM  | 18100                  | 0.5                    | 485±5          | 1          | 110 AT 3M                    | PO.No. : P10118069/JB0992 DT.09.03.2017 | 2017               |
| 112        | M/S.EMAMI PAPER MILLS LIMITED.<br>J-1611                                                    | SUPERHEATED<br>STEAM  | 35 (TPH)               | 7.25 (ATA)             | 295            | 1          | 85                           | PO No.8100004079 DT.15.03.2017          | 2017               |
| 113        | M/S THERMAX LIMITED/GHCL<br>J-1612                                                          | STEAM                 | 45-55 (TPH)            | 105                    | 505            | 1          | <85                          | P.O.NO:451005370 Dt.03.03.2017          | 2017               |
| 114        | M/s.ISGEC HEAVY ENGINEERING LTD/TOSHIBA JSW<br>J-1613-A                                     | SUPERHEATED<br>STEAM  | 17474                  | 0.5                    | 350±5          | 1          | 110                          | PO.No. : P10118197/JB0989 DT.16.03.2017 | 2017               |
| 115        | M/s.ISGEC HEAVY ENGINEERING LTD/TOSHIBA JSW<br>J-1613-B                                     | SATURATED<br>STEAM    | 20982                  | 0.5                    | 222            | 1          | 110                          | PO.No. : P10118197/JB0989 DT.16.03.2017 | 2017               |
| 116        | M/s.ISGEC HEAVY ENGINEERING LTD/TOSHIBA JSW<br>J-1613-C                                     | SUPERHEATED<br>STEAM  | 23000                  | 0.5                    | 350±5          | 1          | 110                          | PO.No. : P10118197/JB0989 DT.16.03.2017 | 2017               |
| 117        | M/s.ISGEC HEAVY ENGINEERING LTD/TOSHIBA JSW<br>J-1613-D                                     | SUPERHEATED<br>STEAM  | 31000                  | 3-5                    | 350±5          | 1          | 110                          | PO.No. : P10118197/JB0989 DT.16.03.2017 | 2017               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                                                       |                              | REFERENCE LIST           |                        |                |            |                              | 315 OF 380                                                    |                    |
|----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|------------------------------|--------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------------------------|--------------------|
| PRAE                                                                 |                                                                                                       |                              | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                               |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                                                      | SERVICE                      | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                            | YEAR<br>OF<br>MFR. |
| 118                                                                  | M/s.GREEN ENERGY POWERPLANT-TABLELAND<br>MILL/THYSENKRUPP INDUSTRIES INDIA PVT LTD.<br>J-1614-A       | SATURATED<br>STEAM           | 60725                    | 5                      | 314            | 1          | <85                          | PO.No. :2500011497 DT.24.03.2017                              | 2017               |
| 119                                                                  | M/s.GREEN ENERGY POWERPLANT-TABLELAND<br>MILL/THYSENKRUPP INDUSTRIES INDIA PVT LTD.<br>J-1614-B       | SATURATED<br>STEAM           | 61359                    | 5                      | 314            | 1          | <85                          | PO.No. :2500011497 DT.24.03.2017                              | 2017               |
| 120                                                                  | M/s.GREEN ENERGY POWERPLANT-TABLELAND<br>MILL/THYSENKRUPP INDUSTRIES INDIA PVT LTD.<br>J-1614-C       | SH STEAM                     | 42018                    | 5.5                    | 535            | 1          | <85                          | PO.No. :2500011497 DT.24.03.2017                              | 2017               |
| 121                                                                  | M/s.GREEN ENERGY POWERPLANT-TABLELAND<br>MILL/THYSENKRUPP INDUSTRIES INDIA PVT LTD.<br>J-1614-D       | SH STEAM                     | 39000                    | 7                      | 535            | 1          | <85                          | PO.No. :2500011497 DT.24.03.2017                              | 2017               |
| 122                                                                  | M/s.GREEN ENERGY POWERPLANT-TABLELAND<br>MILL/THYSENKRUPP INDUSTRIES INDIA PVT LTD.<br>J-1614-E       | SH STEAM                     | 30000                    | 94                     | 535            | 1          | <85                          | PO.No. :2500011497 DT.24.03.2017                              | 2017               |
| 123                                                                  | M/s.GREENSOL POWER SYSTEMS PVT.LTD/CHANAR ENERGY<br>LIMITED, TANDLIANWALA, PUNJAB, PAKSITAN<br>J-1615 | -                            | 60 (TPH)                 | 2.5 (BAR A)            | 500            | 1          | 85                           | PO NO. GPSPL/PRAEWL/3005B-1/SIL/PO-<br>010/1617 DT.28.03.2017 | 2017               |
| 124                                                                  | M/s.GREENSOL POWER SYSTEMS PVT.LTD/CHANAR ENERGY<br>LIMITED, TANDLIANWALA, PUNJAB, PAKSITAN<br>J-1616 | -                            | 10000                    | 2                      | 400            | 1          | 85                           | PO NO. GPSPL/PRAEWL/3005T-1/SIL/PO-<br>014/1617 DT.28.03.2017 | 2017               |
| 125                                                                  | M/S THERMAX LIMITED/GHCL<br>J-1617                                                                    | STEAM                        | 45-55 (TPH)              | 105                    | 505            | 1          | <85                          | P.O.NO:451005460 Dt.07.04.2017                                | 2017               |
| 126                                                                  | M/S .KIRLOSKAR EBARA PUMPS LTD/EIL/BORL<br>J-1618                                                     | -                            | 11500                    | 7                      | 350            | 1          | 85                           | PO NO.1100015094 DT.10.04.2017                                | 2017               |
| 127                                                                  | M/s INOX AIR PRODUCTS PVT LTD/SUNFLAG<br>J-1619                                                       | 100% O2 GAS /<br>100% N2 GAS | 500 & 6000 / 100 & 800   | 1 / 1                  | 29 TO +65      | 1          | 85                           | PO.NO. 4500149055 DT.14.04.2017                               | 2017               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

316 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                           | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                      | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------|--------------------|
| 128        | M/s.ISGEC HEAVY ENGINEERING LTD/JSW STEEL<br>J-1620-A                      | SUPERHEATED<br>STEAM | 35000                  | 0.5                    | 545±5          | 1          | 110 AT 3M                    | PO.No. : P10118835/JB1001 DT.14.04.2017 | 2017               |
| 129        | M/s.ISGEC HEAVY ENGINEERING LTD/JSW STEEL<br>J-1620-B                      | SUPERHEATED<br>STEAM | 54110                  | 0.5                    | 545±5          | 1          | 110 AT 3M                    | PO.No. : P10118835/JB1001 DT.14.04.2017 | 2017               |
| 130        | M/s.ISGEC HEAVY ENGINEERING LTD/EMAMI AGRO<br>J-1621-A                     | SUPERHEATED<br>STEAM | 20000                  | 0.5                    | 480±5          | 1          | 110 AT 3M                    | PO NO.P1O118843/JB0994 DT.14.04.2017    | 2017               |
| 131        | M/s.ISGEC HEAVY ENGINEERING LTD/EMAMI AGRO<br>J-1621-B                     | SUPERHEATED<br>STEAM | 12805                  | 0.5                    | 480±5          | 1          | 110 AT 3M                    | PO NO.P1O118843/JB0994 DT.14.04.2017    | 2017               |
| 135        | M/S. GRASIM/ NAGDA<br>J-1623                                               | -                    | 3000 (M3/HR)           | 500 (MMHG)             | 125            | 1          | 70-80                        | PO.No. : 4200195763/120 Dt.22.04.2017   | 2017               |
| 136        | M/S SAYAJI MAIZE PRODUCTS/A DIVISION OF SAYAJI<br>INDUSTRIES LTD<br>J-1624 | -                    | 20000                  | 2.5                    | 250            | 1          | 85                           | PO NO. ST/1718/000254 DATE.28.04.2017   | 2017               |
| 137        | M/s.ISGEC HEAVY ENGINEERING LTD/SHREE CEMENT<br>J-1625-A                   | SUPERHEATED<br>STEAM | 7000                   | 0.5                    | 275            | 1          | 110 TO 3M                    | PO.No. : LOI E-MAIL DT.29.042017        | 2017               |
| 138        | M/s.ISGEC HEAVY ENGINEERING LTD/SHREE CEMENT<br>J-1625-B                   | SUPERHEATED<br>STEAM | 4898                   | 0.5                    | 275            | 1          | 110 TO 3M                    | PO.No. : LOI E-MAIL DT.29.042017        | 2017               |
| 139        | M/s.ISGEC HEAVY ENGINEERING LTD/SHREE CEMENT<br>J-1625-C                   | SATURATED<br>STEAM   | 9382                   | 0.5                    | 216            | 1          | 110 TO 3M                    | PO.No. : LOI E-MAIL DT.29.042017        | 2017               |
| 140        | M/s.ISGEC HEAVY ENGINEERING LTD/SHREE CEMENT<br>J-1625-D                   | SATURATED<br>STEAM   | 9187                   | 0.5                    | 216            | 1          | 110 TO 3M                    | PO.No. : LOI E-MAIL DT.29.042017        | 2017               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

317 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                  | SERVICE                     | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                      | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------|-----------------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------|--------------------|
| 141        | M/s.ISGEC HEAVY ENGINEERING LTD/SHREE CEMENT<br>J-1625-E          | SUPERHEATED<br>STEAM        | 5000                   | 0.5                    | 195±5          | 1          | 110 TO 3M                    | PO.No. : LOI E-MAIL DT.29.04.2017       | 2017               |
| 142        | M/s.ISGEC HEAVY ENGINEERING LTD/SHREE CEMENT<br>J-1625-F          | SUPERHEATED<br>STEAM        | 2636                   | 0.5                    | 195±5          | 1          | 110 TO 3M                    | PO.No. : LOI E-MAIL DT.29.04.2017       | 2017               |
| 142        | M/s.ISGEC HEAVY ENGINEERING LTD/SHREE CEMENT<br>J-1625-G          | SATURATED<br>STEAM          | 5191                   | 0.5                    | 155            | 1          | 110 TO 3M                    | PO.No. : LOI E-MAIL DT.29.04.2017       | 2017               |
| 143        | M/s.ISGEC HEAVY ENGINEERING LTD/SHREE CEMENT<br>J-1625-H          | SATURATED<br>STEAM          | 5624                   | 0.5                    | 155            | 1          | 110 TO 3M                    | PO.No. : LOI E-MAIL DT.29.04.2017       | 2017               |
| 144        | M/s.ISGEC HEAVY ENGINEERING LTD/SHREE CEMENT<br>J-1625-I          | SUPERHEATED<br>STEAM        | 17000                  | 0.5                    | 475±5          | 1          | 110 TO 3M                    | PO.No. : LOI E-MAIL DT.29.04.2017       | 2017               |
| 145        | M/s.ISGEC HEAVY ENGINEERING LTD/SHREE CEMENT<br>J-1625-J          | SUPERHEATED<br>STEAM        | 8758                   | 0.5                    | 475±5          | 1          | 110 TO 3M                    | PO.No. : LOI E-MAIL DT.29.04.2017       | 2017               |
| 146        | M/s.ISGEC HEAVY ENGINEERING LTD/SHREE CEMENT<br>J-1625-K          | SATURATED<br>STEAM          | 12565                  | 0.5                    | 213            | 1          | 110 TO 3M                    | PO.No. : LOI E-MAIL DT.29.04.2017       | 2017               |
| 147        | M/s.ISGEC HEAVY ENGINEERING LTD/SHREE CEMENT<br>J-1625-L          | SATURATED<br>STEAM          | 12845                  | 0.5                    | 213            | 1          | 110 TO 3M                    | PO.No. : LOI E-MAIL DT.29.04.2017       | 2017               |
| 148        | M/s.INDORAMA ELEME PETROCHEMICALS LTD/IEPL -<br>NIGERIA<br>J-1626 | LOW PRESSURE<br>FLASH STEAM | 7500                   | 0.3                    | 183            | 1          | 75                           | PO No. IEPL/PO/59001 DT.29.04.2017      | 2017               |
| 149        | M/s.ISGEC HEAVY ENGINEERING LTD/EMAMI AGRO                        | SUPERHEATED<br>STEAM        | 20000                  | 0.5                    | 480±5          | 1          | 110 AT 3M                    | PO.No. : P10118845/JB0995 DT.03.05.2017 | 2017               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

318 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                          | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                      | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------|--------------------|
| 150        | J-1627-A<br>M/s.ISGEC HEAVY ENGINEERING LTD/EMAMI AGRO    | SUPERHEATED<br>STEAM | 12805                  | 0.5                    | 480±5          | 1          | 110 AT 3M                    | PO.No. : P10118845/JB0995 DT.03.05.2017 | 2017               |
| 151        | J-1627-B<br>M/s.ISGEC HEAVY ENGINEERING LTD/IOCL,GUWAHATI | -                    | 44051                  | 2                      | 271            | 1          | 110                          | PO.No. : P10119373 DT.05.05.2017        | 2017               |
| 152        | J-1628-A<br>M/s.ISGEC HEAVY ENGINEERING LTD/IOCL,GUWAHATI | -                    | 43278                  | 2                      | 271            | 1          | 110                          | PO.No. : P10119373 DT.05.05.2017        | 2017               |
| 153        | J-1628-B<br>M/s.ISGEC HEAVY ENGINEERING LTD/IOCL,GUWAHATI | -                    | 28386                  | 2                      | 460            | 1          | 110                          | PO.No. : P10119373 DT.05.05.2017        | 2017               |
| 154        | J-1628-C<br>M/s.ISGEC HEAVY ENGINEERING LTD/IOCL,GUWAHATI | -                    | 10222                  | 2                      | 460            | 1          | 110                          | PO.No. : P10119373 DT.05.05.2017        | 2017               |
| 155        | J-1628-D<br>M/s.ISGEC HEAVY ENGINEERING LTD/IOCL,GUWAHATI | -                    | 30000                  | 2                      | 460            | 1          | 110                          | PO.No. : P10119373 DT.05.05.2017        | 2017               |
| 156        | J-1628-E<br>M/s.ISGEC HEAVY ENGINEERING LTD/IOCL,GUWAHATI | -                    | 2908                   | 2                      | 150            | 1          | 110                          | PO.No. : P10119373 DT.05.05.2017        | 2017               |
| 157        | J-1628-F<br>M/s.ISGEC HEAVY ENGINEERING LTD/IOCL,GUWAHATI | -                    | 13542                  | 2                      | 145            | 2          | 110                          | PO.No. : P10119373 DT.05.05.2017        | 2017               |
| 158        | J-1628-G<br>M/s.ISGEC HEAVY ENGINEERING LTD/IOCL,GUWAHATI | -                    | 10639                  | 2                      | 427            | 1          | 110                          | PO.No. : P10119373 DT.05.05.2017        | 2017               |
| 159        | J-1628-H<br>M/s.ISGEC HEAVY ENGINEERING LTD/IOCL,GUWAHATI | -                    | 24085                  | 2                      | 320            | 1          | 110                          | PO.No. : P10119373 DT.05.05.2017        | 2017               |
|            | J-1628-I                                                  |                      |                        |                        |                |            |                              |                                         |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

319 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                           | SERVICE                                      | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                               | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------------------|----------------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------|--------------------|
| 160        | M/s. INDIAN OIL CORPORATION LIMITED/THYSSENKRUPP<br>J-1629                 | LP STEAM                                     | 2081                   | 6.93                   | 230            | 1          | 85                           | PO.No. : FOA NO: 6674/442 DT:05.05.2017          | 2017               |
| 161        | M/S. BATAAN 2020,SAMAL PHILIPPINES/BAATAN SAMAL<br>PHILIPPINES<br>J-1630-A | STEAM                                        | 20 (TPH)               | 45                     | 510            | 1          | 85                           | PO.No. : LOI EMAIL CONFIRMATION<br>DT.16.05.2017 | 2017               |
| 162        | M/S. BATAAN 2020,SAMAL PHILIPPINES/BAATAN SAMAL<br>PHILIPPINES<br>J-1630-B | STEAM                                        | 130 (TPH)              | 57                     | 430            | 1          | 110                          | PO.No. : LOI EMAIL CONFIRMATION<br>DT.16.05.2017 | 2017               |
| 163        | M/s.THERMAL SYSTEMS (HYDERABAD) LTD/ESSAR REFINERY<br>J-1631-A             | HP<br>SATURATED<br>STEAM                     | 20,323                 | 48+FV                  | 280            | 1          | <85                          | PO.No. :2017000128\B402 Dtd:18.05.2017           | 2018               |
| 164        | M/s.THERMAL SYSTEMS (HYDERABAD) LTD/ESSAR REFINERY<br>J-1631-B             | HP<br>SUPERHEATED<br>STEAM                   | 18348                  | 48+FV                  | 430            | 1          | <85                          | PO.No. :2017000128\B402 Dtd:18.05.2017           | 2018               |
| 165        | M/s.THERMAL SYSTEMS (HYDERABAD) LTD/ESSAR REFINERY<br>J-1631-C             | LP<br>SUPERHEATED<br>STEAM                   | 5972                   | 6.5 + FV               | 550            | 1          | <85                          | PO.No. :2017000128\B402 Dtd:18.05.2017           | 2018               |
| 166        | M/s.THERMAL SYSTEMS (HYDERABAD) LTD/ESSAR REFINERY<br>J-1631-D             | HP<br>SATURATED<br>STEAM                     | 2850                   | 48 + FV                | 280            | 1          | <85                          | PO.No. :2017000128\B402 Dtd:18.05.2017           | 2018               |
| 167        | M/s.THERMAL SYSTEMS (HYDERABAD) LTD/ESSAR REFINERY<br>J-1631-E             | STEAM DRUM<br>SV EXHAUST<br>FOR CLAUS<br>WHB | 59190                  | 48 + FV                | 280            | 1          | <85                          | PO.No. :2017000128\B402 Dtd:18.05.2017           | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

320 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                   | SERVICE                                      | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                     | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------------------|----------------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------|--------------------|
| 168        | M/s.THERMAL SYSTEMS (HYDERABAD) LTD/ESSAR REFINERY<br>J-1631-F                     | STEAM DRUM<br>SV EXHAUST<br>FOR CLAUS<br>WHB | 60880                  | 48 + FV                | 280            | 1          | <85                          | PO.No. :2017000128\B402 Dtd:18.05.2017 | 2018               |
| 169        | M/s.THERMAL SYSTEMS (HYDERABAD) LTD/ESSAR REFINERY<br>J-1631-G                     | Inc.WHB.SV<br>EXHAUST                        | 14797                  | 48 + FV                | 280            | 1          | <85                          | PO.No. :2017000128\B402 Dtd:18.05.2017 | 2018               |
| 170        | M/s.THERMAL SYSTEMS (HYDERABAD) LTD/ESSAR REFINERY<br>J-1631-H                     | Inc.WHB.SV<br>EXHAUST                        | 15220                  | 48 + FV                | 280            | 1          | <85                          | PO.No. :2017000128\B402 Dtd:18.05.2017 | 2018               |
| 171        | M/s.ELLIOTT EBARA TURBOMACHINERY INDIA<br>PVT.LTD/BORL / EIL<br>J-1632             | SUPERHEATED<br>STEAM                         | 15393                  | 22                     | 326.1          | 1          | 85                           | PO.NO. 1700044 DT.16.05.2017           | 2017               |
| 172        | M/s.THERMAX LIMITED/CPRG<br>J-1633                                                 | STEAM                                        | 2000                   | 1.5                    | 213            | 1          | 85                           | PO.No. :LOI EMAIL DATED 22.05.2017     | 2017               |
| 173        | M/s.ELLIOTT EBARA TURBOMACHINAERY INDIA<br>PVT.LTD/EIL/DANGOTE-NIGERIA<br>J-1634-A | SUPERHEATED<br>STEAM                         | 53050                  | 11.6                   | 372            | 2          | 85                           | PO NO.1700045 DT.17.05.2017            | 2017               |
| 174        | M/s.ELLIOTT EBARA TURBOMACHINAERY INDIA<br>PVT.LTD/EIL/DANGOTE-NIGERIA<br>J-1634-B | SUPERHEATED<br>STEAM                         | 53050                  | 11.6                   | 372            | 2          | 85                           | PO NO.1700045 DT.17.05.2017            | 2017               |
| 175        | M/s.ELLIOTT TURBOMACHINERY INDIA PVT.LTD/IOCL<br>HALDIA REFINERY<br>J-1635-A       | SUPERHEATED<br>STEAM                         | 23133                  | 71/FV                  | 470            | 1          | 85                           | PO.NO : PO1700061 DT.25.05.2017        | 2017               |
| 176        | M/s.ELLIOTT TURBOMACHINERY INDIA PVT.LTD/IOCL<br>HALDIA REFINERY<br>J-1635-B       | SUPERHEATED<br>STEAM                         | 23133                  | 20/FV                  | 454            | 1          | 85                           | PO.NO : PO1700061 DT.25.05.2017        | 2017               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                                      |                             | REFERENCE LIST           |                        |                |            |                              | 321 OF 380                                         |                    |
|----------------------------------------------------------------------|--------------------------------------------------------------------------------------|-----------------------------|--------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------|--------------------|
| PRAE                                                                 |                                                                                      |                             | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                    |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                                     | SERVICE                     | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                 | YEAR<br>OF<br>MFR. |
| 177                                                                  | M/s.THYSENKRUPP INDUSTRIAL SOLUTION/DEEPAK PHENOLICS, DAHEJ<br>J-1636                | LP STEAM                    | 10000                    | 3.5/FV                 | 200            | 1          | 85                           | PO.NO : LOI NO.DPL-P-PROJ-LOI-241<br>DT.03.06.2017 | 2017               |
| 178                                                                  | M/S.THYSENKRUPP INDUSTRIAL SOLUTIONS(INDIA) PRIVATE LTD/PVFCCO ,VIENTNAM<br>J-1637-A | MEDIUM<br>PRESSURE<br>STEAM | 5000                     | 11/FV                  | 200            | 1          | 85                           | PO.No. : 38014271/ABM 66-0194-000                  | 2017               |
| 179                                                                  | M/S.THYSENKRUPP INDUSTRIAL SOLUTIONS(INDIA) PRIVATE LTD/PVFCCO ,VIENTNAM<br>J-1637-B | LOW PRESSURE<br>STEAM       | 3700                     | 10/FV                  | 200            | 1          | 85                           | PO.No. : 38014271/ABM 66-0194-000                  | 2017               |
| 180                                                                  | M/s.ISGEC HEAVY ENGINEERING LTD/UPL LTD, JHAGADIA<br>J-1638-A                        | SATURATED<br>STEAM          | 59673 / 59880            | 0.5 / 0.5              | 273 / 273      | 1          | 110 AT 10M                   | PO NO. P10119968/JB0999 DT.06.06.2017              | 2017               |
| 181                                                                  | M/s.ISGEC HEAVY ENGINEERING LTD/UPL LTD, JHAGADIA<br>J-1638-B                        | SUPERHEATED<br>STEAM        | 33542                    | 0.5                    | 405±5          | 1          | 110 AT 10M                   | PO NO. P10119968/JB0999 DT.06.06.2017              | 2017               |
| 182                                                                  | M/s.ISGEC HEAVY ENGINEERING LTD/UPL LTD, JHAGADIA<br>J-1638-C                        | SUPERHEATED<br>STEAM        | 40670                    | 0.5                    | 405±5          | 1          | 110 AT 10M                   | PO NO. P10119968/JB0999 DT.06.06.2017              | 2017               |
| 183                                                                  | M/s.ISGEC HEAVY ENGINEERING LTD/UPL LTD, JHAGADIA<br>J-1638-D                        | SUPERHEATED<br>STEAM        | 15000                    | 53                     | 520±5          | 1          | 110 AT 10M                   | PO NO. P10119968/JB0999 DT.06.06.2017              | 2017               |
| 184                                                                  | M/s.ISGEC HEAVY ENGINEERING LTD/PT PNS, INDONESSIA<br>J-1639-A                       | SUPERHEATED<br>STEAM        | 32514                    | ATMOSPHERIC            | 515±5          | 1          | 110                          | PO NO. P10119966/JB0997 DT.06.06.2017              | 2017               |
| 185                                                                  | M/s.ISGEC HEAVY ENGINEERING LTD/PT PNS, INDONESSIA<br>J-1639-B                       | SUPERHEATED<br>STEAM        | 59230                    | 0.5                    | 515±5          | 1          | 110                          | PO NO. P10119966/JB0997 DT.06.06.2017              | 2017               |
| 186                                                                  | M/s.ISGEC HEAVY ENGINEERING LTD/INDIAN SUCROSE LIMITED,MUKERI                        |                             |                          |                        |                |            |                              |                                                    |                    |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                                              |                      | REFERENCE LIST           |                        |                |            |                              | 322 OF 380                              |                    |
|----------------------------------------------------------------------|------------------------------------------------------------------------------|----------------------|--------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------|--------------------|
| PRAE                                                                 |                                                                              |                      | NOISE CONTROL - SILENCER |                        |                |            |                              |                                         |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                                             | SERVICE              | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                      | YEAR<br>OF<br>MFR. |
| 186                                                                  | J-1640-A<br>M/s.ISGEC HEAVY ENGINEERING LTD/INDIAN SUCROSE<br>LIMITED,MUKERI | SUPERHEATED<br>STEAM | 46867                    | 0.5                    | 545±5          | 1          | 110                          | PO.No. :P10120201/JB1019 DT.15.06.2017  | 2017               |
| 186                                                                  | J-1640-B<br>M/s.ISGEC HEAVY ENGINEERING LTD                                  | SUPERHEATED<br>STEAM | 90200                    | 0.5                    | 545±5          | 1          | DISTANCE AT                  | PO.No. :P10120201/JB1019 DT.15.06.2017  | 2017               |
| 186                                                                  | J-1641-A<br>M/s.ISGEC HEAVY ENGINEERING LTD                                  | -                    | 22777                    | 2                      | 525            | 1          | DISTANCE AT                  | PO.No. :P101202016/JB1021 DT.15.06.2017 | 2017               |
| 186                                                                  | J-1641-B<br>M/s.SIEMENS LTD                                                  | -                    | 25000                    | 2                      | 525            | 1          | DISTANCE AT                  | PO.No. :P101202016/JB1021 DT.15.06.2017 | 2017               |
| 186                                                                  | J-1642-A<br>M/s.SIEMENS LTD                                                  | -                    | 1250                     | 35.5                   | 410            | 1          | 85                           | PO.No. : 4507635124 DT.18.07.2017       | 2017               |
| 186                                                                  | J-1642-B<br>M/s.GRASIN INDUSTRIES LTD                                        | -                    | 1900                     | 7.5                    | 371            | 1          | 85                           | PO.No. : 4507635124 DT.18.07.2017       | 2017               |
| 186                                                                  | J-1643<br>M/s.GRASIN INDUSTRIES LTD                                          | -                    | 11 (TPH)                 | 65                     | 500            | 1          | 85                           | PO.No. : 4200200654 DT.26.07.2017       | 2017               |
| 186                                                                  | J-1644<br>M/s.ELLIOTT EBARA TURBOMACHINAERY INDIA PVT.LTD                    | -                    | 30 (TPH)                 | 65                     | 500            | 1          | 85                           | PO.No. : 4200200655 /119 DT.26.07.2017  | 2017               |
| 186                                                                  | J-1646 - A<br>M/s.ELLIOTT EBARA TURBOMACHINAERY INDIA PVT.LTD                | SUPERHEATED<br>STEAM | 8598                     | 24                     | 298            | 1          | 85                           | PO.No. : PO1700157 DT.28.07.2017        | 2017               |
| 186                                                                  | J-1646 - B<br>M/s.MANGALORE REFINERY AND PETROCHEMICALS LTD                  | SUPERHEATED<br>STEAM | 8598                     | 44                     | 420            | 1          | 85                           | PO.No. : PO1700157 DT.28.07.2017        | 2017               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

323 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                          | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                 | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------|--------------------|
| 186        | J-1647-A<br>M/s.MANGALORE REFINERY AND PETROCHEMICALS LTD | STEAM                | 96555                  | 1.674                  | 321            | 1          | 85                           | PO.No. : 4500009651-0 DT.11.8.2017 | 2017               |
| 186        | J-1647-B<br>M/s.THYSENKUPP INDUSTRIES INDIA PVT LTD       | STEAM                | 130429                 | 2.268                  | 321            | 1          | 85                           | PO.No. : 4500009651-0 DT.11.8.2017 | 2017               |
| 186        | J-1648 -A<br>M/s.THYSENKUPP INDUSTRIES INDIA PVT LTD      | SATURATED<br>STEAM   | 13.7 (TPH)             | 23                     | 210.4          | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017   | 2017               |
| 186        | J-1648 -B<br>M/s.THYSENKUPP INDUSTRIES INDIA PVT LTD      | SATURATED<br>STEAM   | 14.3 (TPH)             | 23                     | 210.4          | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017   | 2017               |
| 186        | J-1648 -C<br>M/s.THYSENKUPP INDUSTRIES INDIA PVT LTD      | SUPERHEATED<br>STEAM | 7.3 (IPH)              | 23                     | 365+5          | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017   | 2017               |
| 186        | J-1648 -D<br>M/s.THYSENKUPP INDUSTRIES INDIA PVT LTD      | SATURATED<br>STEAM   | 80.6 (IPH)             | 23                     | 370+5          | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017   | 2017               |
| 186        | J-1648 -E<br>M/s.THYSENKUPP INDUSTRIES INDIA PVT LTD      | SUPERHEATED<br>STEAM | 18.5 (IPH)             | 23                     | 370+5          | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017   | 2017               |
| 186        | J-1648 -F<br>M/s.THYSENKUPP INDUSTRIES INDIA PVT LTD      | SATURATED<br>STEAM   | 13.6 (IPH)             | 23                     | 212            | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017   | 2017               |
| 186        | J-1648 -G<br>M/s.THYSENKUPP INDUSTRIES INDIA PVT LTD      | SATURATED<br>STEAM   | 13.6 (IPH)             | 23                     | 212            | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017   | 2017               |
| 186        | J-1648 -H<br>M/s.THYSENKUPP INDUSTRIES INDIA PVT LTD      | SUPERHEATED<br>STEAM | 4.7 (TPH)              | 23                     | 325+5          | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017   | 2017               |
| 186        | J-1648 -I<br>M/s.THYSENKUPP INDUSTRIES INDIA PVT LTD      | SUPERHEATED<br>STEAM | 6.8 (IPH)              | 23                     | 325+5          | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017   | 2017               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

324 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                       | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE               | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------|--------------------|
| 186        | M/s.THYSSENKUPP INDUSTRIES INDIA PVT LTD<br>J-1648 - J | SATURATED<br>STEAM   | 8.9 (TPH)              | 23                     | 212            | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017 | 2017               |
| 186        | M/s.THYSSENKUPP INDUSTRIES INDIA PVT LTD<br>J-1648 - K | SATURATED<br>STEAM   | 9.3 (TPH)              | 23                     | 212            | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017 | 2017               |
| 186        | M/s.THYSSENKUPP INDUSTRIES INDIA PVT LTD<br>J-1648 -L  | SUPERHEATED<br>STEAM | 4.7(TPH)               | 23                     | 325 $\pm$ 5    | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017 | 2017               |
| 186        | M/s.THYSSENKUPP INDUSTRIES INDIA PVT LTD<br>J-1648 - M | SUPERHEATED<br>STEAM | 4.7 (TPH)              | 23                     | 325 $\pm$ 5    | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017 | 2017               |
| 186        | M/s.THYSSENKUPP INDUSTRIES INDIA PVT LTD<br>J-1648 - N | SUPERHEATED<br>STEAM | 4.2 (TPH)              | 5                      | 200 $\pm$ 5    | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017 | 2017               |
| 186        | M/s.THYSSENKUPP INDUSTRIES INDIA PVT LTD<br>J-1648 - O | SUPERHEATED<br>STEAM | 4.3 (TPH)              | 5                      | 200 $\pm$ 5    | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017 | 2017               |
| 186        | M/s.THYSSENKUPP INDUSTRIES INDIA PVT LTD<br>J-1648 - P | SUPERHEATED<br>STEAM | 2.8 (TPH)              | 5                      | 200 $\pm$ 5    | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017 | 2017               |
| 186        | M/s.THYSSENKUPP INDUSTRIES INDIA PVT LTD<br>J-1648 -Q  | SUPERHEATED<br>STEAM | 2.7(TPH)               | 5                      | 200 $\pm$ 5    | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017 | 2017               |
| 186        | M/s.THYSSENKUPP INDUSTRIES INDIA PVT LTD<br>J-1648 - R | SUPERHEATED<br>STEAM | 4.6 (TPH)              | 5                      | 200 $\pm$ 5    | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017 | 2017               |
| 186        | M/s.THYSSENKUPP INDUSTRIES INDIA PVT LTD<br>J-1648 - S | SUPERHEATED<br>STEAM | 12.3 (IPH)             | 23                     | 325 $\pm$ 5    | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017 | 2017               |
| 186        | M/s.THYSSENKUPP INDUSTRIES INDIA PVT LTD               |                      |                        |                        |                |            |                              |                                  |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

325 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                      | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                 | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------|--------------------|
| 186        | J-1648 - T<br>M/s.OFFSHORE INFRASTRUCTURE LTD         | UNCLEAN<br>STEAM     | 24.04 (TPH)            | 11.4                   | 350            | 1          | 85                           | PO.No. : 2500012228 DT.06.9.2017                   | 2017               |
| 186        | J-1649 - A<br>M/s.OFFSHORE INFRASTRUCTURE LTD         | LP STEAM             | 10000                  | 7                      | 240            | 1          | 85                           | PO.No. : OIL/3141/17-18/PP/09/0047<br>DT.09.9.2017 | 2017               |
| 186        | J-1649 - B<br>M/s.OFFSHORE INFRASTRUCTURE LTD         | STEAM                | 6000                   | 22                     | 350            | 1          | 85                           | PO.No. : OIL/3141/17-18/PP/09/0047<br>DT.09.9.2017 | 2017               |
| 186        | J-1649 - C<br>M/s.OFFSHORE INFRASTRUCTURE LTD         | STEAM                | 6000                   | 22/FV                  | 350            | 1          | 85                           | PO.No. : OIL/3141/17-18/PP/09/0047<br>DT.09.9.2017 | 2017               |
| 186        | J-1650 - A<br>M/s.THYSENKUPP INDUSTRIES INDIA PVT LTD | SATURATED<br>STEAM   | 24.2 / 14.9            | 5//5                   | 200            | 1          | 85                           | PO.No. : 2500012255 DT.12.9.2017                   | 2017               |
| 186        | J-1650 - B<br>M/s.THYSENKUPP INDUSTRIES INDIA PVT LTD | SUPERHEATED<br>STEAM | 7.8 (TPH)              | 5                      | 350            | 1          | 85                           | PO.No. : 2500012255 DT.12.9.2017                   | 2017               |
| 186        | J-1650 - C<br>M/s.THYSENKUPP INDUSTRIES INDIA PVT LTD | SUPERHEATED<br>STEAM | 68.3 / 20.5            | 3.9 /16.9              | 390            | 1          | 85                           | PO.No. : 2500012255 DT.12.9.2017                   | 2017               |
| 186        | J-1650 - D<br>M/s.THYSENKUPP INDUSTRIES INDIA PVT LTD | SATURATED<br>STEAM   | 14.2 / 14.8            | 4.6 / 4.6              | 200            | 1          | 85                           | PO.No. : 2500012255 DT.12.9.2017                   | 2017               |
| 186        | J-1650 - E<br>M/s.THYSENKUPP INDUSTRIES INDIA PVT LTD | SATURATED<br>STEAM   | 8//10                  | 4.25 / 16.2            | 320            | 1          | 85                           | PO.No. : 2500012255 DT.12.9.2017                   | 2017               |
| 186        | J-1650 - F<br>M/s.THYSENKUPP INDUSTRIES INDIA PVT LTD | SATURATED<br>STEAM   | 8 / 9.7                | 1.35 / 1.35            | 140            | 1          | 85                           | PO.No. : 2500012255 DT.12.9.2017                   | 2017               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                                        |                      | REFERENCE LIST           |                        |                |            |                              | 326 OF 380                                          |                    |
|----------------------------------------------------------------------|--------------------------------------------------------|----------------------|--------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------------|--------------------|
| PRAE                                                                 |                                                        |                      | NOISE CONTROL - SILENCER |                        |                |            |                              |                                                     |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                                       | SERVICE              | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                  | YEAR<br>OF<br>MFR. |
| 186                                                                  | J-1650 - G<br>M/s.THYSSENKUPP INDUSTRIES INDIA PVT LTD | SUPERHEATED<br>STEAM | 4.5/5.4                  | 0.9 /1.35              | 215            | 1          | 85                           | PO.No. : 2500012255 DT.12.9.2017                    | 2017               |
| 186                                                                  | J-1650 - H<br>M/s.THYSSENKUPP INDUSTRIES INDIA PVT LTD | SUPERHEATED<br>STEAM | 7 (TPH)                  | 20                     | 384            | 1          | 85                           | PO.No. : 2500012255 DT.12.9.2017                    | 2017               |
| 186                                                                  | J-1650 - I<br>M/s.INDIAN OIL CORPORATION LID           | SUPERHEATED<br>STEAM | 2 (PH)                   | 4                      | 215            | 1          | 85                           | PO.No. : 2500012255 DT.12.9.2017                    | 2017               |
| 186                                                                  | J-1651 -A<br>M/s.INDIAN OIL CORPORATION LID            | VAPOR (MP<br>STEAM ) | 2700                     | 17                     | 350            | 1          | 85                           | -                                                   | 2017               |
| 186                                                                  | J-1651 -B<br>M/s.INDIAN OIL CORPORATION LID            | VAPOR (MP<br>STEAM ) | 767                      | 25                     | 320            | 1          | 85                           | -                                                   | 2017               |
| 186                                                                  | J-1651 - C<br>M/s.FIVE CAIL KCP                        | VAPOR (MP<br>STEAM ) | 11057                    | 49                     | 470            | 1          | 85                           | -                                                   | 2017               |
| 186                                                                  | J-1652-A<br>M/s.FIVE CAIL KCP                          | STEAM                | 28 (TPH)                 | 4                      | 395            | 1          | 85                           | PO.NO.: 4500007236 DT:19.09.2017                    | 2017               |
| 186                                                                  | J-1652-B<br>M/s.FIVE CAIL KCP                          | SATURATED<br>STEAM   | 15.4 (TPH)               | 3.50                   | 400            | 1          | 85                           | PO.NO.: 4500007236 DT:19.09.2017                    | 2017               |
| 186                                                                  | J-1652-C<br>M/s.ISGEC HEAVY ENGINEERING LTD            | STEAM                | 12.3 (TPH)               | 3.50                   | 400            | 1          | 85                           | PO.NO.: 4500007236 DT:19.09.2017                    | 2017               |
| 186                                                                  | J-1653<br>M/s.SATNAM GLOBAL INFRAPROJECTS LTD          | SUPERHEATED<br>STEAM | 60000                    | 107.00                 | 545+5          | 1          | DISTANCE AT                  | PO.No. : P101211874 DT.25.9.2017                    | 2017               |
| 186                                                                  | J-1654<br>M/s.JK PAPER LTD                             | MP STEAM             | 19656                    | 19.40                  | 284            | 1          | 85                           | PO.No. : SGIL / PRAEWPL /2017-1/490<br>DT.26.9.2017 | 2017               |

| P.R. ACOUSTICAL AND<br>ENGINEERING WORKS<br>(P) LIMITED - TRICHY-15. |                                            |                      | REFERENCE LIST           |                        |                |            |                              | 327 OF 380                               |                    |
|----------------------------------------------------------------------|--------------------------------------------|----------------------|--------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------|--------------------|
| PRAE                                                                 |                                            |                      | NOISE CONTROL - SILENCER |                        |                |            |                              |                                          |                    |
| SL.<br>NO.                                                           | CUSTOMER/PROJECT                           | SERVICE              | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                       | YEAR<br>OF<br>MFR. |
| 186                                                                  | J-1655 -A<br>M/s.JK PAPER LTD              | SUPERHEATED<br>STEAM | 10 (TPH)                 | 72.00                  | 410            | 1          | 85                           | PO.No. : 17000411/0G/11000 DT.14.10.2017 | 2017               |
| 186                                                                  | J-1655 -B<br>M/s.THERMAX LTD               | SUPERHEATED<br>STEAM | 12 (TPH)                 | 17.50                  | 400            | 1          | 85                           | PO.No. : 17000411/0G/11000 DT.14.10.2017 | 2017               |
| 186                                                                  | J-1656 - A<br>M/s.THERMAX LTD              | STEAM                | 20 (TPH)                 | 76.00                  | 495            | 1          | 85                           | PO.No. :1000044821 DT.25.10.2017         | 2017               |
| 186                                                                  | J-1656 - B<br>M/s.THERMAX LTD              | STEAM                | 20 (TPH)                 | 76.00                  | 495            | 2          | DISTANCE AT                  | PO.No. :1000044821 DT.25.10.2017         | 2017               |
| 186                                                                  | J-1656 - B<br>M/s.THERMAX LTD              | STEAM                | 139.34                   | 3.00                   | 325            | 2          | DISTANCE AT                  | PO.No. :1000044821 DT.25.10.2017         | 2017               |
| 186                                                                  | J-1656 - C<br>M/s.THERMAX LTD              | STEAM                | 76.18 (TPH)              | 3.00                   | 325            | 2          | DISTANCE AT                  | PO.No. :1000044821 DT.25.10.2017         | 2017               |
| 186                                                                  | J-1656 - D<br>M/s.THERMAX LTD              | STEAM                | 79.9(TPH)                | 3.00                   | 325            | 2          | DISTANCE AT                  | PO.No. :1000044821 DT.25.10.2017         | 2017               |
| 186                                                                  | J-1656 - E<br>M/s.THERMAX LTD              | STEAM                | 13.35 (TPH)              | 3.00                   | 325            | 2          | DISTANCE AT                  | PO.No. :1000044821 DT.25.10.2017         | 2017               |
| 186                                                                  | J-1656 - F<br>M/s. DEEPAK FERTILISER LTD   | STEAM                | 108(TPH)                 | 3.00                   | 228            | 2          | DISTANCE AT                  | PO.No. :1000044821 DT.25.10.2017         | 2017               |
| 186                                                                  | J-1658 - A<br>M/s. DEEPAK FERTILISER LTD   | SUPERHEATED<br>STEAM | 50 (TPH)                 | 21.00                  | 410            | 1          | 85                           | PO.No. : LOI EMAIL DT.03.11.2017         | 2017               |
| 186                                                                  | J-1658 - B<br>M/s.IOCL BARAUNI BIHAD INDIA | SUPERHEATED<br>STEAM | 30 (TPH)                 | 40.00                  | 410            | 1          | 85                           | PO.No. : LOI EMAIL DT.03.11.2017         | 2017               |
| 186                                                                  | J-1659<br>M/s. ANWESHA / BORL              | STEAM                | 211                      | 3.50                   | 120            | 1          | 85                           | PO.No. : LOA NO:68107/372 DT.14.11.2017  | 2017               |
| 186                                                                  | J-1660                                     | STEAM                | 16025                    | 1.00                   | 125            | 1          | 85                           | PO.No. : 1110232172501109 DT.14.11.2017  | 2017               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

328 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                          | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------------------|--------------------|
| 186        | M/s. THYYSSENKRUPP INDUSTRIES INDIA PVT LTD<br>J-1661 - A | SUPERHEATED<br>STEAM | 12500                  | 49.50                  | 420            | 1          | 85                           | PO.No : 2500012540 DT.17.11.2017                  | 2017               |
| 186        | M/s. THYYSSENKRUPP INDUSTRIES INDIA PVT LTD<br>J-1661 - B | SUPERHEATED<br>STEAM | 12500                  | 49.50                  | 420            | 1          | 85                           | PO.No : 2500012540 DT.17.11.2017                  | 2017               |
| 186        | M/s. LNV TECHNOLOGY PVT LTD<br>J-1662-A                   | SUPERHEATED<br>STEAM | 27 (TPH)               | 10//55                 | 540            | 1          | 85                           | PO.No : PW-17-406 /PO/17-18/0364<br>DT.29.11.2017 | 2017               |
| 186        | M/s. LNV TECHNOLOGY PVT LTD<br>J-1662-B                   | SUPERHEATED<br>STEAM | 9 (TPH)                | 9.00                   | 540            | 1          | 85                           | PO.No : PW-17-406 /PO/17-18/0364<br>DT.29.11.2017 | 2017               |
| 186        | M/s. PUNJLLOLD LTD /EIL<br>J-1663                         | STEAM                | 10000                  | 4.20                   | 350            | 1          | 85                           | PO.No : 4500010220 DT.11.12.2017                  | 2017               |
| 186        | M/s. ISGEC HEAVY ENGINEERING LTD<br>J-1664 -A             | SUPERHEATED<br>STEAM | 12906                  | 77.05                  | 292            | 1          | DISTANCE AT                  | PO.No : LOI E-MAIL DT.19.12.2017                  | 2017               |
| 186        | M/s. ISGEC HEAVY ENGINEERING LTD<br>J-1664 -B             | SUPERHEATED<br>STEAM | 12981                  | 77.05                  | 292            | 1          | DISTANCE AT                  | PO.No : LOI E-MAIL DT.19.12.2017                  | 2017               |
| 186        | M/s. ISGEC HEAVY ENGINEERING LTD<br>J-1664 -C             | SUPERHEATED<br>STEAM | 88989                  | 67.30                  | 485 $\pm$ 5    | 1          | DISTANCE AT                  | PO.No : LOI E-MAIL DT.19.12.2017                  | 2017               |
| 186        | M/s. ISGEC HEAVY ENGINEERING LTD<br>J-1664 -D             | SUPERHEATED<br>STEAM | 10530                  | 67.30                  | 485 $\pm$ 5    | 1          | DISTANCE AT                  | PO.No : LOI E-MAIL DT.19.12.2017                  | 2017               |
| 186        | M/s. ISGEC HEAVY ENGINEERING LTD<br>J-1664 -E             | SUPERHEATED<br>STEAM | 2750                   | 32.00                  | 485 $\pm$ 5    | 1          | DISTANCE AT                  | PO.No : LOI E-MAIL DT.19.12.2017                  | 2017               |
| 186        | M/s. ISGEC HEAVY ENGINEERING LTD                          |                      |                        |                        |                |            |                              |                                                   |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

329 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                    | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------------|--------------------|
| 184        | J-1664 -E<br>M/s.ISGEC HEAVY ENGINEERING LTD/PT PNS, INDONESIA  | SUPERHEATED<br>STEAM | 2750                   | 32.00                  | 485±5          | 1          | DISTANCE AT                  | PO.No : LOI E-MAIL DT.19.12.2017      | 2017               |
| 185        | J-1665 - A<br>M/s.ISGEC HEAVY ENGINEERING LTD/PT PNS, INDONESIA | SUPERHEATED<br>STEAM | 32514                  | ATMOSPHERIC            | 515±5          | 1          | DISTANCE AT                  | PO NO. P10123721/JB1051 DT.28.12.2017 | 2017               |
| 185        | J-1665 - B<br>M/s.ISGEC HEAVY ENGINEERING LTD/PT PNS, INDONESIA | SUPERHEATED<br>STEAM | 59230                  | 0.5                    | 515±5          | 1          | DISTANCE AT                  | PO NO. P10123721/JB1051 DT.28.12.2017 | 2017               |
| 185        | J-1666-A<br>M/s.ISGEC HEAVY ENGINEERING LTD/PT PNS, INDONESIA   | SUPERHEATED<br>STEAM | 175000                 | 2                      | 500            | 1          | DISTANCE AT                  | PO NO. P10123672/JB1042 DT.26.12.2017 | 2017               |
| 185        | J-1666-B<br>M/s.ISGEC HEAVY ENGINEERING LTD/PT PNS, INDONESIA   | -                    | 97244 / 43377          | 2 / / 2                | 486//486       | 1          | DISTANCE AT                  | PO NO. P10123672/JB1042 DT.26.12.2017 | 2017               |
| 1          | J-1666-C<br>M/s.SURAJ PRODOCTIS LTD                             | -                    | 200000                 | 10                     | 400            | 1          | DISTANCE AT                  | PO NO. P10123672/JB1042 DT.26.12.2017 | 2017               |
| 2          | J- 1668 -A<br>M/s.SURAJ PRODOCTIS LTD                           | SUPERHEATED<br>STEAM | 7200                   | 74                     | 495            | 1          | 85                           | PO.No. : DT : 3.01.2018               | 2018               |
|            | J- 1668 - B                                                     | SUPERHEATED<br>STEAM | 7200                   | 74                     | 495            | 1          | 85                           | PO.No. : DT : 3.01.2018               | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

330 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                           | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                  | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------|--------------------|
| 3          | M/S..ISGEC HEAVY ENGINEERING LTD<br>J- 1669 - A            | SUPERHEATED<br>STEAM | 17744                  | 72.1                   | 490+5          | 1          | DISTANCES AT                 | PO.No. :LOI E-MAIL DT : 8.01.2018   | 2018               |
| 4          | M/S..ISGEC HEAVY ENGINEERING LTD<br>J- 1669 - B            | SUPERHEATED<br>STEAM | 76740                  | 72.1                   | 490+5          | 1          | DISTANCES AT                 | PO.No. :LOI E-MAIL DT : 8.01.2018   | 2018               |
| 5          | M/S..ISGEC HEAVY ENGINEERING LTD<br>J- 1670 - A            | SUPERHEATED<br>STEAM | 17744                  | 72.1                   | 490+5          | 1          | 85                           | PO.No. : DT : 08.01.18              | 2018               |
| 6          | M/S..ISGEC HEAVY ENGINEERING LTD<br>J- 1670 - B            | SUPERHEATED<br>STEAM | 76740                  | 72.1                   | 490+5          | 1          | DISTANCES AT                 | PO.No. :LOI E-MAIL DT : 8.01.2018   | 2018               |
| 7          | M/S..FIVES CAIL KCP LTD<br>J- 1671                         | -                    | 15000                  | 4.1                    | 200            | 1          | 85                           | PO.No. : 4500007533 DT : 16.01.2018 | 2018               |
| 8          | M/S.ACME AIR EQUIPMENTS / PETRONAS MALAYSIA<br>J- 1672 - A | -                    | 146                    | 4                      | 120 - 150      | 2          | DISTANCE AT                  | PO.No. : 4500007533 DT : 16.01.2018 | 2018               |
| 9          | M/S.ACME AIR EQUIPMENTS / PETRONAS MALAYSIA<br>J- 1672 - B | -                    | 1914                   | 4                      | 120 - 150      | 2          | DISTANCE AT                  | PO.No. : 4500007533 DT : 16.01.2018 | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

331 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                               | SERVICE       | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C    | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                        | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------|---------------|------------------------|------------------------|-------------------|------------|------------------------------|-------------------------------------------|--------------------|
| 10         | M/S.ISGEC HEAVY ENGINEERING LTD<br>J- 1673 - A | -             | 13696 / 16220          | 71                     | 490 <sub>±5</sub> | 1          | DISTANCE AT                  | PO.No. : P10124814/JB1045 DT : 26.02.2018 | 2018               |
| 11         | M/S.ISGEC HEAVY ENGINEERING LTD<br>J- 1673 - B | -             | 4000                   | 36                     | 490 <sub>±5</sub> | 1          | DISTANCE AT                  | PO.No. : P10124814/JB1045 DT : 26.02.2018 | 2018               |
| 12         | M/S.ISGEC HEAVY ENGINEERING LTD<br>J- 1674 - A | -             | 17462/19800            | 0.5/0.5                | 490 <sub>±5</sub> | 1          | DISTANCE AT                  | PO.No. : P10124669/JB1052 DT : 12.02.2018 | 2018               |
| 13         | M/S.ISGEC HEAVY ENGINEERING LTD<br>J- 1674 - B | -             | 5500                   | 40                     | 490 <sub>±5</sub> | 1          | DISTANCE AT                  | PO.No. : P10124669/JB1052 DT : 12.02.2018 | 2018               |
| 14         | M/S.THERMAX LTD\ POWER DIVISION<br>J- 1675     | HP & LP STEAM | 15 (TPH)               | 22                     | 425               | 1          | DISTANCE AT                  | PO.No. : 1000046577 DT : 8.02.2018        | 2018               |
| 15         | M/S.ISGEC HEAVY ENGINEERING LTD<br>J- 1676-A   | STEAM         | 4457                   | 123.5                  | 510               | 1          | DISTANCE AT                  | PO.No. : P1012451/JBO0963 DT : 9.02.2018  | 2018               |
| 16         | M/S.ISGEC HEAVY ENGINEERING LTD<br>J- 1676-B   | STEAM         | 104511                 | 124                    | 510               | 1          | DISTANCE AT                  | PO.No. : P1012451/JBO0963 DT : 9.02.2018  | 2018               |
|            | M/S.ISGEC HEAVY ENGINEERING LTD<br>J- 1677 -A  | -             | 7834/7879              | 79.5                   | 299               | 1          | DISTANCE AT                  | PO.No. : LOI E-MAIL DT : 16.02.2018       | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

332 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                               | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                     | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------------------------|--------------------|
| 17         | M/S.ISGEC HEAVY ENGINEERING LTD<br>J- 1677 -B                                  | -       | 5638                   | 71                     | 495+5          | 1          | DISTANCE AT                  | PO.No. : LOI E-MAIL DT : 16.02.2018                                    | 2018               |
| 18         | M/S.ISGEC HEAVY ENGINEERING LTD<br>J- 1677 -C                                  | -       | 5638                   | 71                     | 495+5          | 1          | DISTANCE AT                  | PO.No. : LOI E-MAIL DT : 16.02.2018                                    | 2018               |
| 19         | M/S.RELIANCE INDUSTRIES LTD<br>J- 1678 - A                                     | STEAM   | 6608                   | 3.5                    | 217            | 2          | DISTANCE AT                  | PO.No. : JMI 1 /7724835 DT : 2.02.2018                                 | 2018               |
| 20         | M/S.RELIANCE INDUSTRIES LTD<br>J- 1678 -B<br>M/S.GREENSOL POWER SYSTEM PVT.LTD | STEAM   | 12771                  | 21.1                   | 288            | 1          | DISTANCE AT                  | PO.No. : JMI 1 /7724835 DT : 2.02.2018                                 | 2018               |
| 21         | J- 1679<br><br>M/S.RASHTRIYA ISPAT NIGAM LTD                                   | -       | 10000                  | 3                      | 400            | 1          | 85                           | PO.No. : GPSPL/PREAWL/3007T-1/SIL/PO-016/17-18 DT : 20.02.2018         | 2018               |
| 22         | J- 1680 - A<br>M/S.RASHTRIYA ISPAT NIGAM LTD                                   | STEAM   | 60 (TPH)               | 40                     | 440            | 2          | DISTANCE AT                  | PO.No. : 4510020896 DT : 05.03.2018                                    | 2018               |
| 23         | J- 1680 - B<br>M/S.JACOBS /NIRMA                                               | STEAM   | 60 (TPH)               | 7                      | 250            | 2          | DISTANCE AT                  | PO.No. : 4510020896 DT : 05.03.2018                                    | 2018               |
|            | J- 1681-A                                                                      | AIR     | 1122                   | 0.49                   | 60             | 3          | 85                           | PO.No. : LOI NO.NNL/PPA-NEA-39/LOI-039/2017-2018 ADM-2 DT : 15.03.2018 | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

333 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                         | SERVICE                    | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                                     | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------|----------------------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------------------------|--------------------|
| 24         | M/S.JACOBS /NIRMA<br>J- 1681- B                          | AIR                        | 734                    | 0.49                   | 60             | 3          | 85                           | PO.No. : LOI NO.NNL/PPA-NEA-39/LOI-039/2017-2018 ADM-2 DT : 15.03.2018 | 2018               |
| 25         | M/S.JACOBS /NIRMA<br>J- 1681-C                           | AIR                        | 2636                   | 0.49                   | 60             | 1          | 85                           | PO.No. : LOI NO.NNL/PPA-NEA-39/LOI-039/2017-2018 ADM-2 DT : 15.03.2018 | 2018               |
|            | M/S.JACOBS /NIRMA<br>J- 1681- D                          | AIR                        | 863                    | 0.49                   | 60             | 3          | 85                           | PO.No. : LOI NO.NNL/PPA-NEA-39/LOI-039/2017-2018 ADM-2 DT : 15.03.2018 | 2018               |
| 26         | M/S.JACOBS /NIRMA<br>J- 1681- E                          | AIR                        | 863                    | 0.49                   | 60             | 3          | 85                           | PO.No. : LOI NO.NNL/PPA-NEA-39/LOI-039/2017-2018 ADM-2 DT : 15.03.2018 | 2018               |
| 27         | M/S.SRI SAI INDUSTRIES<br>J- 1682                        | STEAM                      | 9210                   | 16.5                   | 370            | 1          | 85                           | PO.No. : SSH17079/001 DT : 22.03.2018                                  | 2018               |
| 28         | M/S.MANGALORE REFINERY AND PETROCHEMICALS LTD<br>J- 1683 | MP<br>SUPERHEATED<br>STEAM | 9210                   | 3.5                    | 295            | 1          | 80                           | PO.No. : 4900000419-0 DT : 21.03.2018                                  | 2018               |
| 29         | M/S.ISGEC HEAVY ENGINEERING PVT LTD<br>J- 1684 -A        | -                          | 75554 / 35280          | 2                      | 545+5          | 1          | DISTANCE AT                  | PO.No. : P10125645/JB1043 DT : 22.03.2018                              | 2018               |
|            | M/S.ISGEC HEAVY ENGINEERING PVT LTD                      |                            |                        |                        |                |            |                              |                                                                        |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

334 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                  | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                        | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------|--------------------|
| 30         | J- 1684 -B<br>M/S.ISGEC HEAVY ENGINEERING PVT LTD | -       | 108138                 | 2.7                    | 336            | 1          | DISTANCE AT                  | PO.No. : P10125645/JB1043 DT : 22.03.2018 | 2018               |
|            | J- 1684 -C<br>M/S.ISGEC HEAVY ENGINEERING PVT LTD | -       | 142891                 | 2.7                    | 336            | 1          | DISTANCE AT                  | PO.No. : P10125645/JB1043 DT : 22.03.2018 | 2018               |
| 31         | J- 1684 -D<br>M/S.ISGEC HEAVY ENGINEERING PVT LTD | -       | 80100                  | 2.7                    | 545 $\pm$ 5    | 1          | DISTANCE AT                  | PO.No. : P10125645/JB1043 DT : 22.03.2018 | 2018               |
|            | J- 1684 -E<br>M/S.ISGEC HEAVY ENGINEERING PVT LTD | -       | 26700                  | 2.7                    | 545 $\pm$ 5    | 1          | DISTANCE AT                  | PO.No. : P10125645/JB1043 DT : 22.03.2018 | 2018               |
| 32         | J- 1685 -A<br>M/S.ISGEC HEAVY ENGINEERING PVT LTD | -       | 102732                 | 2.7                    | 332            | 1          | DISTANCE AT                  | PO.No. : P10125549/JB1064 DT : 10.04.2018 | 2018               |
| 33         | J- 1685 -B<br>M/S.ISGEC HEAVY ENGINEERING PVT LTD | -       | 103505                 | 2.7                    | 332            | 1          | DISTANCE AT                  | PO.No. : P10125549/JB1064 DT : 10.04.2018 | 2018               |
|            | J- 1685 -C<br>M/S.ISGEC HEAVY ENGINEERING PVT LTD | -       | 74195                  | 2.7                    | 515            | 1          | DISTANCE AT                  | PO.No. : P10125549/JB1064 DT : 10.04.2018 | 2018               |
| 34         | J- 1685 -D<br>M/S.ISGEC HEAVY ENGINEERING PVT LTD | -       | 80000                  | 2.7                    | 515            | 1          | DISTANCE AT                  | PO.No. : P10125549/JB1064 DT : 10.04.2018 | 2018               |
|            | M/S.RASHTRIYA CHEMICALS/THAL UNIT<br>J- 1687      | -       | 10 to 12 (TONS)        | 35 to 38               | 370 to 390     | 1          | DISTANCE AT                  | PO.No. : 4500052886 DT.30.03.2018         | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

335 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                              | SERVICE                      | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                        | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------|------------------------------|-------------------------|-------------------------|----------------|------------|------------------------------|-------------------------------------------|--------------------|
|            | M/S. TRIVENI TURBINE LIMITED<br>J- 1688       | START UP<br>VENT<br>SILENCER | 4.9/6.8 (TPH)           | 3.2                     | 165            | 1          | 85                           | PO.No. : 2000019352 DT.19.03.2018         | 2018               |
|            | M/S. CHEM PROCESS<br>J- 1689 -A               | STEAM                        | 6114                    | 12.5                    | 300            | 1          | 85                           | PO.No. : PO/2449/18-19-1 DT : 3.07.2018   | 2018               |
|            | M/S. CHEM PROCESS<br>J- 1689 -B               | STEAM                        | 10400                   | 40                      | 400            | 1          | 85                           | PO.No. : PO/2449/18-19-1 DT : 3.07.2018   | 2018               |
|            | M/S.GASIM INDUSTRIES LTD<br>J- 1690           | -                            | 3000                    | -                       | 125            | 1          | 85                           | PO.No. : 4200216750 DT : 17.04.18         | 2018               |
|            | M/S.ISGEC HEAVY ENGINEERING LTD<br>J- 1691 -A | SUPERHEATED<br>STEAM         | 14472                   | 25                      | 275+5          | 1          | 85                           | PO.No. : P10126013/JB1063 DT : 26.04.2018 | 2018               |
| 41         | J- 1691 - B                                   | SUPERHEATED<br>STEAM         | 21930                   | 25                      | 275+5          | 1          | 85                           | PO.No. : P10126013/JB1063 DT : 26.04.2018 | 2018               |
| 42         | J- 1692 -A                                    | SUPERHEATED<br>STEAM         | 17500                   | 71                      | 490+5          | 1          | DISTANCE AT                  | PO.No. : P10126014/JB1075 DT : 08.05.2018 | 2018               |
| 43         | J- 1692 -B                                    | SUPERHEATED<br>STEAM         | 25650                   | 71                      | 490+5          | 1          | DISTANCE AT                  | PO.No. : P10126014/JB1075 DT : 08.05.2018 | 2018               |
|            | M/S.ISGEC HEAVY ENGINEERING LTD               |                              |                         |                         |                |            |                              |                                           |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

336 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                              | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                        | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------|--------------------|
| 44         | J- 1693 -A<br>M/S.ISGEC HEAVY ENGINEERING LTD | SUPERHEATED<br>STEAM | 17500                  | 71                     | 490+5          | 1          | DISTANCE AT                  | PO.No. : P10126233/JB1076 DT : 08.05.2018 | 2018               |
| 45         | J- 1693 -B<br>M/S.ISGEC HEAVY ENGINEERING LTD | SUPERHEATED<br>STEAM | 25650                  | 71                     | 490+5          | 1          | DISTANCE AT                  | PO.No. : P10126233/JB1076 DT : 08.05.2018 | 2018               |
| 46         | J- 1694 -A<br>M/S.ISGEC HEAVY ENGINEERING LTD | SUPERHEATED<br>STEAM | 17500                  | 71                     | 490+5          | 1          | DISTANCE AT                  | PO.No. : P10126234/JB1077 DT : 08.05.2018 | 2018               |
| 47         | J- 1694 -B<br>M/S.ISGEC HEAVY ENGINEERING LTD | SUPERHEATED<br>STEAM | 25650                  | 71                     | 490+5          | 1          | DISTANCE AT                  | PO.No. : P10126234/JB1077 DT : 08.05.2018 | 2018               |
| 48         | J- 1695 -A<br>M/S.ISGEC HEAVY ENGINEERING LTD | SUPERHEATED<br>STEAM | 17500                  | 71                     | 490+5          | 1          | DISTANCE AT                  | PO.No. : P10126235/JB1078 DT : 08.05.2018 | 2018               |
| 49         | J- 1695 -B<br>M/S.ISGEC HEAVY ENGINEERING LTD | SUPERHEATED<br>STEAM | 25650                  | 71                     | 490+5          | 1          | DISTANCE AT                  | PO.No. : P10126235/JB1078 DT : 08.05.2018 | 2018               |
| 50         | J- 1696 -A<br>M/S.ISGEC HEAVY ENGINEERING LTD | SUPERHEATED<br>STEAM | 17500                  | 71                     | 490+5          | 1          | DISTANCE AT                  | PO.No. : P10126236/JB1079 DT : 08.05.2018 | 2018               |
|            | J- 1696 -B<br>M/S.ISGEC HEAVY ENGINEERING LTD | SUPERHEATED<br>STEAM | 25650                  | 71                     | 490+5          | 1          | DISTANCE AT                  | PO.No. : P10126236/JB1079 DT : 08.05.2018 | 2018               |
|            | J- 1697 -A<br>M/S.ISGEC HEAVY ENGINEERING LTD | SUPERHEATED<br>STEAM | 17500                  | 71                     | 490+5          | 1          | DISTANCE AT                  | PO.No. : P10126237/JB1080 DT : 08.05.2018 | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

337 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                 | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                       | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------|--------------------|
| 51         | M/S.ISGEC HEAVY ENGINEERING LTD<br>J- 1697 -B    | SUPERHEATED<br>STEAM | 25650                  | 71                     | 490+5          | 1          | DISTANCE AT                  | PO.No. : P10126237/JB1080 DT : 08.05.2018                | 2018               |
| 52         | M/S.ENMAS ANDRITZ PVT LTD<br>J- 1698             | SUPERHEATED<br>STEAM | 22.4 (TPH)             | 45                     | 400            | 1          | DISTANCE AT                  | PO.No. : EAL/PUR/18-19/B/BLAB6100/0010<br>DT : 7.05.2018 | 2018               |
| 53         | M/S.FIVES CAIL KCP LTD<br>J- 1699 -A             | -                    | 10000                  | 3.5                    | 380            | 1          | 85                           | PO.No. :4500007720 DT : 10.05.2018                       | 2018               |
| 54         | M/S.FIVES CAIL KCP LTD<br>J- 1699 -B             | -                    | 5200                   | 3.5                    | 400            | 1          | 85                           | PO.No. :4500007720 DT : 10.05.2018                       | 2018               |
| 55         | M/S.HPCL - MITTAL ENGINEERING LTD<br>J- 1700 - A | SUPERHEATER<br>STEAM | 3318                   | 31                     | 480            | 1          | 85                           | PO.No. :5400004099 DT : 25.05.2018                       | 2018               |
| 56         | M/S.HPCL - MITTAL ENGINEERING LTD<br>J- 1700 - B | -                    | 3318                   | 31                     | 480            | 1          | 85                           | PO.No. :5400004099 DT : 25.05.2018                       | 2018               |
|            | M/S.HPCL - MITTAL ENGINEERING LTD<br>J- 1700 - C | -                    | 9900                   | 3.5                    | 244            | 1          | 85                           | PO.No. :5400004099 DT : 25.05.2018                       | 2018               |
| 57         | M/S.HPCL - MITTAL ENGINEERING LTD<br>J- 1700 - D | -                    | 9900                   | 66                     | 480            | 1          | 85                           | PO.No. :5400004099 DT : 25.05.2018                       | 2018               |
| 58         | M/S.HPCL - MITTAL ENGINEERING LTD<br>J- 1700 - E | -                    | 6600                   | 66                     | 480            | 1          | 85                           | PO.No. :5400004099 DT : 25.05.2018                       | 2018               |
| 59         | M/S.HPCL - MITTAL ENGINEERING LTD<br>J- 1700 - F | -                    | 6600                   | 66                     | 480            | 1          | 85                           | PO.No. :5400004099 DT : 25.05.2018                       | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

338 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                 | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                         | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------|--------------------|
| 60         | M/S.THERMAX LTD<br>J- 1701-A                     | STEAM                | 20(TPH)                | 65                     | 510            | 1          | 85                           | PO.No. : 1000048212 DT : 24.05.2018        | 2018               |
| 61         | M/S.THERMAX LTD<br>J- 1701-B                     | STEAM                | 85 (TPH)               | 73                     | 425            | 1          | 85                           | PO.No. : 1000048212 DT : 24.05.2018        | 2018               |
| 62         | M/S.ISGEC HEAVY ENGINEERING PVT LTD<br>J- 1702-A | SUPERHEATED<br>STEAM | 24419                  | 0.5                    | 400            | 1          | 85                           | PO.No. : P10126677/JB1084 DT : 6.06.2018   | 2018               |
| 63         | M/S.ISGEC HEAVY ENGINEERING PVT LTD<br>J- 1702-B | SUPERHEATED<br>STEAM | 30000                  | 0.5                    | 400            | 1          | 85                           | PO.No. : P10126677/JB1084 DT : 6.06.2018   | 2018               |
| 64         | M/S.ISGEC HEAVY ENGINEERING PVT LTD<br>J- 1702-C | SUPERHEATED<br>STEAM | 65000                  | 27                     | 400            | 1          | 85                           | PO.No. : P10126677/JB1084 DT : 6.06.2018   | 2018               |
| 65         | M/S.ISGEC HEAVY ENGINEERING PVT LTD<br>J- 1703-A | -                    | 20000                  | 66                     | 490+5          | 1          | DISTANCE AT                  | PO.No. : P30105869/ ES0147 DT : 13.06.2018 | 2018               |
| 65         | M/S.ISGEC HEAVY ENGINEERING PVT LTD<br>J- 1703-B | -                    | 52000                  | 66                     | 490+5          | 1          | DISTANCE AT                  | PO.No. : P30105869/ ES0147 DT : 13.06.2018 | 2018               |
| 66         | M/S.ISGEC HEAVY ENGINEERING PVT LTD<br>J- 1704-A | -                    | 20000                  | 66                     | 490+5          | 1          | DISTANCE AT                  | PO.No. : P30105870/ ES0148 DT : 13.06.2018 | 2018               |
| 67         | M/S.ISGEC HEAVY ENGINEERING PVT LTD<br>J- 1704-B | -                    | 52000                  | 66                     | 490+5          | 1          | DISTANCE AT                  | PO.No. : P30105870/ ES0148 DT : 13.06.2018 | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

339 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                 | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                         | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------|--------------------|
| 68         | M/S.ISGEC HEAVY ENGINEERING PVT LTD<br>J- 1705-A | -                    | 20000                  | 66                     | 490 <u>±</u> 5 | 1          | DISTANCE AT                  | PO.No. : P30105871/ ES0149 DT : 13.06.2018 | 2018               |
| 69         | M/S.ISGEC HEAVY ENGINEERING PVT LTD<br>J- 1705-B | -                    | 52000                  | 66                     | 490 <u>±</u> 5 | 1          | DISTANCE AT                  | PO.No. : P30105871/ ES0149 DT : 13.06.2018 | 2018               |
| 70         | M/S.ISGEC HEAVY ENGINEERING PVT LTD<br>J- 1706-A | -                    | 20000                  | 66                     | 490 <u>±</u> 5 | 1          | DISTANCE AT                  | PO.No. : P30105873/ ES0149 DT : 13.06.2018 | 2018               |
| 71         | M/S.ISGEC HEAVY ENGINEERING PVT LTD<br>J- 1706-B | -                    | 52000                  | 66                     | 490 <u>±</u> 5 | 1          | DISTANCE AT                  | PO.No. : P30105873/ ES0149 DT : 13.06.2018 | 2018               |
| 72         | M/S.ISGEC HEAVY ENGINEERING PVT LTD<br>J- 1707-A | -                    | 20000                  | 66                     | 490 <u>±</u> 5 | 1          | DISTANCE AT                  | PO.No. : P30105876/ ES0152 DT : 13.06.2018 | 2018               |
| 73         | M/S.ISGEC HEAVY ENGINEERING PVT LTD<br>J- 1707-B | -                    | 52000                  | 66                     | 490 <u>±</u> 5 | 1          | DISTANCE AT                  | PO.No. : P30105876/ ES0152 DT : 13.06.2018 | 2018               |
| 74         | M/S.ISGEC HEAVY ENGINEERING PVT LTD<br>J- 1708-A | -                    | 20000                  | 66                     | 490 <u>±</u> 5 | 1          | DISTANCE AT                  | PO.No. : P30105876/ ES0152 DT : 13.06.2018 | 2018               |
| 75         | M/S.ISGEC HEAVY ENGINEERING PVT LTD<br>J- 1708-B | -                    | 52000                  | 66                     | 490 <u>±</u> 5 | 1          | DISTANCE AT                  | PO.No. : P30105876/ ES0152 DT : 13.06.2018 | 2018               |
| 76         | M/S.ISGEC HEAVY ENGINEERING PVT LTD<br>J- 1709-A | SUPERHEATED<br>STEAM | 7000                   | 20                     | 275            | 1          | DISTANCE AT                  | PO.No. : P10127111/ JB1015 DT : 14.06.2018 | 2018               |
| 77         | M/S.ISGEC HEAVY ENGINEERING PVT LTD              |                      |                        |                        |                |            |                              |                                            |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

340 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                   | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                         | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------|--------------------|
| 78         | J- 1709-B<br>M/S.ISGEC HEAVY ENGINEERING PVT LTD   | SUPERHEATED<br>STEAM | 4898                   | 20                     | 275            | 1          | DISTANCE AT                  | PO.No. : P10127111/ JB1015 DT : 14.06.2018 | 2018               |
| 79         | J- 1709-C<br>M/S.ISGEC HEAVY ENGINEERING PVT LTD   | SATURATED<br>STEAM   | 9382                   | 21                     | 216            | 1          | DISTANCE AT                  | PO.No. : P10127111/ JB1015 DT : 14.06.2018 | 2018               |
| 80         | J- 1709 - D<br>M/S.ISGEC HEAVY ENGINEERING PVT LTD | SATURATED<br>STEAM   | 9187                   | 21                     | 216            | 1          | DISTANCE AT                  | PO.No. : P10127111/ JB1015 DT : 14.06.2018 | 2018               |
| 81         | J- 1709 - E<br>M/S.ISGEC HEAVY ENGINEERING PVT LTD | SUPERHEATED<br>STEAM | 5000                   | 3.5                    | 195+5          | 1          | DISTANCE AT                  | PO.No. : P10127111/ JB1015 DT : 14.06.2018 | 2018               |
| 82         | J- 1709 - F<br>M/S.ISGEC HEAVY ENGINEERING PVT LTD | SUPERHEATED<br>STEAM | 2636                   | 3.5                    | 195+5          | 1          | DISTANCE AT                  | PO.No. : P10127111/ JB1015 DT : 14.06.2018 | 2018               |
| 83         | J- 1709 - G<br>M/S.ISGEC HEAVY ENGINEERING PVT LTD | SATURATED<br>STEAM   | 5191                   | 4.2                    | 155            | 1          | DISTANCE AT                  | PO.No. : P10127111/ JB1015 DT : 14.06.2018 | 2018               |
| 84         | J- 1709 - H<br>M/S.ISGEC HEAVY ENGINEERING PVT LTD | SATURATED<br>STEAM   | 5624                   | 4.2                    | 155            | 1          | DISTANCE AT                  | PO.No. : P10127111/ JB1015 DT : 14.06.2018 | 2018               |
| 85         | J- 1709 - I<br>M/S.ISGEC HEAVY ENGINEERING PVT LTD | SATURATED<br>STEAM   | 17000                  | 17.5                   | 475+5          | 1          | DISTANCE AT                  | PO.No. : P10127111/ JB1015 DT : 14.06.2018 | 2018               |
| 86         | J- 1709 - J<br>M/S.ISGEC HEAVY ENGINEERING PVT LTD | SUPERHEATED<br>STEAM | 8758                   | 17.5                   | 475+5          | 1          | DISTANCE AT                  | PO.No. : P10127111/ JB1015 DT : 14.06.2018 | 2018               |
| 87         | J- 1709 - K<br>M/S.ISGEC HEAVY ENGINEERING PVT LTD | SATURATED<br>STEAM   | 12565                  | 19.5                   | 140            | 1          | DISTANCE AT                  | PO.No. : P10127111/ JB1015 DT : 14.06.2018 | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

341 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                           | SERVICE            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                       | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------|--------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------------|--------------------|
|            | J- 1709 - L                                | SATURATED<br>STEAM | 12845                  | 19.5                   | 140            | 1          | DISTANCE A                   | PO.No. : P10127111/ JB1015 DT : 14.06.2018               | 2018               |
| 88         | M/S.CHENNAI PETROLEUM CORPORATION LTD      |                    |                        |                        |                |            |                              |                                                          |                    |
|            | J- 1710                                    | SATURATED<br>STEAM | 69942                  | 92                     | 310            | 1          | 85                           | PO.No. : 1036P699/25541043 DT : 20.06.2018               | 2018               |
| 89         | M/S.OASIS INTERNATIONAL                    |                    |                        |                        |                |            |                              |                                                          |                    |
|            | J- 1711                                    | SUPERTED<br>STEAM  | 50445                  | 52                     | 425            | 2          | 85                           | PO.No. : LOA /PO #103 DT : 21.06.2018                    | 2018               |
| 90         | M/S.FLOWSERVE                              |                    |                        |                        |                |            |                              |                                                          |                    |
|            | J- 1712 - A                                | SUPERTED<br>STEAM  | 17100                  | 52                     | 425            | 1          | 85                           | PO.No. : LOA /PO #104 DT : 21.06.2018                    | 2018               |
| 91         | M/S.FLOWSERVE                              |                    |                        |                        |                |            |                              |                                                          |                    |
|            | J- 1712 - B                                | SUPERTED<br>STEAM  | 15375                  | 52                     | 425            | 1          | 85                           | PO.No. : LOA /PO #104 DT : 21.06.2018                    | 2018               |
| 92         | M/S.FLOWSERVE                              |                    |                        |                        |                |            |                              |                                                          |                    |
|            | J- 1712 - C                                | SUPERTED<br>STEAM  | 12154                  | 52                     | 425            | 1          | 85                           | PO.No. : LOA /PO #104 DT : 21.06.2018                    | 2018               |
| 93         | M/S.FLOWSERVE                              |                    |                        |                        |                |            |                              |                                                          |                    |
|            | J- 1712 - D                                | SUPERTED<br>STEAM  | 3498                   | 52                     | 425            | 1          | 85                           | PO.No. : LOA /PO #104 DT : 21.06.2018                    | 2018               |
| 94         | M/S.TNPL                                   |                    |                        |                        |                |            |                              |                                                          |                    |
|            | J- 1713                                    | -                  | 40 (TPH)               | 50                     | 440            | 1          | DISTANCE A                   | PO.No. : FAC - MAT -PUR /181915002419<br>DT : 15.06.2018 | 2018               |
| 94         | M/s.RAJASTHAN SUN TECHNIQUE ENERGY PVT LTD |                    |                        |                        |                |            |                              |                                                          |                    |
|            | J- 1714                                    | -                  | 45 (kg/sec)            | 2 (bar (g))            | 418            | 1          | DISTANCE A                   | PO.No. : NBO/DSI/33021797 DT.27.06.2018                  | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

342 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                           | SERVICE | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                    | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------|---------|-------------------------|-------------------------|----------------|------------|------------------------------|-------------------------------------------------------|--------------------|
| 95         | M/S.INDIAN FARMERS FERTILISER CO OPERATIVE<br>J- 1715      | STEAM   | 30 (TPH)                | 113.5                   | 480            | 1          | DISTANCE A                   | PO.No. : FA6505/201004190461 DT :<br>04.07.2018       | 2018               |
| 96         | M/S.TRIVENI TURBINE LIMITED<br>J- 1716 -A                  | -       | 25 (TPH)                | 35                      | 400            | 1          | 85                           | PO.No. :2000019871 DT : 04.07.2018                    | 2018               |
| 97         | M/S.TRIVENI TURBINE LIMITED<br>J- 1716 -B                  | -       | 25 (TPH)                | 5                       | 220            | 1          | 85                           | PO.No. :2000019871 DT : 04.07.2018                    | 2018               |
| 98         | M/S.RASHTRIYA CHEMICAL AND FERTIZERS LIMITED<br>J- 1717    | -       | 30 (MT/HR)              | 43.5                    | 435            | 1          | 85                           | PO.No. :4500053693 DT : 05.07.2018                    | 2018               |
| 99         | M/S.THERMAX LIMITED / POWER DIVISION<br>J- 1718            | -       | 7/3 (IPH)               | 19                      | 310            | 1          | 85                           | PO.No. :1000048848 ( LOI EMAIL DT :<br>09.07.2018)    | 2018               |
| 100        | M/S. KIRLOSKAR EBARA PUMPS LIMITED<br>J- 1719 -A           | -       | 12000                   | 10                      | 340            | 1          | 85                           | PO.No. : 1100025587 dt.04.07.2018                     | 2018               |
| 101        | M/S. KIRLOSKAR EBARA PUMPS LIMITED<br>J- 1719 -B           | -       | 12000                   | 40                      | 400            | 1          | 85                           | PO.No. : 1100025587 dt.04.07.2018                     | 2018               |
| 102        | M/S.ORISSA METALIKS PVT LTD<br>J- 1720 -A                  | -       | 60000                   | 118.3                   | 545            | 1          | 85                           | PO.No. : OMPIL/18-19/P7187 - 00048 DT :<br>12.07.2018 | 2018               |
| 103        | M/S.RASHTRIYA CHEMICAL AND FERTIZERS LIMITED<br>J- 1720 -B | -       | 175000                  | 45                      | 400            | 1          | 85                           | PO.No. :4500053693 DT : 05.07.2018                    | 2018               |
| 104        | M/S.ADANI                                                  |         |                         |                         |                |            |                              |                                                       |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

343 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                   | SERVICE             | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                     | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------|---------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------|--------------------|
|            | J- 1721                                            | -                   | 2750                   | 3.5                    | 190            | 1          | 85                           | PO.No. : DT :                          | 2018               |
| 105        | M/S.AIR LIQUIDE GLOBAL E&C SOLUTIONS INDIA PVT LTD |                     |                        |                        |                |            |                              |                                        |                    |
|            | J- 1722 -A                                         | WASTE<br>NITROGEN   | 8302                   | 1.34                   | (-20)/+65      | 1          | 85                           | PO.No. : LOI EMAIL DT :17.07.18        | 2018               |
| 106        | M/S.AIR LIQUIDE GLOBAL E&C SOLUTIONS INDIA PVT LTD |                     |                        |                        |                |            |                              |                                        |                    |
|            | J- 1722 - B                                        | GASEOUS<br>NITROGEN | 2400                   | 1.34                   | (-20)/+65      | 1          | 85                           | PO.No. : LOI EMAIL DT :17.07.18        | 2018               |
| 107        | M/S.RELIANCE INDUSTRIES LTD                        |                     |                        |                        |                |            |                              |                                        |                    |
|            | J- 1723 -A                                         | -                   | 16000                  | 7                      | 170            | 1          | 85                           | PO.No. : MM1/240160915 DT :28.06.18    | 2018               |
| 108        | M/S.RELIANCE INDUSTRIES LTD                        |                     |                        |                        |                |            |                              |                                        |                    |
|            | J- 1723 -B                                         | -                   | 16000                  | 7                      | 170            | 1          | 85                           | PO.No. : MM1/240160915 DT :28.06.18    | 2018               |
| 109        | M/S.RELIANCE INDUSTRIES LTD                        |                     |                        |                        |                |            |                              |                                        |                    |
|            | J- 1723 -C                                         | -                   | 16000                  | 7                      | 170            | 1          | 85                           | PO.No. : MM1/240160915 DT :28.06.18    | 2018               |
| 110        | M/S.ENGINEERING INDIA LIMITED                      |                     |                        |                        |                |            |                              |                                        |                    |
|            | J- 1725 - A                                        | -                   | 6000                   | 3.5                    | 255            | 2          | 85                           | PO.No. : 10/NKT/A842/6281/29/0533 DT : | 2018               |
| 111        | M/S.ENGINEERING INDIA LIMITED                      |                     |                        |                        |                |            |                              |                                        |                    |
|            | J- 1725 - B                                        | -                   | 37240                  | 3.5                    | 290            | 2          | 85                           | PO.No. : 10/NKT/A842/6281/29/0533 DT : | 2018               |
| 112        | M/S.ENGINEERING INDIA LIMITED                      |                     |                        |                        |                |            |                              |                                        |                    |
|            | J- 1725 - C                                        | -                   | 85000                  | 3.5                    | 225            | 1          | 85                           | PO.No. : 10/NKT/A842/6281/29/0533 DT : | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

344 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                            | SERVICE                          | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                               | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------|----------------------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------|--------------------|
| 113        | M/S.OFFSHORE<br>J- 1726                                     | LP STEAM                         | 2145                   | 7                      | 240            | 1          | 85                           | PO.No. : OIL/3141/18-19/CP/07/0153 DT : 30.9.17  | 2018               |
| 114        | M/S.ENGINEERING INDIA LIMITED<br>J- 1727 -A                 | -                                | 8890                   | 30                     | 265            | 1          | 85                           | PO.No. : LOA NO : A945/6920/67/195 DT : 31.07.18 | 2018               |
| 115        | M/S.ENGINEERING INDIA LIMITED<br>J- 1727 -B                 | -                                | 1350                   | 30                     | 265            | 1          | 85                           | PO.No. : LOA NO : A945/6920/67/195 DT : 31.07.18 | 2018               |
| 116        | M/S.MANGALORE CHEMICALS & FERTILIZERS LIMITED<br>J- 1728 -A | SUPERHEATED<br>STEAM             | 15000                  | 50                     | 400            | 1          | 85                           | PO.No. : 4300010619 DT : 1.08.18                 | 2018               |
| 117        | M/S.MANGALORE CHEMICALS & FERTILIZERS LIMITED<br>J- 1728 -B | SUPERHEATED<br>STEAM             | 21000                  | 70                     | 485            | 1          | 85                           | PO.No. : 4300010619 DT : 1.08.18                 | 2018               |
| 118        | M/S. ENMAS PULS & PAPER PROJECT LTD<br>J- 1729 - A          | DRUM SAFETY<br>VALVE<br>SILENCER | 32250                  | 85.4                   | 293            | 1          | DISTANCE A                   | PO.No. : SIL/PUR/2018/61 DT : 6.08.18            | 2018               |
| 119        | M/S. ENMAS PULS & PAPER PROJECT LTD<br>J- 1729 - B          | DRUM SAFETY<br>VALVE<br>SILENCER | 32250                  | 85.4                   | 293            | 1          | DISTANCE A                   | PO.No. : SIL/PUR/2018/61 DT : 6.08.18            | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

345 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                   | SERVICE                           | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                            | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------|-----------------------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------|--------------------|
| 120        | M/S. ENMAS PULS & PAPER PROJECT LTD<br>J- 1729 - C | STARTUP VENT<br>VALVE<br>SILENCER | 21500                  | 72.4                   | 460            | 1          | DISTANCE A                   | PO.No. : SIL/PUR/2018/61 DT : 6.08.18         | 2018               |
| 121        | M/S. ENMAS PULS & PAPER PROJECT LTD<br>J- 1729 - D | STARTUP VENT<br>VALVE<br>SILENCER | 34400                  | 67                     | 450            | 1          | DISTANCE A                   | PO.No. : SIL/PUR/2018/61 DT : 6.08.18         | 2018               |
| 122        | M/S. GULSHAN CHEMICALS LTD<br>J- 1730 -A           | -                                 | 4000                   | 4                      | 240            | 1          | 85                           | PO.No. : G310216 DT : 6.08.18                 | 2018               |
| 123        | M/S. GULSHAN CHEMICALS LTD<br>J- 1730 -B           | -                                 | 2000                   | 21.4                   | 380            | 1          | 85                           | PO.No. : G310216 DT : 6.08.18                 | 2018               |
| 124        | M/S. GULSHAN CHEMICALS LTD<br>J- 1730 -C           | -                                 | 2000                   | 22                     | 380            | 1          | 85                           | PO.No. : G310216 DT : 6.08.18                 | 2018               |
| 125        | M/S. GULSHAN CHEMICALS LTD<br>J- 1730 -D           | -                                 | 500                    | 10                     | 50             | 2          | 85                           | PO.No. : G310216 DT : 6.08.18                 | 2018               |
| 126        | M/S. JSW STEEL LIMITED<br>J- 1731                  | -                                 | 96000                  | 3.2                    | 260            | 1          | 80                           | PO.No. :VJNR/111115 /REV/R/4100223709<br>DT : | 2018               |
| 127        | M/S. ISGEC HEAVY ENGINEERING LTD<br>J- 1732 -A     | SATURATED<br>STEAM                | 25128                  | 0.678                  | 237            | 1          | 85                           | PO.No. :P10128239 / JB1030 DT : 16.08.18      | 2018               |
| 128        | M/S. ISGEC HEAVY ENGINEERING LTD<br>J- 1732 - B    | SATURATED<br>STEAM                | 25514                  | 0.678                  | 238            | 1          | 85                           | PO.No. :P10128239 / JB1030 DT : 16.08.18      | 2018               |
| 129        | M/S. ISGEC HEAVY ENGINEERING LTD<br>J- 1732 -C     | SUPERHEATED<br>STEAM              | 17863                  | 0.675                  | 305+5          | 1          | 85                           | PO.No. :P10128239 / JB1030 DT : 16.08.18      | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

346 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                               | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                       | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------|--------------------|
| 130        | M/S. ISGEC HEAVY ENGINEERING LTD<br>J- 1732 -D | SUPERHEATED<br>STEAM | 19790                  | 0.675                  | 305+5          | 1          | 85                           | PO.No. :P10128239 / JB1030 DT : 16.08.18 | 2018               |
| 131        | M/S. FIVE CAIL KCP LTD<br>J- 1733 -A           | -                    | 12500                  | 3.5                    | 380            | 1          | 85                           | PO.No. :4500008127 DT : 16.08.18         | 2018               |
| 132        | M/S. FIVE CAIL KCP LTD<br>J- 1733 - B          | -                    | 12500                  | 3.5                    | 400            | 1          | 85                           | PO.No. :4500008127 DT : 16.08.18         | 2018               |
| 133        | M/S. FIVE CAIL KCP LTD<br>J- 1734 -A           | -                    | 8000                   | 3.5                    | 380            | 1          | 85                           | PO.No. :4500008128 DT : 16.08.18         | 2018               |
| 134        | M/S. FIVE CAIL KCP LTD<br>J- 1734 - B          | -                    | 8000                   | 3.5                    | 400            | 1          | 85                           | PO.No. :4500008128 DT : 16.08.18         | 2018               |
| 135        | M/S. FIVE CAIL KCP LTD<br>J- 1735 -A           | -                    | 12000                  | 3.5                    | 395            | 1          | 85                           | PO.No. :4500008129 DT : 16.08.18         | 2018               |
| 136        | M/S. FIVE CAIL KCP LTD<br>J- 1735 - B          | -                    | 12000                  | 3.5                    | 400            | 1          | 85                           | PO.No. :4500008129 DT : 16.08.18         | 2018               |
| 137        | M/S. FIVE CAIL KCP LTD<br>J- 1736 -A           | -                    | 18000                  | 3.5                    | 395            | 1          | 85                           | PO.No. :4500008131 DT : 16.08.18         | 2018               |
| 138        | M/S. FIVE CAIL KCP LTD<br>J- 1736 -B           | -                    | 18000                  | 3.5                    | 395            | 1          | 85                           | PO.No. :4500008131 DT : 16.08.18         | 2018               |
| 139        | M/S. FIVE CAIL KCP LTD<br>J- 1736 - C          | -                    | 8000                   | 3.5                    | 395            | 1          | 85                           | PO.No. :4500008131 DT : 16.08.18         | 2018               |
| 140        | M/S. FIVE CAIL KCP LTD<br>J- 1737 - A          | -                    | 30000                  | 3.5                    | 350            | 1          | 85                           | PO.No. :4500008133 DT : 16.08.18         | 2018               |
| 141        | M/S. FIVE CAIL KCP LTD<br>J- 1737 - B          | -                    | 17100                  | 3.5                    | 350            | 1          | 85                           | PO.No. :4500008133 DT : 16.08.18         | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

347 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                          | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------|--------------------|
| 142        | M/S. FIVE CAIL KCP LTD<br>J- 1737 - C     | -       | 13330                  | 3.5                    | 350            | 1          | 85                           | PO.No. :4500008133 DT : 16.08.18  | 2018               |
| 143        | M/S. FIVE CAIL KCP LTD<br>J- 1738 -A      | -       | 30000                  | 3.5                    | 350            | 1          | 85                           | PO.No. :4500008132 DT : 16.08.18  | 2018               |
| 144        | M/S. FIVE CAIL KCP LTD<br>J- 1738 - B     | -       | 17100                  | 3.5                    | 350            | 1          | 85                           | PO.No. :4500008132 DT : 16.08.18  | 2018               |
| 145        | M/S. FIVE CAIL KCP LTD<br>J- 1738 -C      | -       | 13330                  | 3.5                    | 350            | 1          | 85                           | PO.No. :4500008132 DT : 16.08.18  | 2018               |
| 146        | M/S. FIVE CAIL KCP LTD<br>J- 1739 -A      | -       | 37500                  | 3.5                    | 350            | 1          | 85                           | PO.No. :4500008134 DT : 16.08.18  | 2018               |
| 147        | M/S. FIVE CAIL KCP LTD<br>J- 1739 - B     | -       | 37500                  | 3.5                    | 350            | 1          | 85                           | PO.No. :4500008134 DT : 16.08.18  | 2018               |
| 148        | M/S. FIVE CAIL KCP LTD<br>J- 1740 -A      | -       | 37500                  | 3.5                    | 350            | 1          | 85                           | PO.No. :4500008135 DT : 16.08.18  | 2018               |
| 149        | M/S. FIVE CAIL KCP LTD<br>J- 1740 - B     | -       | 37500                  | 3.5                    | 350            | 1          | 85                           | PO.No. :4500008135 DT : 16.08.18  | 2018               |
| 150        | M/S.ENGINEERS INDIALIMITED<br>J- 1741 - A | -       | 17500                  | 19/FV                  | 520            | 1          | 80                           | PO.No. : 5500000304 DT : 20.08.18 | 2018               |
| 151        | M/S.ENGINEERS INDIALIMITED<br>J- 1741 - B | -       | 5515                   | 50/FV                  | 390            | 1          | 80                           | PO.No. : 5500000304 DT : 20.08.18 | 2018               |
| 152        | M/S.ENGINEERS INDIALIMITED<br>J- 1741 - C | -       | 5515                   | 50/FV                  | 390            | 1          | 80                           | PO.No. : 5500000304 DT : 20.08.18 | 2018               |
| 153        | M/S.ENGINEERS INDIALIMITED<br>J- 1741 - D | -       | 819                    | 10/FV                  | 225            | 1          | 80                           | PO.No. : 5500000304 DT : 20.08.18 | 2018               |
| 154        | M/S.ENGINEERS INDIALIMITED<br>J- 1741 - E | -       | 819                    | 10/FV                  | 225            | 1          | 80                           | PO.No. : 5500000304 DT : 20.08.18 | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

348 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                 | SERVICE | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                         | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------|---------|-------------------------|-------------------------|----------------|------------|------------------------------|--------------------------------------------|--------------------|
| 155        | M/S.ENGINEERS INDIALIMITED<br>J- 1741 - F        | -       | 800                     | 10/FV                   | 225            | 1          | 80                           | PO.No. : 5500000304 DT : 20.08.18          | 2018               |
| 156        | M/S.ENGINEERS INDIALIMITED<br>J- 1741 - G        | -       | 500                     | 10/FV                   | 225            | 1          | 80                           | PO.No. : 5500000304 DT : 20.08.18          | 2018               |
| 157        | M/S.ENGINEERS INDIALIMITED<br>J- 1741 - H        | -       | 500                     | 10/FV                   | 225            | 1          | 80                           | PO.No. : 5500000304 DT : 20.08.18          | 2018               |
| 158        | M/S.ENGINEERS INDIALIMITED<br>J- 1741 - I        | -       | 500                     | 10/FV                   | 225            | 1          | 80                           | PO.No. : 5500000304 DT : 20.08.18          | 2018               |
| 159        | M/S.ENGINEERS INDIALIMITED<br>J- 1741 - J        | -       | 800                     | 10/FV                   | 225            | 1          | 80                           | PO.No. : 5500000304 DT : 20.08.18          | 2018               |
| 160        | M/S.GIRIRAJ WATER SOLUTION<br>J- 1742 - A        | -       | 22908                   | 12.5                    | 300            | 1          | 85                           | PO.No. : GWSPL/2018-2019/001 DT : 21.08.18 | 2018               |
| 161        | M/S.GIRIRAJ WATER SOLUTION<br>J- 1742 - B        | -       | 24000                   | 5.5                     | 230            | 1          | 85                           | PO.No. : GWSPL/2018-2019/001 DT : 21.08.18 | 2018               |
| 162        | M/S.GIRIRAJ WATER SOLUTION<br>J- 1742 - C        | -       | 22908                   | 12.5                    | 300            | 1          | 85                           | PO.No. : GWSPL/2018-2019/001 DT : 21.08.18 | 2018               |
| 163        | M/S.ENGINEERS INDIALIMITED<br>J- 1742 - D        | -       | 24000                   | 5.5                     | 230            | 1          | 85                           | PO.No. : GWSPL/2018-2019/001 DT : 21.08.18 | 2018               |
| 164        | M/S.COVALENT LABORATORIES PVT LTD<br>J- 1743 - A | -       | 22 (TPH)                | 64                      | 485            | 1          | 85                           | PO.No. : 1400000994 DT : 23.08.18          | 2018               |
| 165        | M/S.COVALENT LABORATORIES PVT LTD<br>J- 1743 - B | -       | 11 (TPH)                | (2) / (4)               | 136 /(306)     | 1          | 85                           | PO.No. : 1400000994 DT : 23.08.18          | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

349 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                       | SERVICE  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                              | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------|----------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------|--------------------|
| 166        | M/S.CHEMIE TECH SOUTH AFRICA<br>J- 1744 - A            | -        | 187 (M3/HR)            | 18.50                  | 70             | 1          | 85                           | PO.No. : DT :                                   | 2018               |
| 167        | M/S.CHEMIE TECH SOUTH AFRICA<br>J- 1744 - B            | -        | 93 (M3/HR)             | 18.50                  | 70             | 1          | 85                           | PO.No. : DT :                                   | 2018               |
| 168        | M/S.CHEMIE TECH SOUTH AFRICA<br>J- 1744 - C            | -        | 187 (M3/HR)            | 18.50                  | 70             | 1          | 85                           | PO.No. : DT :                                   | 2018               |
| 169        | M/S.CHEMIE TECH SOUTH AFRICA<br>J- 1744 - D            | -        | 93 (M3/HR)             | 18.50                  | 70             | 1          | 85                           | PO.No. : DT :                                   | 2018               |
| 170        | M/S.ENGINEERS INDIA LIMITED<br>J- 1745 - A             | -        | 700                    | 5 /FV                  | 150            | 1          | 85                           | PO.No. : A882/6950/252/PO-2118 DT :<br>30.08.18 | 2018               |
| 171        | M/S.ENGINEERS INDIA LIMITED<br>J- 1745 - B             | -        | 600                    | 7.5 /FV                | 190            | 1          | 85                           | PO.No. : A882/6950/252/PO-2118 DT :<br>30.08.18 | 2018               |
| 172        | M/S.SHREYANS INDUSTRIES LIMITED<br>J- 1746             | STEAM    | 16 (TPH)               | 3 - 3.4                | 142 - 150      | 1          | 85                           | PO.No. : APO/119412/AHM DT : 21.08.18           | 2018               |
| 173        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 -A  | SH STEAM | 23 (TPH)               | 23                     | 210.4          | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18                | 2018               |
| 174        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 - B | SH STEAM | 24 (TPH)               | 23                     | 210.4          | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18                | 2018               |
| 175        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 - C | SH STEAM | 11 (TPH)               | 23                     | 400+5          | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18                | 2018               |
| 176        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 - D | SH STEAM | 74 (TPH)               | 23                     | 450+5          | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18                | 2018               |
| 177        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 - E | SH STEAM | 20 (TPH)               | 23                     | 450+5          | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18                | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

350 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                       | SERVICE  | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C    | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE               | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------|----------|-------------------------|-------------------------|-------------------|------------|------------------------------|----------------------------------|--------------------|
| 178        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 - F | SH STEAM | 9(TPH)                  | 23                      | 212               | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18 | 2018               |
| 179        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 - G | SH STEAM | 9(TPH)                  | 23                      | 212               | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18 | 2018               |
| 180        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 - H | SH STEAM | 3 (TPH)                 | 23                      | 272 <sub>+5</sub> | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18 | 2018               |
| 181        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 - I | SH STEAM | 4.2 (TPH)               | 23                      | 272 <sub>+5</sub> | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18 | 2018               |
| 182        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 - J | SH STEAM | 9(TPH)                  | 23                      | 212               | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18 | 2018               |
| 183        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 - K | SH STEAM | 9(TPH)                  | 23                      | 212               | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18 | 2018               |
| 184        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 - L | SH STEAM | 3 (TPH)                 | 23                      | 272 <sub>+5</sub> | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18 | 2018               |
| 185        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 - M | SH STEAM | 4.2 (TPH)               | 23                      | 272 <sub>+5</sub> | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18 | 2018               |
| 186        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 - N | SH STEAM | 2.6 (TPH)               | 5                       | 198 <sub>+5</sub> | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18 | 2018               |
| 187        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 - O | SH STEAM | 3.1 (TPH)               | 5                       | 198 <sub>+5</sub> | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18 | 2018               |
| 188        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 - P | SH STEAM | 2.6 (TPH)               | 5                       | 198 <sub>+5</sub> | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18 | 2018               |
| 189        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 - Q | SH STEAM | 3.1 (TPH)               | 5                       | 198 <sub>+5</sub> | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18 | 2018               |
| 190        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 - R | SH STEAM | 18.9 (TPH)              | 18                      | 450 <sub>+5</sub> | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18 | 2018               |
| 191        | M/S.THYSENKRUPP NDUSTRIES INDIA PVT LID<br>J- 1747 - S | SH STEAM | 5.9 (TPH)               | 6                       | 198 <sub>+5</sub> | 1          | 85                           | PO.No. : 2500013631 DT : 7.09.18 | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

351 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                             | SERVICE | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                            | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------|---------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------|--------------------|
| 192        | M/S.WEST COAST PAPER MILLS LYD<br>J- 1749 -A | -       | 30 (TPH)               | 65                     | 480            | 1          | 90                           | PO.No. : 2018005091 DT : 10.sem.18            | 2018               |
| 193        | M/S.WEST COAST PAPER MILLS LYD<br>J- 1749 -B | -       | 90 (TPH)               | 64                     | 480            | 1          | 90                           | PO.No. : 2018005091 DT : 10.sem.18            | 2018               |
| 194        | M/S.WEST COAST PAPER MILLS LYD<br>J- 1749 -C | -       | 100 (TPH)              | 4                      | 420            | 2          | 90                           | PO.No. : 2018005091 DT : 10.sem.18            | 2018               |
| 196        | M/S.WEST COAST PAPER MILLS LYD<br>J- 1749 -D | -       | 30 (TPH)               | 65                     | 480            | 1          | 90                           | PO.No. : 2018005091 DT : 10.sem.18            | 2018               |
| 197        | M/S.WEST COAST PAPER MILLS LYD<br>J- 1749 -E | -       | 25 (TPH)               | 40                     | 420            | 1          | 90                           | PO.No. : 2018005091 DT : 10.sem.18            | 2018               |
| 198        | M/S.WEST COAST PAPER MILLS LYD<br>J- 1749 -F | -       | 40 (TPH)               | 40                     | 420            | 1          | 90                           | PO.No. : 2018005091 DT : 10.sem.18            | 2018               |
| 199        | M/S.WEST COAST PAPER MILLS LYD<br>J- 1749 -G | -       | 30 (TPH)               | 65                     | 480            | 1          | 90                           | PO.No. : 2018005091 DT : 10.sem.18            | 2018               |
| 200        | M/S.ESBEE POWER<br>J- 1750                   | -       | 8 (TPH)                | 45                     | 420            | 1          | 110                          | PO.No. :EPSP/SBO2/SI LEN /01 DT :<br>21.09.18 | 2018               |
|            | M/S.TUAMAN ENGINEERS LIMITED<br>J- 1751      | -       | 1000                   | 4                      | 240            | 1          | 85                           | PO.No. :CPMPURM/00006/18-19 DT :<br>25.09.18  | 2018               |
|            | M/S.THERMAX LIMITED<br>J- 1752 -A            | STEAM   | 10 (TPH)               | 44                     | 510            | 1          | 95                           | PO.No. :1000050353 DT : 25.09.18              | 2018               |
|            | M/S.THERMAX LIMITED<br>J- 1752 -B            | STEAM   | 20 (TPH)               | 44                     | 510            | 2          | 95                           | PO.No. :1000050353 DT : 25.09.18              | 2018               |
|            | M/S.THERMAX LIMITED<br>J- 1752 -C            | STEAM   | 110 (IPH)              | 44                     | 425            | 2          | 110                          | PO.No. :1000050353 DT : 25.09.18              | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

352 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                        | SERVICE    | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                   | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------|------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------|--------------------|
|            | M/S. JSW TECHNO PROJECT MANAGEMENT LTD<br>J- 1753       | -          | 23968                  | 10                     | 60             | 2          | 85                           | PO.No. :4700065607 DT : 29.09.18                     | 2018               |
|            | M/S. JSW STEEL LTD<br>J- 1754                           | -          | 120000                 | 5                      | 450            | 2          | 85                           | PO.No. :VJNR/111122/CAP/C/4700065526<br>DT : 3.10.18 | 2018               |
|            | M/S.LANTENTCH PVT LTD<br>J- 1755                        | STEAM      | 11.5                   | 5                      | 465            | 1          | 85                           | PO.No. 3180210830 DT : 16.11.18                      | 2018               |
|            | M/S.PENNA CEMENT INDUSTRIES LTD<br>J- 1756              | STEAM VENT | 1000                   | 16                     | 350            | 1          | 85                           | PO.No. :LOI EMAIL DT : 20.10.18                      | 2018               |
|            | M/S.THERMAL SYSTEM / B649<br>J- 1757 -A                 | -          | 14500 / 16000          | 1.1 / 1                | 360 / ( 252    | 1          | 80                           | PO.No. : DT :                                        | 2018               |
|            | M/S.THERMAL SYSTEM / B649<br>J- 1757 -B                 | -          | 9600 / 10627           | 1                      | 365 / 420      | 1          | 80                           | PO.No. : DT :                                        | 2018               |
|            | M/S.THERMAL SYSTEM / B649<br>J- 1757 -C                 | -          | 24200 / 40000          | 1                      | 365 / 420      | 1          | 80                           | PO.No. : DT :                                        | 2018               |
|            | M/S.THERMO FAB ENGINEERS<br>J- 1759 -A                  | -          | 18000                  | 3.0                    | 475            | 1          | 85                           | PO.No. :TEF-2018-45 DT : 22.11.18                    | 2018               |
|            | M/S.THERMO FAB ENGINEERS<br>J- 1759 - B                 | -          | 20000                  | 4.6                    | 475            | 1          | 85                           | PO.No. :TEF-2018-45 DT : 22.11.18                    | 2018               |
|            | M/S.ARK ENGINEERING AND POWER CONSULTANS<br>J- 1760 -A  | -          | 3700                   | 96                     | 525            | 1          | 85                           | PO.No. : PP18N-00007 DT : 23.11.18                   | 2018               |
|            | M/S.ARK ENGINEERING AND POWER CONSULTANS<br>J- 1760 - B | -          | 3700                   | 96                     | 525            | 1          | 85                           | PO.No. : PP18N-00007 DT : 23.11.18                   | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

353 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                        | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                   | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------------------|--------------------|
|            | M/S.ARK ENGINEERING AND POWER CONSULTANS<br>J- 1760 - C | -                    | 9300                   | 96                     | 525            | 1          | 85                           | PO.No. : PP18N-00007 DT : 23.11.18                   | 2018               |
|            | M/S.ARK ENGINEERING AND POWER CONSULTANS<br>J- 1760 - D | -                    | 3700                   | 96                     | 525            | 1          | 85                           | PO.No. : PP18N-00007 DT : 23.11.18                   | 2018               |
|            | M/S.ARK ENGINEERING AND POWER CONSULTANS<br>J- 1760 - E | -                    | 3700                   | 96                     | 525            | 1          | 85                           | PO.No. : PP18N-00007 DT : 23.11.18                   | 2018               |
|            | M/S.ARK ENGINEERING AND POWER CONSULTANS<br>J- 1760 - F | -                    | 7200                   | 96                     | 525            | 1          | 85                           | PO.No. : PP18N-00007 DT : 23.11.18                   | 2018               |
|            | M/S.ARK ENGINEERING AND POWER CONSULTANS<br>J- 1760 - G | -                    | 7200                   | 96                     | 525            | 1          | 85                           | PO.No. : PP18N-00007 DT : 23.11.18                   | 2018               |
|            | M/S.ARK ENGINEERING AND POWER CONSULTANS<br>J- 1760 - H | -                    | 10500                  | 96                     | 525            | 1          | 85                           | PO.No. : PP18N-00007 DT : 23.11.18                   | 2018               |
|            | M/S.ARK ENGINEERING AND POWER CONSULTANS<br>J- 1760 - I | -                    | 10500                  | 96                     | 525            | 1          | 85                           | PO.No. : PP18N-00007 DT : 23.11.18                   | 2018               |
|            | M/S. TECHNIP / IOCL<br>J- 1761                          | SUPERHEATED<br>STEAM | 1900                   | 3.5                    | 235            | 1          | 85                           | PO.No. : DT :                                        | 2018               |
|            | M/S. ASHWINI ENGINEERING INDUSTRIES<br>J- 1762 -A       | -                    | 3700                   | 96                     | 525            | 1          | 85                           | PO.No. : AEI/PO/18014/PRAE/01/18-19<br>DT : 29.11.18 | 2018               |
|            | M/S. ASHWINI ENGINEERING INDUSTRIES<br>J- 1762 - B      | -                    | 3700                   | 96                     | 525            | 1          | 85                           | PO.No. : AEI/PO/18014/PRAE/01/18-19<br>DT : 29.11.18 | 2018               |
|            | M/S. LINDE INDIA LIMITED<br>J- 1763                     | -                    | 48500                  | 3.5                    | 65             | 2          | 85                           | PO.No. : 502004 DT.03.12.2018                        | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

354 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                               | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                  | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------------|--------------------|
|            | M/S. BHARAT PETROLEUM CORPATION LTD<br>J- 1764 | -                    | 15000                  | 2.7                    | 520            | 1          | 85                           | PO.No. :4506967814 DT : 5.12.18                     | 2018               |
|            | M/S. KIRLOSKAR EBAPA PUMPS LTD<br>J- 1765 -A   | -                    | 29000                  | 10.0                   | 340            | 2          | 85                           | PO.No. :11000029872 DT : 6.12.18                    | 2018               |
|            | M/S. KIRLOSKAR EBAPA PUMPS LTD<br>J- 1765- B   | -                    | 29000                  | 40.0                   | 40             | 2          | 85                           | PO.No. :11000029872 DT : 6.12.18                    | 2018               |
|            | M/S. ISGEC HEAVY ENGINEERING LTD<br>J- 1766 -A | -                    | 76740                  | 0.5                    | 490+5          | 1          | DISTANCE AT                  | PO.No. : P10131276/JB1088 DT : 10.12.18             | 2018               |
|            | M/S. ISGEC HEAVY ENGINEERING LTD<br>J- 1766- B | -                    | 17744                  | 0.5                    | 490+5          | 1          | DISTANCE AT                  | PO.No. : P10131276/JB1088 DT : 10.12.18             | 2018               |
|            | M/S. ITC LIMITED , FOOD DIVISION<br>J- 1767    | -                    | 5 (TPH)                | 12.0                   | ATURATE        | 1          | DISTANCE AT                  | PO.No. : 43000 26332 DT : 8.12.18                   | 2018               |
|            | M/S. FORBES MARSHALL ARCA PVT LTD<br>J- 1768   | -                    | 10 (TPH)               | 45.0                   | 425            | 1          | DISTANCE AT                  | PO.No. : 4095004277 DT : 14.12.18                   | 2018               |
|            | M/S. LNV TECHNOLOGY PVT LTD<br>J- 1769 - A     | SATURATED<br>STEAM   | 2.277 / 1.948          | (3) / (3)              | 250 / (250)    | 1          | 85                           | PO.No. : PW-17-420 , PO/18-19/0619 DT :<br>21.12.18 | 2018               |
|            | M/S. LNV TECHNOLOGY PVT LTD<br>J- 1769 - B     | SUPERHEATED<br>STEAM | 2.020 / 1.500          | (3) / (3)              | 250 / (250)    | 1          | 85                           | PO.No. : PW-17-420 , PO/18-19/0619 DT :<br>21.12.18 | 2018               |
|            | M/S. LNV TECHNOLOGY PVT LTD<br>J- 1769 - C     | SUPERHEATED<br>STEAM | 5.182 / 5.592          | (3) / (3)              | 250 / (250)    | 1          | 85                           | PO.No. : PW-17-420 , PO/18-19/0619 DT :<br>21.12.18 | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

355 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                  | SERVICE              | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                  | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------|----------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------------|--------------------|
|            | M/S. LNV TECHNOLOGY PVT LTD<br>J- 1769 - D        | SUPERHEATED<br>STEAM | 29.988/ 8 (TPH)        | (3) / (3)              | 450            | 1          | 85                           | PO.No. : PW-17-420 , PO/18-19/0619 DT :<br>21.12.18 | 2018               |
|            | M/S. LNV TECHNOLOGY PVT LTD<br>J- 1769 - E        | SUPERHEATED<br>STEAM | 8 (TPH)                | 18                     | 420            | 1          | 85                           | PO.No. : PW-17-420 , PO/18-19/0619 DT :<br>21.12.18 | 2018               |
|            | M/S. LNV TECHNOLOGY PVT LTD<br>J- 1769 - F        | SUPERHEATED<br>STEAM | 1.5 (TPH)              | 4.38                   | 250            | 1          | 85                           | PO.No. : PW-17-420 , PO/18-19/0619 DT :<br>21.12.18 | 2018               |
|            | M/S. ISGEC HEAVY ENGINEERING LTD<br>J- 1770       | SUPERHEATED<br>STEAM | 33000                  | 1.00                   | 485            | 1          | 85                           | PO.No. : P10131696 /JA0093 DT : 24.12.18            | 2018               |
|            | M/S. THERMAL SYSTEMS (HYD) PVT LTD<br>J- 1772 -A  | -                    | 3850 /5900             | 45 / 50                | 258 /265       | 1          | 85                           | PO.No. : DT :                                       | 2018               |
|            | M/S. THERMAL SYSTEMS (HYD) PVT LTD<br>J- 1772 - B | -                    | 24100 / 27700          | 45 / 50                | 390 / 415      | 1          | 85                           | PO.No. : DT :                                       | 2018               |
|            | M/S.ISGEC HEAVY ENGINEERING LTD<br>J- 1773 - A    | -                    | 20000                  | 71.4 / 78.6            | 287 / 78.6     | 1          | 85                           | PO.No. : P30107653/ESO164 DT : 29.12.18             | 2018               |
|            | M/S.ISGEC HEAVY ENGINEERING LTD<br>J- 1773 - B    | -                    | 32660                  | 0/ 3.5                 | 287 / 330      | 1          | 85                           | PO.No. : P30107653/ESO164 DT : 29.12.18             | 2018               |
|            | M/S.ISGEC HEAVY ENGINEERING LTD<br>J- 1773 - C    | -                    | 33645                  | 0/ 3.5                 | 287 / 330      | 1          | 85                           | PO.No. : P30107653/ESO164 DT : 29.12.18             | 2018               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

356 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                         | SERVICE                                  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                     | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------|------------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------|--------------------|
| 4          | M/s. GRASIM INDUSTRIES LIMITED<br>J- 1776                | SH STEAM<br>VENT<br>SILENCER             | 40000                  | 90                     | 510            | 1          | 85                           | PO.No. :2830008021 DT.17.01.2019       | 2019               |
| 5          | M/s. TECHNIP / INDIAN OIL CORPORATION LIMITED<br>J- 1777 | STEAM<br>SILENCER                        | 307                    | 5                      | 336            | 1          | 85                           | -                                      | 2019               |
| 6          | M/s.NIROS ISPAT PRIVATE LIMITED (ZNI01)<br>J- 1778       | START UP<br>STEAM VENT<br>SILENCER       | 1500                   | 74 (KSC(g))            | 500            | 1          | 85                           | PO.No. : KS18Y-00302 DT.04.01.2019     | 2019               |
| 7          | M/s. JNK INDIA PVT LTD.<br>J- 1779-A                     | HIGH<br>PRESSURE<br>STEAM<br>SILENCER- 1 | 3600                   | 44                     | 420            | 1          | 85                           | PO.No. : JNKI-029-PO-087 DT.28.01.2019 | 2019               |
| 8          | M/s. JNK INDIA PVT LTD.<br>J- 1779-B                     | HIGH<br>PRESSURE<br>STEAM<br>SILENCER- 2 | 4200                   | 44                     | 420            | 1          | 85                           | PO.No. : JNKI-029-PO-087 DT.28.01.2019 | 2019               |
| 9          | M/s. JNK INDIA PVT LTD.                                  |                                          |                        |                        |                |            |                              |                                        |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

357 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT        | SERVICE                                    | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                           | YEAR<br>OF<br>MFR. |
|------------|-------------------------|--------------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------------|--------------------|
|            | J- 1779-C               | VERY HIGH<br>PRESSURE<br>STEAM<br>SILENCER | 17000                  | 134                    | 340            | 1          | 85                           | PO.No. : JNKI-029-PO-087 DT.28.01.2019                       | 2019               |
| 10         | M/s ENGINEERS INDIA LTD |                                            |                        |                        |                |            |                              |                                                              |                    |
|            | J- 1780-A               | SILENCER NO 2                              | 36000                  | 3.5                    | 420            | 1          | 85                           | PO.No. : LOA<br>NO.APL/PROJ/04/568/2019/261<br>DT.05.02.2019 | 2019               |
| 11         | M/s ENGINEERS INDIA LTD |                                            |                        |                        |                |            |                              |                                                              |                    |
|            | J- 1780-B               | SILENCER NO 3                              | 18000                  | 3.5                    | 540            | 1          | 85                           | PO.No. : LOA<br>NO.APL/PROJ/04/568/2019/261<br>DT.05.02.2019 | 2019               |
| 12         | M/s ENGINEERS INDIA LTD |                                            |                        |                        |                |            |                              |                                                              |                    |
|            | J- 1780-C               | SILENCER NO 5                              | 17500                  | 3.5                    | 270            | 1          | 85                           | PO.No. : LOA<br>NO.APL/PROJ/04/568/2019/261<br>DT.05.02.2019 | 2019               |
| 13         | M/s ENGINEERS INDIA LTD |                                            |                        |                        |                |            |                              |                                                              |                    |
|            | J- 1780-D               | SILENCER NO 6                              | 7500                   | 3.5                    | 420            | 1          | 85                           | PO.No. : LOA<br>NO.APL/PROJ/04/568/2019/261<br>DT.05.02.2019 | 2019               |
| 14         | M/s ENGINEERS INDIA LTD |                                            |                        |                        |                |            |                              |                                                              |                    |
|            | J- 1780-E               | SILENCER NO 7                              | 21000                  | 3.5                    | 420            | 1          | 85                           | PO.No. : LOA<br>NO.APL/PROJ/04/568/2019/261<br>DT.05.02.2019 | 2019               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

358 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                     | SERVICE                           | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                           | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------------------|-----------------------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------------|--------------------|
| 15         | M/s ENGINEERS INDIA LTD<br>J- 1780-F                                 | SILENCER NO 8                     | 35000                  | 3.5                    | 225            | 1          | 85                           | PO.No. : LOA<br>NO.APL/PROJ/04/568/2019/261<br>DT.05.02.2019 | 2019               |
| 16         | M/s ENGINEERS INDIA LTD<br>J- 1780-G                                 | SILENCER NO 9                     | 25000                  | 3.5                    | 260            | 1          | 85                           | PO.No. : LOA<br>NO.APL/PROJ/04/568/2019/261<br>DT.05.02.2019 | 2019               |
| 17         | M/s JNK INDIA PVT LTD<br>J-1781                                      | SUPER HEATED<br>STEAM<br>SILENCER | 1700                   | 3.5                    | 455            | 1          | 85                           | PO.No. : JNKI-035-PO-039/DT.06.02.2019                       | 2019               |
| 18         | M/s. ISOTEX CORPORATION PVT. LTD.<br>J-1782                          | SAFETY VALVE<br>SILENCER          | 10 (TPH)               | 50                     | 260            | 1          | 85                           | PO.No. : PPPP00766 DT.06.03.2019 (WO-1179)                   | 2019               |
| 19         | M/s.AUDEX FUJAIRAH LL FZE<br>J-1785                                  | VENT<br>SILENCER                  | 600 (m3/hr)            | 5                      | 0/80           | 1          | 85                           | PO.No. : 2019/WSP/11/03/2019/165<br>Dt.11.03.2019            | 2019               |
| 20         | M/S. THYSSENKRUPP INDUSTRIAL SOLUTION PRIVATE<br>LIMITED<br>J-1786-A | START UP<br>VENT<br>SILENCER      | 83444.9                | 49                     | 475            | 1          | 85                           | PO.No. : 2528/056/25925247 DT.22.04.2019                     | 2019               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

359 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                  | SERVICE                             | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                       | YEAR<br>OF<br>MFR. |
|------------|-------------------------------------------------------------------|-------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------|--------------------|
| 21         | M/S. THYSSENKRUPP INDUSTRIAL SOLUTION PRIVATE LIMITED<br>J-1786-B | DEAERATOR<br>SILENCER               | 3600                   | 3.5                    | 240            | 1          | 85                           | PO.No. : 2528/056/25925247 DT.22.04.2019 | 2019               |
| 22         | M/S. THYSSENKRUPP INDUSTRIAL SOLUTION PRIVATE LIMITED<br>J-1786-C | BLOW DOWN<br>FLASH DRUM<br>SILENCER | 3400                   | 6                      | 240            | 1          | 85                           | PO.No. : 2528/056/25925247 DT.22.04.2019 | 2019               |
| 23         | M/S. THYSSENKRUPP INDUSTRIAL SOLUTION PRIVATE LIMITED<br>J-1786-D | NTU START UP<br>VENT<br>SILENCER    | 47071                  | 3.5                    | 400            | 1          | 85                           | PO.No. : 2528/056/25925247 DT.22.04.2019 | 2019               |
| 24         | M/S. KIRLOSKAR EBARA PUMPS LIMITED<br>J-1787                      | TURBINE<br>EXHAUST<br>SILENCER      | 1200                   | 6.5/FV                 | 280            | 1          | 85                           | PO.No. : 1100035056 DT.02.05.2019        | 2019               |
| 25         | M/S.ISGEC HEAVY ENGINEERING LTD / APL<br>J-1788-A                 | STEAM<br>BLOWING<br>SILENCER        | 35600                  | 34                     | 290            | 1          | 85                           | PO.No. : P30108868/ES0179 DT.09.05.2019  | 2019               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

360 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                  | SERVICE                                                    | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                      | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------|------------------------------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------|--------------------|
| 26         | M/S.ISGEC HEAVY ENGINEERING LTD / APL<br>J-1788-B | WARMUP<br>VENT LINE<br>SILENCER (HP<br>LINE)               | 14240                  | 34                     | 290            | 1          | 85                           | PO.No. : P30108868/ES0179 DT.09.05.2019 | 2019               |
| 27         | M/S.ISGEC HEAVY ENGINEERING LTD / APL<br>J-1788-C | LP INJECTION<br>LINE VENT<br>SILENCER                      | 2400                   | 3.55                   | 225            | 1          | 85                           | PO.No. : P30108868/ES0179 DT.09.05.2019 | 2019               |
| 28         | M/S.ISGEC HEAVY ENGINEERING LTD / APL<br>J-1788-D | LP STEAM<br>INJECTION<br>LINE STEAM<br>BLOWING<br>SILENCER | 8400                   | 3.55                   | 225            | 1          | 85                           | PO.No. : P30108868/ES0179 DT.09.05.2019 | 2019               |
| 29         | M/S.ISGEC HEAVY ENGINEERING LTD / APL<br>J-1788-E | MP STEAM<br>HEADER AUTO<br>VENT PCV<br>SILENCER            | 1000                   | 8                      | 290            | 1          | 85                           | PO.No. : P30108868/ES0179 DT.09.05.2019 | 2019               |
| 29         | M/S.ISGEC HEAVY ENGINEERING LTD / APL<br>J-1788-F | LP STEAM<br>HEADER AUTO<br>PCV SILENCER                    | 12500                  | 2                      | 225            | 1          | 85                           | PO.No. : P30108868/ES0179 DT.09.05.2019 | 2019               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

361 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                      | SERVICE                                                         | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                      | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------|-----------------------------------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------|--------------------|
| 30         | M/S.ISGEC HEAVY ENGINEERING LTD / APL | HP STEAM<br>HEADER AUTO<br>VENT PCV<br>SILENCER                 | 15000                  | 8                      | 340            | 1          | 85                           | PO.No. : P30108868/ES0179 DT.09.05.2019 | 2019               |
| 31         | M/S.ISGEC HEAVY ENGINEERING LTD / APL | FROM LP<br>STEAM<br>HEADER TO<br>DUMPING<br>PRDS SV<br>SILENCER | 17910                  | 0.5                    | 225            | 1          | 85                           | PO.No. : P30108868/ES0179 DT.09.05.2019 | 2019               |
| 32         | M/S.ISGEC HEAVY ENGINEERING LTD / APL | FROM LP<br>STEAM<br>HEADER TO<br>DUMPING<br>PRDS SV<br>SILENCER | 17910                  | 0.5                    | 225            | 1          | 85                           | PO.No. : P30108868/ES0179 DT.09.05.2019 | 2019               |
| 33         | M/S.ISGEC HEAVY ENGINEERING LTD / APL | FROM HP<br>STEAM<br>HEADER TO LP<br>STEAM HEDER<br>SV SILENCER  | 10940                  | 0.5                    | 340            | 1          | 85                           | PO.No. : P30108868/ES0179 DT.09.05.2019 | 2019               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

362 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                      | SERVICE                                                            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                      | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------|--------------------------------------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------|--------------------|
| 34         | M/S.ISGEC HEAVY ENGINEERING LTD / APL | FROM HP<br>STEAM<br>HEADER TO LP<br>STEAM HEDER<br>SV SILENCER     | 10940                  | 0.5                    | 340            | 1          | 85                           | PO.No. : P30108868/ES0179 DT.09.05.2019 | 2019               |
| 35         | M/S.ISGEC HEAVY ENGINEERING LTD / APL | FROM HP<br>STEAM<br>HEADER TO<br>MP STEAM<br>HEADER SV<br>SILENCER | 2438                   | 0.5                    | 420            | 1          | 85                           | PO.No. : P30108868/ES0179 DT.09.05.2019 | 2019               |
| 36         | M/S.ISGEC HEAVY ENGINEERING LTD / APL | FROM HP<br>STEAM<br>HEADER TO<br>MP STEAM<br>HEADER SV<br>SILENCER | 2415                   | 0.5                    | 420            | 1          | 85                           | PO.No. : P30108868/ES0179 DT.09.05.2019 | 2019               |
| 37         | M/s. JNK INDIA PVT LTD.               | STEAM<br>SILENCER                                                  | 188                    | 3.5                    | 190            | 1          | 85                           | PO.No. : JNKI-038-PO-002 DT.18.05.2019  | 2019               |
| 38         | M/s SHRI JAGANNATH STEELS & POWER LTD | AIR SILENCER                                                       | 20 (m3/min)            | 20 (bar (g))           | 100            | 1          | 85                           | PO.No. : Pallet/90000193 dt.27.05.2019  | 2019               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

363 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                  | SERVICE                      | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE              | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------|------------------------------|------------------------|------------------------|----------------|------------|------------------------------|---------------------------------|--------------------|
| 39         | M/s.PETROFAC INTERNATIONAL (UAE) LLC<br>J- 1791-A | START UP<br>VENT<br>SILENCER | 1482                   | 5.5/FV                 | 190            | 2          | 85                           | PO No. 2040060137 DT.29.05.2019 | 2019               |
| 40         | M/s.PETROFAC INTERNATIONAL (UAE) LLC<br>J- 1791-B | START UP<br>VENT<br>SILENCER | 10550.2                | 46/FV                  | 280            | 2          | 85                           | PO No. 2040060137 DT.29.05.2019 | 2019               |
| 41         | M/s.PETROFAC INTERNATIONAL (UAE) LLC<br>J- 1791-C | START UP<br>VENT<br>SILENCER | 1071                   | 5.5/FV                 | 190            | 2          | 85                           | PO No. 2040060137 DT.29.05.2019 | 2019               |
| 42         | M/s.PETROFAC INTERNATIONAL (UAE) LLC<br>J- 1791-D | START UP<br>VENT<br>SILENCER | 436                    | 5.5/FV                 | 190            | 2          | 85                           | PO No. 2040060137 DT.29.05.2019 | 2019               |
| 43         | M/s.PETROFAC INTERNATIONAL (UAE) LLC<br>J- 1791-E | START UP<br>VENT<br>SILENCER | 281                    | 5.5/FV                 | 190            | 2          | 85                           | PO No. 2040060137 DT.29.05.2019 | 2019               |
| 44         | M/s.PETROFAC INTERNATIONAL (UAE) LLC<br>J- 1791-F | START UP<br>VENT<br>SILENCER | 9800                   | 56/FV                  | 545            | 2          | 85                           | PO No. 2040060137 DT.29.05.2019 | 2019               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

364 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                         | SERVICE                      | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                     | YEAR<br>OF<br>MFR. |
|------------|----------------------------------------------------------|------------------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------|--------------------|
| 45         | M/s.PETROFAC INTERNATIONAL (UAE) LLC<br>J- 1791-G        | START UP<br>VENT<br>SILENCER | 5100                   | 46/FV                  | 400            | 2          | 85                           | PO No. 2040060137 DT.29.05.2019        | 2019               |
| 46         | M/s.INDORAMA ELEME FERTILIZER & CHEMICALS LTD<br>J- 1794 | STEAM VENT<br>SILENCER       | 25 (TPH)               | 25                     | 515            | 1          | 85                           | PO NO. IEPL/PO/9315 Dt. 21.06.2019     | 2019               |
| 47         | M/S.ISGEC HEAVY ENGINEERING LTD / TOYO<br>J- 1795        | BYPASS STACK<br>SILENCER     | 87.9 (m3/sec)          | 500 (mmwc)             | 650            | 1          | 85                           | PO.No : P10137514/JB1096 DT.26.06.2019 | 2019               |
| 48         | M/S.ISGEC HEAVY ENGINEERING LTD / TOYO<br>J- 1796        | BYPASS STACK<br>SILENCER     | 87.9 (m3/sec)          | 500 (mmwc)             | 650            | 1          | 85                           | PO.No : P10137515/JB1097 DT.26.06.2019 | 2019               |
| 49         | M/S.ISGEC HEAVY ENGINEERING LTD / TECHNIP<br>J- 1797     | BYPASS STACK<br>SILENCER     | 215.2 (m3/sec)         | 500 (mmwc)             | 650            | 1          | 85                           | PO.No : P10137576/JB1133 DT.28.06.2019 | 2019               |
| 50         | M/S.ISGEC HEAVY ENGINEERING LTD / TECHNIP<br>J- 1798     | BYPASS STACK<br>SILENCER     | 215.2 (m3/sec)         | 500 (mmwc)             | 650            | 1          | 85                           | PO.No : P10137577/JB1134 DT.28.06.2019 | 2019               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

365 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                     | SERVICE                                  | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                       | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------|------------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|------------------------------------------|--------------------|
| 51         | M/S.ISGEC HEAVY ENGINEERING LTD / TECHNIP<br>J- 1799 | BYPASS STACK<br>SILENCER                 | 215.2 (m3/sec)         | 500 (mmwc)             | 650            | 1          | 85                           | PO.No : P10137578/JB1135 DT.28.06.2019   | 2019               |
| 52         | M/S.ISGEC HEAVY ENGINEERING LTD / TECHNIP<br>J- 1800 | BYPASS STACK<br>SILENCER                 | 215.2 (m3/sec)         | 500 (mmwc)             | 650            | 1          | 85                           | PO.No : P10137579/JB1136 DT.28.06.2019   | 2019               |
| 53         | M/S.ISGEC HEAVY ENGINEERING LTD / APL<br>J- 1801-A   | BYPASS STACK<br>SILENCER                 | 78860                  | 350 (mmwc)             | 620            | 1          | 85                           | PO.No : P30109867 / ES0179 DT.26.08.2019 | 2019               |
| 54         | M/S.ISGEC HEAVY ENGINEERING LTD / APL<br>J- 1801-B   | MAIN STEAM<br>SAFETY VALVE<br>1 SILENCER | 3180                   | 0.5                    | 360            | 1          | 85                           | PO.No : P30109867/ES0179 DT.26.08.2019   | 2019               |
| 55         | M/S.ISGEC HEAVY ENGINEERING LTD / APL<br>J- 1801-C   | STEAM DRUM<br>SAFETY VALVE<br>2 SILENCER | 5074                   | 0.5                    | 300            | 1          | 85                           | PO.No : P30109867/ES0179 DT.26.08.2019   | 2019               |
| 56         | M/S.ISGEC HEAVY ENGINEERING LTD / APL                |                                          |                        |                        |                |            |                              |                                          |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

366 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                          | SERVICE                                           | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                     | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------|---------------------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------|--------------------|
| 57         | J- 1801-D<br>M/S.ISGEC HEAVY ENGINEERING LTD / APL        | STEAM DRUM<br>SAFETY VALVE<br>SILENCER            | 4955                   | 0.5                    | 300            | 1          | 85                           | PO.No : P30109867/ES0179 DT.26.08.2019 | 2019               |
| 58         | J- 1801-E<br>M/S.ISGEC HEAVY ENGINEERING LTD / APL        | STEAM DRUM<br>START UP<br>SAFET VALVE<br>SILENCER | 3150                   | 37                     | 300            | 1          | 85                           | PO.No : P30109867/ES0179 DT.26.08.2019 | 2019               |
| 59         | J- 1801-F<br>M/S.ISGEC HEAVY ENGINEERING LTD / APL        | CBD TANK<br>SAFETY VALVE<br>SILENCER              | 694                    | 1                      | 152            | 1          | 85                           | PO.No : P30109867/ES0179 DT.26.08.2019 | 2019               |
| 60         | J- 1801-G<br>M/S. MANGALORE REFINERY & PETROCHEMICALS LTD | HRSG START<br>UP VENT<br>SILENCER                 | 3150                   | 1                      | 330            | 1          | 85                           | PO.No : P30109867/ES0179 DT.26.08.2019 | 2019               |
|            | J- 1803                                                   | COKE DRUM<br>VENT<br>SILENCER                     | 10000                  | 4.2                    | 350            | 1          | 85                           | PO.No : 4500012978 DT.18.09.2019       | 2019               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

367 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                              | SERVICE                                       | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                     | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------|-----------------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------|--------------------|
| 61         | M/s. ISGEC HEAVY ENGINEERING LTD<br>J- 1804-A | SH SV<br>SILENCER                             | 17574                  | 0.5                    | 540            | 1          | 85                           | PO.No : P10139828/JB1142 DT.25.09.2019 | 2019               |
| 62         | M/s. ISGEC HEAVY ENGINEERING LTD<br>J- 1804-B | EMR VALVE<br>SILENCER                         | 17171                  | 0.5                    | 540            | 1          | 85                           | PO.No : P10139828/JB1142 DT.25.09.2019 | 2019               |
| 63         | M/s. ISGEC HEAVY ENGINEERING LTD<br>J- 1804-C | SH STEAM<br>STARTUP VENT<br>VALVE<br>SILENCER | 55220                  | 0.5                    | 540            | 1          | 85                           | PO.No : P10139828/JB1142 DT.25.09.2019 | 2019               |
| 64         | M/s. ISGEC HEAVY ENGINEERING LTD<br>J- 1804-D | DRUM SAFETY<br>VALVE-1<br>SILENCER            | 24943                  | 0.5                    | 334            | 1          | 85                           | PO.No : P10139828/JB1142 DT.25.09.2019 | 2019               |
| 65         | M/s. ISGEC HEAVY ENGINEERING LTD<br>J- 1804-E | DRUM SAFETY<br>VALVE-2<br>SILENCER            | 25123                  | 0.5                    | 335            | 1          | 85                           | PO.No : P10139828/JB1142 DT.25.09.2019 | 2019               |
| 66         | M/S.ENMAS ANDRITZ PRIVATE LIMITED<br>J- 1806  | START UP<br>VENT<br>SILENCER                  | 28000                  | 66                     | 480            | 1          | 85                           | PO.No : BBAC350049004 DT.31.10.2019    | 2019               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

368 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT              | SERVICE                                               | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C                   | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                              | YEAR<br>OF<br>MFR. |
|------------|-------------------------------|-------------------------------------------------------|-------------------------|-------------------------|----------------------------------|------------|------------------------------|-------------------------------------------------|--------------------|
| 67         | M/s.DEVELOPMENT PIPING SYSTEM | MAIN STEAM<br>START UP<br>VENT<br>SILENCER            | 24000                   | 32                      | 385                              | 1          | 85                           | PO.No : DPS/2019-20/P.O./59 DT.16.11.2019       | 2019               |
| 68         | M/s.LARSEN & TOUBRO LIMITED   | SAFETY RELIEF<br>VALVE<br>SILENCER                    | 13.56                   | 3.3                     | 40<br>Ambient,<br>maximu<br>m 50 | 1          | 85                           | PO.No : 0235 DT.25.11.2019                      | 2019               |
| 1          | M/s ENGINEERS INDIA LTD       | STEAM<br>SUPERHEATER<br>STARTUP VENT<br>SILENCER      | 36592                   | 41.6                    | 431                              | 1          | 85                           | PO.No. : A885/6965/392/PO-2783<br>DT.07.02.2020 | 2020               |
| 2          | M/s. SIEMENS PVT LTD          | SILENCER ON<br>EXTRACTION<br>LINE SRV101<br>VENT LINE | 26 (TPH)                | 10 (ata)                | 290                              | 1          | 85                           | PO.No. : 4509689471 dt.24.02.2020               | 2020               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

369 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL. NO. | CUSTOMER/PROJECT                                                   | SERVICE                                                          | FLOW RATE<br>KG/Hr.    | INLET PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO. OFF | NOISE LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                      | YEAR OF<br>MFR. |
|---------|--------------------------------------------------------------------|------------------------------------------------------------------|------------------------|---------------------|----------------|---------|---------------------------|---------------------------------------------------------|-----------------|
| 3       | M/s. SIEMENS PVT LTD<br><br>J- 1810-B                              | SILENCER ON<br>EXTRACTION<br>LINE MOV102<br>VENT LINE            | 26 (TPH)               | 10 (ata)            | 290            | 1       | 85                        | PO.No. : 4509689471 dt.24.02.2020                       | 2020            |
| 4       | M/s. VALMET / ITC HPRB & ALP, BHADRACHALAM, INDIA<br><br>J- 1811-A | DRUM SV-1<br>SILENCER /<br>DRUM SV-2<br>SILENCER                 | 50.08/50.5 (kg/sec)    | 1.3/1.3             | 336.1/336.1    | 1       | 85                        | PO.No. : 307/504155 DT.09.04.2020                       | 2020            |
| 5       | M/s. VALMET / ITC HPRB & ALP, BHADRACHALAM, INDIA<br><br>J- 1811-A | START UP<br>VENT VALVE /<br>SHSV / SOOT<br>BLOWER SV<br>SILENCER | 40/41.03/27.7 (kg/sec) | 4 to 10 / 4 / 4     | 5 / 525 / 4    | 1       | 85                        | PO.No. : 307/504155 DT.09.04.2020                       | 2020            |
| 6       | M/s.TAMIL NADU NEWSPRINT AND PAPERS LTD<br><br>J- 1812             | LP HEADER<br>VENT LINE<br>SILENCER                               | 40 (TPH)               | 1                   | 190 to 200     | 1       | 85                        | PO.No. : TNPL/UNIT-II/MEP/PO/202125000074 DT.18.04.2020 | 2020            |
| 7       | M/s.THE BABCOCK & WILCOX COMPANY<br>J- 1813                        | -                                                                | -                      | -                   | -              | 2       | 85                        | PO.No. : BAX326750 DT.20.03.2020                        | 2020            |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

370 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                               | SERVICE                            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                          | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------|------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------------------------------------|--------------------|
| 8          | M/s.ISGEC HEAVY ENGINEERING / APL<br>J- 1814-A | LP HEADER<br>VENT LINE<br>SILENCER | 400                    | 44/FV                  | 420            | 1          | 85                           | PO.No. : TNPL/UNIT-<br>II/MEP/PO/202125000074 DT.18.04.2020 | 2020               |
| 10         | M/s.ISGEC HEAVY ENGINEERING / APL<br>J- 1814-B | LP HEADER<br>VENT LINE<br>SILENCER | 3031                   | 2.05/FV                | 332            | 1          | 115                          | PO.No. : TNPL/UNIT-<br>II/MEP/PO/202125000074 DT.18.04.2020 | 2020               |
| 11         | M/s.ISGEC HEAVY ENGINEERING / APL<br>J- 1814-C | LP HEADER<br>VENT LINE<br>SILENCER | 3061                   | 2.07/FV                | 332            | 1          | 115                          | PO.No. : TNPL/UNIT-<br>II/MEP/PO/202125000074 DT.18.04.2020 | 2020               |
| 12         | M/s.ISGEC HEAVY ENGINEERING / APL<br>J- 1814-D | LP HEADER<br>VENT LINE<br>SILENCER | 10195                  | 0.55/FV                | 225            | 1          | 115                          | PO.No. : TNPL/UNIT-<br>II/MEP/PO/202125000074 DT.18.04.2020 | 2020               |
| 13         | M/s.ISGEC HEAVY ENGINEERING / APL<br>J- 1814-E | LP HEADER<br>VENT LINE<br>SILENCER | 6918                   | 0.57/FV                | 225            | 1          | 115                          | PO.No. : TNPL/UNIT-<br>II/MEP/PO/202125000074 DT.18.04.2020 | 2020               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

371 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                  | SERVICE                                          | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                            | YEAR<br>OF<br>MFR. |
|------------|-----------------------------------------------------------------------------------|--------------------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|-----------------------------------------------|--------------------|
| 14         | M/s TUMAN ENGINEERING PVT LMD/CPL<br>J- 1815-A                                    | VENT LINE OF<br>SULPHUR<br>COND .1&2<br>SILENCER | 1070                   | 7/FV                   | 240            | 2          | 85                           | PO.No. : TUMAN/PO/4120003143<br>DT.09.06.2020 | 2020               |
| 15         | M/s TUMAN ENGINEERING PVT LMD/CPL<br>J- 1815-B                                    | VENT LINE OF<br>SULPHUR<br>COND .1&2<br>SILENCER | 683                    | 7/FV                   | 240            | 1          | 85                           | PO.No. : TUMAN/PO/4120003143<br>DT.09.06.2020 | 2020               |
| 16         | M/s BHARTH HEAVY ELECTRICALS LIMITED/FGD<br>J- 1816                               | DISCHARGE<br>SILENCER                            | 11660                  | 1.94/bar((g)           | 141.11         | 2          | 85                           | PO.No. : TUMAN/PO/4120003143<br>DT.09.06.2020 | 2020               |
| 17         | M/s INDORAMA ELEME FERTILIZER& CHEMICALS LTD/SEA<br>RESOURCE PTE LTD<br>J- 1817-A | HP TO LP<br>STEAM VENT<br>SILENCER               | 57780                  | 3.5                    | 200            | 1          | 85                           | PO.No. : IEFCL/SRPL/1809/ DT.24.07.2020       | 2020               |
| 18         | M/s INDORAMA ELEME FERTILIZER& CHEMICALS LTD/SEA<br>RESOURCE PTE LTD<br>J- 1817-B | HP TO LP<br>STEAM VENT<br>SILENCER               | 2500                   | 3.5                    | 290            | 1          | 85                           | PO.No. : IEFCL/SRPL/1809/ DT.24.07.2020       | 2020               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

372 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                               | SERVICE                                 | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                 | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------------------------------|-----------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------------------|--------------------|
| 19         | M/s RUNGTA MINES LTD/CHALIYAMA UNIT 4<br><br>J- 1818                                           | TURBINE<br>START UP<br>VENT<br>SILENCER | 20(TBH)                | 139(ata)               | 550 DEG C      | 1          | 85                           | PO.No. : 4509992426 DT.06.08.2020                  | 2020               |
| 20         | M/s ENMAS EPC POWER PROJECT LIMITED/GANGNEUNG<br>GANGDONG BIOMASS POWER PLANT<br><br>J- 1820-A | STEAM DRUM<br>SV-1<br>SILENCER          | 18529                  | 2.16                   | 313 C          | 1          | 80                           | PO.No. : EEPC/PO/20-21FC01A1/0043<br>DT.19.08.2020 | 2020               |
| 21         | M/s ENMAS EPC POWER PROJECT LIMITED/GANGNEUNG<br>GANGDONG BIOMASS POWER PLANT<br><br>J- 1820-B | STEAM DRUM<br>SV-2<br>SILENCER          | 18656                  | 2.295                  | 313 C          | 1          | 80                           | PO.No. : EEPC/PO/20-21FC01A1/0043<br>DT.19.08.2020 | 2020               |
| 22         | M/s ENMAS EPC POWER PROJECT LIMITED/GANGNEUNG<br>GANGDONG BIOMASS POWER PLANT<br><br>J- 1820-C | STEAM DRUM<br>SV-2<br>SILENCER          | 13483                  | 92.6                   | 520C           | 1          | 80                           | PO.No. : EEPC/PO/20-21FC01A1/0043<br>DT.19.08.2020 | 2020               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

373 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                               | SERVICE                                       | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                                           | YEAR<br>OF<br>MFR. |
|------------|------------------------------------------------------------------------------------------------|-----------------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------------------------------|--------------------|
| 23         | M/s ENMAS EPC POWER PROJECT LIMITED/GANGNEUNG<br>GANGDONG BIOMASS POWER PLANT<br><br>J- 1820-D | STEAM DRUM<br>SV-2<br>SILENCER                | 14850                  | 3                      | 515C           | 1          | 80                           | PO.No. : EEPC/PO/20-21FC01A1/0043<br>DT.19.08.2020           | 2020               |
| 23         | M/s ENMAS EPC POWER PROJECT LIMITED/GANGNEUNG<br>GANGDONG BIOMASS POWER PLANT<br><br>J- 1820-E | STEAM DRUM<br>SV-2<br>SILENCER                | 10000                  | 86                     | 515C           | 1          | 80                           | PO.No. : EEPC/PO/20-21FC01A1/0043<br>DT.19.08.2020           | 2020               |
| 23         | M/s ENMAS EPC POWER PROJECT LIMITED/GANGNEUNG<br>GANGDONG BIOMASS POWER PLANT<br><br>J- 1820-F | STEAM DRUM<br>SV-2<br>SILENCER                | 35000                  | 45                     | 400C           | 1          | 80                           | PO.No. : EEPC/PO/20-21FC01A1/0043<br>DT.19.08.2020           | 2020               |
| 24         | M/s HPCL-RAJASTHAN REFINERYLIMITED HRRL<br><br>J- 1821                                         | SILENCER<br>FOR MP STEAM<br>LIGHT<br>STRIPPER | 540                    | 20.4/FV                | 350C           | 1          | 85                           | PO.No. : SRU-<br>O&G/HRRL/VGO/SILENCER/L0-041<br>DT.25.08.20 | 2020               |



**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

375 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                            | SERVICE                                 | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                     | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------|-----------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|----------------------------------------|--------------------|
| 30         | M/s RUBAMIN PVT LTD/HALOL<br>J- 1826-B      | TURBINE<br>START UP<br>VENT<br>SILENCER | 2800                   | 10.4                   | 185            | 1          | 85                           | PO.No. RIHI /MAT/410014845 DT.10.12.20 | 2020               |
| 31         | M/s KIRLOSKAR EBARA PUMPS LTD/<br>J- 1827-A | INLET<br>SILENCER                       | 4820                   | 3.5                    | 285 C          | 1          | 85                           | PO.No. 1100052554 DT.16.12.20          | 2020               |
| 32         | M/s KIRLOSKAR EBARA PUMPS LTD/<br>J- 1827-B | INLET<br>SILENCER                       | 4820                   | 3.5                    | 285 C          | 1          | 85                           | PO.No. 1100052554 DT.16.12.20          | 2020               |
| 33         | M/s KIRLOSKAR EBARA PUMPS LTD/<br>J- 1827-C | INLET<br>SILENCER                       | 1715                   | 3.5                    | 285 C          | 1          | 85                           | PO.No. 1100052554 DT.16.12.20          | 2020               |
| 34         | M/s KIRLOSKAR EBARA PUMPS LTD/<br>J- 1827-D | INLET<br>SILENCER                       | 1715                   | 3.5                    | 285 C          | 1          | 85                           | PO.No. 1100052554 DT.16.12.20          | 2020               |
| 35         | M/s KIRLOSKAR EBARA PUMPS LTD/<br>J- 1827-E | INLET<br>SILENCER                       | 4550                   | 3.5                    | 285 C          | 1          | 85                           | PO.No. 1100052554 DT.16.12.20          | 2020               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

376 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                          | SERVICE                            | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE            | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------|------------------------------------|------------------------|------------------------|----------------|------------|------------------------------|-------------------------------|--------------------|
| 36         | M/s KIRLOSKAR EBARA PUMPS LTD/<br>J- 1827-F                               | INLET<br>SILENCER                  | 4550                   | 3.5                    | 285 C          | 1          | 85                           | PO.No. 1100052554 DT.16.12.20 | 2020               |
| 37         | M/s INDIAN OIL CORPORATION LIMITED/NCE<br>J- 1828 A                       | HP STEAM<br>SILENCER               | 4550                   | 0.2                    | 400C           | 1          | 85                           | PO.No. 1100052554 DT.16.12.20 | 2020               |
| 38         | M/s INDIAN OIL CORPORATION LIMITED/NCE<br>J- 1828 B                       | HP STEAM<br>SILENCER               | 4550                   | 6.5                    | 400C           | 1          | 85                           | PO.No. 1100052554 DT.16.12.20 | 2020               |
| 39         | M/s MAASKAMBARY STEEL LIMITED/ 5.0 MW CAPTIVE<br>POWER PLANT<br>J- 1829 A | START UP<br>STEAM VENT<br>SILENCER | 3600                   | 74((bar( g)            | 495C           | 2          | 85                           | PUMPS/20-21/00009 DT.14.01.21 | 2021               |
| 40         | M/s MAASKAMBARY STEEL LIMITED/ 5.0 MW CAPTIVE<br>POWER PLANT<br>J- 1829 B | START UP<br>STEAM VENT<br>SILENCER | 3700                   | 74((bar( g)            | 495C           | 2          | 85                           | PUMPS/20-21/00009 DT.14.01.21 | 2021               |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

377 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                               | SERVICE                                | FLOW<br>RATE<br>KG./Hr. | INLET<br>PR.<br>Kg./Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                               | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------------|----------------------------------------|-------------------------|-------------------------|----------------|------------|------------------------------|--------------------------------------------------|--------------------|
| 42         | M/s MAASKAMBARY STEEL LIMITED/ 5.0 MW CAPTIVE<br>POWER PLANT<br><br>J- 1829 C  | START UP<br>STEAM VENT<br>SILENCER     | 8820                    | 74((bar( g)             | 495C           | 2          | 85                           | PUMPS/20-21/00009 DT.14.01.21                    | 2021               |
| 43         | M/S SRI ANDAL PAPER MILLS UNIT II PVT LTD/ COGAN<br>POWER PLANT<br><br>J- 1831 | MS LINE<br>WARM UP<br>VENT<br>SILENCER | 20000                   | 70(ata)                 | 490C           | 1          | 85                           | PO . SAPM /UNIT 2/TPL/<br>FT/215/2021DT.05.02.21 | 2021               |
| 44         | M/S MANGALORE REFINERYAND PETROCHEMICAL<br>LIMITED/<br><br>J- 1832             | VENT<br>SILENCER                       | 2594+1374+60            | 3.5                     | 350C           | 1          | 85                           | PO . 4500014667 DT.18.02.21                      | 2021               |
| 45         | M/S ITC PSPD/ ITC BHARACHALAM<br><br>J- 1833 A                                 | SAFETY VALVE<br>SILENCER 1             | 154000                  | 14.85                   | 480C           | 1          | 85                           | LOI No. 21BOI001 DT.24.02.2021                   | 2021               |
| 46         | M/S ITC PSPD/ ITC BHARACHALAM<br><br>J- 1833 B                                 | SAFETY VALVE<br>SILENCER 2             | 50200                   | 3.78                    | 203C           | 1          | 85                           | LOI No. 21BOI001 DT.24.02.2021                   | 2021               |
| 47         | M/S ITC PSPD/ ITC BHARACHALAM                                                  |                                        |                         |                         |                |            |                              |                                                  |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

378 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                               | SERVICE                    | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE             | YEAR<br>OF<br>MFR. |
|------------|--------------------------------------------------------------------------------|----------------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------|--------------------|
| 48         | J- 1833 C<br>M/S ITC PSPD/ ITC BHARACHALAM                                     | SAFETY VALVE<br>SILENCER 2 | 114000                 | 4.725                  | 175C           | 1          | 85                           | LOI No. 21BOI001 DT.24.02.2021 | 2021               |
| 49         | J- 1833 C<br>M/s INDIAN OIL CORPORATION LIMITED/NCE                            | SAFETY VALVE<br>SILENCER 2 | 114000                 | 4.725                  | 175C           | 1          | 85                           | LOI No. 21BOI001 DT.24.02.2021 | 2021               |
| 49         | J- 1834<br>M/S TRIVENI TURBINE LIMITED                                         | HP STEAM<br>SILENCER       | 4550                   | 0.2                    | 400C           | 1          | 85                           | PO.No. 1100052554 DT.16.12.20  | 2020               |
| 50         | J- 1835<br>M/S BAKARO STEEL PLANT/REBUILDING OF COOK OVEN<br>BATTERY NO.8      | SAFETY VALVE<br>SILENCER 2 | 10(TPH)                | 3.3                    | 159C           | 1          | 75                           | PO . 2000024286 DT. 11.05.2021 | 2021               |
| 51         | J- 1837<br>M/S GUJART ALKALIES AND CHEMICAL LIMITED/ GACL PPA<br>PROJECT DAHEJ | EXHAUST<br>SILENCER        | 22100                  | 9                      | 422C           | 1          | 85                           | PO 1100058953 DT.06.07.2021 .  | 2021               |
|            | J- 1838A                                                                       | EXHAUST<br>SILENCER        | 667                    | 0.5                    | 60             | 3          | 85                           | PO .3100017144 DT.06.7.2021    |                    |

**P.R. ACOUSTICAL AND  
ENGINEERING WORKS  
(P) LIMITED - TRICHY-15.**

**REFERENCE LIST**

379 OF 380

PRAE

**NOISE CONTROL - SILENCER**

| SL.<br>NO. | CUSTOMER/PROJECT                                                                | SERVICE                      | FLOW<br>RATE<br>KG/Hr. | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE                   | YEAR<br>OF<br>MFR. |
|------------|---------------------------------------------------------------------------------|------------------------------|------------------------|------------------------|----------------|------------|------------------------------|--------------------------------------|--------------------|
| 52         | M/S GUJART ALKALIES AND CHEMICAL LIMITED/ GACL PPA<br>PROJECT DAHEJ<br>J- 1838B | EXHAUST<br>SILENCER          | 3000                   | 0.5                    | 60             | 3          | 85                           | PO .3100017144 DT.06.7.2021          |                    |
| 53         | M/S GUJART ALKALIES AND CHEMICAL LIMITED/ GACL PPA<br>PROJECT DAHEJ<br>J- 1838C | EXHAUST<br>SILENCER          | 667                    | 0.5                    | 60             | 3          | 85                           | PO .3100017144 DT.06.7.2021          |                    |
| 54         | M/S MAIND INVESTMENT PVT LIMITED<br>J- 1839A                                    | EXHAUST<br>SILENCER          | 17000                  | 3                      | 515            | 2          | 110                          | PO . MA/ EXP/026-21-22 DT.17.08.2021 |                    |
| 55         | M/S MAIND INVESTMENT PVT LIMITED<br>J- 1839B                                    | EXHAUST<br>SILENCER          | 15000                  | 3                      | 515            | 2          | 110                          | PO . MA/ EXP/026-21-22 DT.17.08.2021 |                    |
| 56         | M/S HALLMARK BOILER PVT LTD<br>J- 1840A                                         | START UP<br>VENT<br>SILENCER | 6600                   | 10                     | 450            | 1          | 85                           | PO . HBPL /PO/702/2021 DT.30.08.2021 |                    |
| 57         | M/S HALLMARK BOILER PVT LTD<br>J- 1840B                                         | SH SV<br>SILENCER            | 5500                   | 10                     | 450            | 1          | 85                           | PO . HBPL /PO/702/2021 DT.30.08.2021 |                    |
| 58         | M/S MANGALORE CHEMICAL FERTILIZERS LIMITED<br>J- 1841                           | SH SV<br>SILENCER            | 28500                  | 42                     | 240 C          | 1          | ,<85                         | PO . 430007849 DT. 08.09.2021        | 2021               |

| <div> <div>P.R. ACOUSTICAL AND<br/>ENGINEERING WORKS<br/>(P) LIMITED - TRICHY-15.</div> <div>PRAE</div> </div> |                                                                                            |                              | REFERENCE LIST           |                        |                |            |                              | 380 OF 380                    |                    |
|----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|------------------------------|--------------------------|------------------------|----------------|------------|------------------------------|-------------------------------|--------------------|
|                                                                                                                |                                                                                            |                              | NOISE CONTROL - SILENCER |                        |                |            |                              |                               |                    |
| SL.<br>NO.                                                                                                     | CUSTOMER/PROJECT                                                                           | SERVICE                      | FLOW<br>RATE<br>KG/Hr.   | INLET<br>PR.<br>Kg/Cm2 | TEMP.<br>DEG.C | NO.<br>OFF | NOISE<br>LEVEL<br>dB(A)-Mtr. | P.O. NO. &<br>DATE            | YEAR<br>OF<br>MFR. |
| 59                                                                                                             | M/S INDIAN OIL CORPORATION LIMITED/ CONSULTANCY<br>SERVICE FOR PSA OFF -GAS<br><br>J- 1842 | MP STEAM<br>VENT<br>SILENCER | 11760                    | 3.5                    | 350 C          | 1          | ,85                          | LOA ETH/300 DT.08.09.2021     | 2021               |
| 60                                                                                                             | M/S TECHNIP ENERGIES/ HMEL<br><br>J- 1843                                                  | VHP STEAM<br>SILENCER        | 21750                    | 3.5                    | 513C           | 1          | ,85                          | PO .7480000690 Dt. 21.09.2021 |                    |